

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-79

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.B.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
L-6939	

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO REILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE APPLICATION FOR PERMIT TO REILL (FORM C-101) FOR SUCH PROPOSALS.

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Amoco Production Company		8. Farm or Lease Name State IV
3. Address of Operator P. O. Box 68, Hobbs, NM 88240		9. Well No. 1
4. Location of Well UNIT LETTER <u>L</u> <u>2310</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>31</u> TOWNSHIP <u>17-S</u> RANGE <u>36-E</u> NADPM.		10. Field and Pool, or Wildcat Vacuum GSA
11. Elevation (Show whether DF, RT, GR, etc.) 3882.9' GL		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Moved in service unit 2-27-84. Pulled rods and pump. Installed blowout preventer and hot watered tubing. Pulled tubing and ran cast iron bridge plug. Set plug at 4900'. Capped with 4 sx class C neat cement. Pulled tubing to 4760' and spotted 40 sx class C neat cement. Pulled tubing to 526' and spotted 25 sx C neat cement. Pulled tubing to 188' and spotted 15 sx class C neat. Pulled tubing, cleaned out cellar, and inserted dry hole marker.

O+5-NMOCD, H 1-R. E. Ogden, HOU Rm. 21.150 1-F. J. Nash, HOU Rm. 4:206 1-GCC, 1-Phillips
1-Southland Royalty 1-Southwestern 1-Sunmark Exp.

±

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Mary C. Clark TITLE Assist. Adm. Analyst DATE 3-8-84
APPROVED BY Ronald M. Caruthers TITLE OIL & GAS INSPECTOR DATE MAY 23 1984
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED
MAR 9 1984
O.C.D.
HOBBS OFFICE