

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	T. Canyon
T. Salt	T. Strawn 11,496
B. Salt	T. Atoka 11,668
T. Yates	T. Miss
T. 7 Rivers	T. Devonian
T. Queen	T. Silurian
T. Grayburg	T. Montoya
T. San Andres	T. Simpson
T. Gloriets	T. McKee
T. Paddock	T. Ellenburger
T. Elimbry	T. Gr. Wash
T. Tubb	T. Granite
T. Drinkard	T. Delaware Sand
T. Abo	T. Bone Springs 9,555
T. Wolfcamp	T.
T. Penn.	T.
T Cisco (Bough C)	T.

Northwestern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Qtzte
T. Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from..... to.....	No. 4, from..... to.....
No. 2, from..... to.....	No. 5, from..... to.....
No. 3, from..... to.....	No. 6, from..... to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from..... to.....	feet.....
No. 2, from..... to.....	feet.....
No. 3, from..... to.....	feet.....
No. 4, from..... to.....	feet.....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
5350	8502	3152	Dolomme, Sand				
8502	9555	1053	Sand, Shale, Dolomite				
9555	0853	298	Sandstone, Shale				
9853	10960	1107	Limestone				
10969	11496	536	Limestone, Shale				
11496	11668	172	Limestone				
11668	11858	190	Sand, Shale				

RECEIVED

MAY 31 1983

HODGES OFFICE