

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	B-3196

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. Unit Agreement Name
2. Name of Operator CONOCO INC.	8. Farm or Lease Name State H-35
3. Address of Operator P. O. Box 460, Hobbs, N.M. 88240	9. Well No. 15
4. Location of Well UNIT LETTER <u>C</u> <u>1295</u> FEET FROM THE <u>North</u> LINE AND <u>2615</u> FEET FROM THE <u>West</u> LINE, SECTION <u>35</u> TOWNSHIP <u>17S</u> RANGE <u>34E</u> NMPM.	10. Field and Pool, or Wildcat Vacuum G/SA
11. Elevation (Show whether DF, RT, GR, etc.)	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Reperf & acidize

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- ① MIRU on 8-4-86. POOH w/ pump & rods. Ran scraper to 4772'.
- ② Spot 2½ bbls 10% acetic acid from 4760'-4650'.
- ③ Perf w/ 2 JS PF @ 4698'-4714', 4726', 4748'-4758', and 4762'-4766'.
Set pkr @ 4513' & acidized w/ 216 bbls 15% HCL. Flushed w/ 31½ bbls TFW.
- ④ Set RBP @ 4534'. Spot 2 sxs sand. Spot 2 bbls 15% HCL from 4500'-4300'. Perf San Andres w/ 2 JS PF @ 4460'-4470', 4480'-4490'. Acidized w/ 88 bbls 15% HCL and flushed w/ 28 bbls TFW. Swab.
- ⑤ Rig down. Well tested 11 BO, 77 BW & 16 MCF.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Paul Kautz TITLE Administrative Supervisor DATE 9-10-86

APPROVED BY Paul Kautz TITLE Geologist DATE SEP 18 1986

CONDITIONS OF APPROVAL, IF ANY:

NMOCB-Hobbs(3)

RECEIVED
SEP 11 1986
OFFICE
HOSB