

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-77

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

5a. Indicate Type of Lease
State Fee
5. State Oil & Gas Lease No.
B-4120-1

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- _____	7. Unit Agreement Name
2. Name of Operator Texaco Producing Inc.	8. Farm or Lease Name West Lovington Unit
3. Address of Operator P. O. Box 728, Hobbs, New Mexico 88240	9. Well No. 64
4. Location of Well UNIT LETTER <u>E</u> <u>2080</u> FEET FROM THE <u>FNL</u> LINE AND <u>989</u> FEET FROM THE <u>FWL</u> LINE, SECTION <u>8</u> TOWNSHIP <u>17-S</u> RANGE <u>36-E</u> N.M.P.M.	10. Field and Pool, or Wildcat West Lovington SA
15. Elevation (Show whether DF, RT, GR, etc.) 3895 GR	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <u>Re-entry</u> <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

- NRIU NU 13-5/8" csg to 8-5/8" csg. Install riser on 8-5/8" stub. NU 8-5/8" x 2-7/8" tbg. head, NU 10" BOP.
- Drill cement plugs 20-'240', 1820-'2060'.
- Press test 8-5/8" csg 4612-surf 1500#, Held OK.
- Drill cement 5103-5175, CIBP 5175-78, Run bit to 5230, circ 8-5/8" csg.
- Run GR-CCL, 5200-4100', Set 8-5/8" CIBP @ 5187, Perf 8-5/8" csg, 1 JSPF, San Andres zone 5108-14,24-29,34-52,58-62,73-75', 40 holes.
- Acidize perfs 5108-75 w/4000 gal 15% NEFE, 70 ball sealers.
- Run production equipment.
- Pumped 8 days - all water.
- MIRU, TOH w/rods and pump, NU BOP. Pull tbg.
- Set 8-5/8" CIBP @ 5080.
- Perf San Andres zone 1 JSPF 4730,33,37,40,45,47,49,52,55,57,60,62,64,70,73,78,82,86,90,96,98,4800,02,04,06,08,10,13,18,23,27,32,40,42,52,54,74,76,99,4903,06,15,17,29,33,38,63,79,81,87,90,95,97,5005,07,09,11,17,27', 59 holes.
- Acidize perfs 4730-5027 w/6000 gal 15% NEFE, 75 BS.
- Run production equipment.
- On 24 hour OPT ending 9:00 AM 6-27-88, pumped 36 BNO + 209 BFW, GOR 250.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief. 397-3571

SIGNED Ja Head TITLE Area Superintendent DATE 7-1-88

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: