INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical dopths shall also be reported. For multiple completions, liems 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestem New Mexico

Т.	Anhy	Т.	Canyon	Т.	Ojo Alamo	т.	Penn. "B"
т.	Salt	. T.	Strawn	Τ.	Kirtland-Fruitland	. T.	Penn. "C"
B.	Salt	т.	Аtokв	Τ.	Pictured Cliffs	. т.	Penn. "D"
т.	Yates	. T.	Miss	Т.	Cliff House	. T.	Leadville
Т.	7 Rivers	. T .	Devonian	Т.	Menefee	Т.	Madison
т.	Queen 4582 '	Т.	Silurian	Т.	Point Lookout	. T .	Elbert
Т.	Grayburg	Т.	Montoya	Т.	Mancos	Т.	McCracken
							Ignacio Qtzte
т.	Glorieta	т.	МсКее	Bas	e Greenhorn	. T.	Granite
т.	Paddock	т.	Ellenburger	т.	Dakota	. T.	
т.	Blinebry	. Т.	Gr. Wash	Т.	Morrison	т.	
т.	Tubb	т.	Granite	T.	Todilto	. Т.	·····
т.	Drinkard	т.	Delaware Sand	Т.	Entrada	. т.	
Т.	Abo	Т.	Bone Springs 7602	Т.	Wingate	. Т.	
T.	Wolfcamp10,392'	Т.	Penrose 4848'	Т.	Chinle	Т.	
Т.	Penn	т.		Τ.	Permian	. T.	
т	Cisco (Bough C)	Τ.		T.	Penn. ''A''	. T.	
			OIL OR GAS	SA	NDS OR ZONES		
No.	1. from 10,544'		to 10,650'	No	4. from		to
No.	2, from		10,484'	No.	. 5, from		to
No.	S, from		to	No.	6, from	•••••	to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

Southeastern New Mexico

No.	1,	from	None	to	feet.	*****
No.	2,	from		to	feet.	
No.	S ,	from		to	fcet.	
No.	4,	f ro m		to	feet.	

FORMATION RECORD (Attach additional sheets if necessary)

From	То	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
7000'	Start	Log					
7000'	7070'		LS/ANHY/SD				
7070 '	7615'		SD/LS/SH				
7615'	7920'		LS				
7920'	9080'		LS/SH		-		
9080'	9170'		SH/LS				1
9170'	9220'		SD/SH				
9220'	9280'		SD				
9280'	9440'		SD/SH/LS/DOL				
9440'	9530'		LS/SH/CHERT				
9530'	9590'		SH/LS/SD/DOL				
9590'	10080'		SD/SH				
0080'	10793		SH/LS/DOL/CHERT/SD				
							;
		ļ					
l	I 1	1					1