| | | P. O. BOX 2088 | | | | | Revised 10-1-78 | | | |
|--|----------------------------|----------------|-------------------------------|---------------------------------------|---------------------|-----------------------------|-----------------------|-----------------------|----------------|--|
| DISTRIBUTION SANTA FE | SANTA FE, NEW MEXICO 87501 | | | | | \$A. Indicate Type of Lease | | | | |
| FILE | | | | | | | STATE | | /ee | |
| U.S.G.S. | | | | £ | | | V-1688 | 6 Gas Lease | No. | |
| DERATOR | | | | | | | 1-1000 | m | | |
| | ION FOR P | ERMIT TO | DRILL, DEEPE | N OR PLUG | BACK | | | | .//// | |
| a. Type of Work | | | , , , , , , , , , , | , | SACK. | | 7. Unit Agre | rement Name | 77777 | |
| DRILL | 7 | | DEEPEN 🔲 | | 81.110.6 | | | | | |
| b. Type of Well | | | | | | _ | 8. Form or Lease Name | | | |
| Name of Operator | SWD | ** Re-er | try SIMELE W MULTIPLE 2005 | | | 71PLE | Buckeye, 8601 JV-P | | | |
| · · · · · · · · · · · · · · · · · · · | c | | | | | | 9. Well No. | | | |
| BTA OIL PRODUCER | 2 | | | | | | 2 | | | |
| 104 South Pecos | as 79701 | | | | Vacuum, Grayburg-SA | | | | | |
| Location of Well | | | CATED 2310 | | North | | vacuum, | Grayburg | 1-SA | |
| . OHAT CAT | TEM | te | EXTER | PEET FROM THE | 1401 61 | LINI | | | | |
| 990 FEET FRO | w THE WE | st | NE OF SEC. 29 | TWP. 17-S | mee. 36 | -E MMPNI | ((((((| | | |
| | | | | | IIIII | MILL | 12, County | //// | 1111 | |
| <i>HHHHHH</i> | 7111111 | 777777 | | | 777777 | m_{ii} | Lea | | | |
| | | | | | | | | MM | 1111 | |
| | HHHH | 4444 | | 19. Proposed De | 701 | A. Formatio | 7111111 | 7777777 | 77777. | |
| | | | | 5170 | i | San Andr | - | 20. Rotory or | | |
| Elevations (Show whether D | F, KT, etc.) | 21A. Kind | & Status Plug. Bond | | | Juli Aller | | Pullir Date Work w | | |
| 3872' GR | | Blank | | Permian S | | a CoIn | | -8-86 | m start | |
| • | Ex | isting 🛚 | HOPOSED CASING | | | | | | | |
| SIZE OF HOLE | | CASING | WEIGHT PER FO | · · · · · · · · · · · · · · · · · · · | | SACKS OF | CENT | | | |
| 12-1/4" | | 5/8" | 24 | 437' | | 300 | CEMENT | EST. TOP | | |
| 7-7/8" | | 1/2" | 9.5 | 5,15 | | 1,175 | | Circ. | | |
| | | | | · | | <u> </u> | | | | |
| Fa | | • • | | i | |) | ļ | ļ | | |
| Former | ly New Me | xico Sta | te #1 | | | - | | | | |
| Drilled | hv Cala | tex Expl | oration Inc. | | | | | | | |
| 2 | J Outu | CON ENDI | oracion inc. | | | | | | | |
| Ca | ise No. 8 | 948 | | | | | | | | |
| | • | | | | • | | - | | | |
| Or | rder No. | R-8285 | 8-26-86 | | | | | | | |
| | | | | | | | | | | |
| • | | | | | | | | | | |
| | • | | | | | | | | | |
| | | | | | | | | | | |
| | | | | • | | | | | | |
| | | • | | | | | | • | | |
| | | | | | | | | • | • | |
| BOVE SPACE DESCRIBE PR ZONE. SIVE BLOWOUT PREVENT | ROPOSED PRO | DGRAM: IF P | ROPOSAL IS T O BE EPEN | OR PLUS BACK, SIV | /E DATA ON (| | DUCTIVE 2011 | AND PROPOSES | BEW PRO | |
| oby costily that the informati | on above in to | e and come | iete to the best of my | knamladas and ha | lief. | | | | | |
| (1) AA 1 | X/ | A-1- | _ | • | | | | | | |
| · Worldy | weigh | lon | Tule Regulato | ry Superviso | or | | Date 10/2 | 23/86 | <u> </u> | |
| (This space for | Span Beel | | | . · | | ع وسند | | | | |
| Paul Ka | otz | | | | | | | | | |
| Gordoni | ef | | | | | | | | .7.6 | |

IL CONSERVATION DIVISIC

Form C-101

ENERGY AND MINERALS DEPARTMENT