## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

# INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

#### Southeastern New Mexico

#### Northwestem New Mexico

T. Salt  1870    B. Salt  3120    T. Yates  3355    T. 7 Rivers	T. Strawn	T. Kirtland Fruithand T. Pictured Cliffs T. Cliff House T. Menefee T. Point Lookout T. Mancos T. Gallup Base Greenhorn T. Dakota T. Morrison T. Todilto T. Entrada T. Wingate	- T - T - T - T - T - T - T - T
T. Wolfcamp	T. <u></u>	m Damier	_ T
T Cisco (Bough C)	. T OD CAC	CANDS OF ZONES	
No. 1, from	01L OR GAS	No. 4, from	
4982	4994	No. 5, from	
No. 3, from	to	No. 6, from	

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.	
No. 1, from	
No 2 from	
No. 3 (mm	· · · · · · · · · · · · · · · · · · ·
to feet.	
No. 4, from	

-	From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
-	0	1752	1752	Redbed <b>- native sh</b>				
175	52	1870	118	Anhydrite				
187	70	3120	1250	<sup>Salt</sup> ä anhydrite				
313	20	3355	235	anhydrite				
33	55	4482	1127	<sup>Yates</sup> - sandstone				
44 47		4734 5059	252 325	Queen-sandstone Queen-Penrose - ss, anhy & dolo				:

MAR 2 1984 HOBSSOFFICE HUDBS OFFICE