

III. DISPOSAL WELL DATA

A. Wellbore Data

- (1) Lease Name: Sprinkle Federal
Well No. : 3
Location : 1650' FNL & 460' FEL
Sec. 9, T-19S, R-35E
Lea County, New Mexico

 - (2) Surface Casing: 13 3/8", 54.5#, K-55 set @ 350'
Hole Size: 17 1/2"
Cement: 400 sxs Class "C" + 2% CaCl
+ 1/4# Flocele/sx
Cement Top: Surface (Visual)
Inter. Casing : 8 5/8", 32#, K-55 set @ 3526'
Hole Size: 11"
Cement: 1200 sxs Lite + 15# salt/sx
+ 1/4# Flocele/sx followed
by 300 sxs Class "C"
Cement Top: Surface (Visual)
Prod. Casing : 5 1/2", 17#, N-80 set @ 10800'
Hole Size: 7 7/8"
Cement: 600 sxs 50-50 Pozmix +
2% Gel + 0.6% Halad 22 +
3# Kcl/sx + 1/2# Flocele/sx
Cement Top: 7600' (Calculated using
Caliper Log)

 - (3) Tubing : 2 7/8", 6.5#, N-80, EUE Brd set @ 10390'
 - (4) Packer : Baker Model "R" Nickel Plated set @ 10390'
- #### B. Formation Data
- (1) Formation: Wolfcamp
Pool : Scharb Wolfcamp

 - (2) Interval : 10567' - 10680' Perforated

 - (3) Originally drilled as a Wolfcamp producing well but
was not economically productive. Cumulative produc-
tion was 1108 barrels of oil.

 - (4) No other zones have been perforated in this well

 - (5) Next higher producing zone: 9476'-9732' Bone Springs
Next lower producing zone : None in the area