

III. DISPOSAL WELL DATA

A. Wellbore Data

(1) Lease Name: Sprinkle Federal

Well No. : 3

Location : 1650' FNL & 460' FEL
Sec. 9, T-19S, R-35E
Lea County, New Mexico

(2) Surface Casing: 13 3/8", 54.5#, K-55 set @ 350'

Hole Size: 17 1/2"

Cement: 400 sxs Class "C" + 2% CaCl
+ 1/4# Flocele/sx

Cement Top: Surface (Visual)

Inter. Casing : 8 5/8", 32#, K-55 set @ 3526'

Hole Size: 11"

Cement: 1200 sxs Lite + 15# salt/sx
+ 1/4# Flocele/sx followed
by 300 sxs Class "C"

Cement Top: Surface (Visual)

Prod. Casing : 5 1/2", 17#, N-80 set @ 10800'

Hole Size: 7 7/8"

Cement: 600 sxs 50-50 Pozmix +
2% Gel + 0.6% Halad 22 +
3# KCl/sx + 1/2# Flocele/sx
Cement Top: 7600' (Calculated using
Caliper Log)

(3) Tubing : 2 7/8", 6.5#, N-80, EUE End set @ 10390'

(4) Packer : Baker Model "R" Nickel Plated set @ 10390'

B. Formation Data

(1) Formation: Wolfcamp

Pool : Scharb Wolfcamp

(2) Interval : 10567' - 10680' Perforated

(3) Originally drilled as a Wolfcamp producing well but
was not economically productive. Cumulative produc-
tion was 1108 barrels of oil.

(4) No other zones have been perforated in this well

(5) Next higher producing zone: 9476'-9732' Bone Springs
Next lower producing zone : None in the area