

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
LG 2363

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - II" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- P&A	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name ARCO State
3. Address of Operator 105 South 4th St., Artesia, NM 88210	9. Well No. 1
4. Location of Well UNIT LETTER N 660 FEET FROM THE South LINE AND 2120 FEET FROM THE West LINE, SECTION 16 TOWNSHIP 18S RANGE 32E NMPM.	10. Field and Pool, or Wildcat South Maljamar Grayburg
15. Elevation (Show whether DF, RT, GR, etc.) 3773.5' GR	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plugged well as follows:

Plug #1 - 3856-3510' w/35 sx Class "C" w/4% CaCl₂, across Queen. Tag plug at 3655'.
Cut 5-1/2" casing at 3175'. Circulate hole with heavy gel. Laid down 75 jts 5-1/2".
Plug #2 - 3200-3100' w/35 sx Class "C" w/4% CaCl₂, across 5-1/2" stub. Tag at 3145'.
Spot additional 10 sx as per request of Ray Smith, NMOCD Engineer.
Plug #3 - 800-700' w/35 sx Class "C" Neat across 13-3/8" shoe.
Plug #4 - Set 15 sx surface plug.

Installed regulation abandonment marker.
Plugging completed 4-12-88.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ryanita Doodlett TITLE Production Supervisor DATE 4-13-88
APPROVED BY Gyle F. Timmcliff TITLE OIL & GAS INSPECTOR DATE DEC 23 1988
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

APR 14 1998

DEPT
HHS OFFICE