

30-025-28941

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-101
Revised 1-1-65

5A. Indicate Type of Lease	
STATE <input type="checkbox"/>	FEE <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work b. Type of Well OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		2. Name of Operator Harvey E. Yates Company	7. Unit Agreement Name
3. Address of Operator P. O. Box 1933, Roswell, New Mexico 88201		8. Farm or Lease Name Howry "25"	9. Well No. 1
4. Location of Well UNIT LETTER E LOCATED 1650 FEET FROM THE North LINE AND 330 FEET FROM THE West LINE OF SEC. 25 TWP. 17S RGE. 37E NMPM		10. Field and Pool, or Wildcat Wildcat	
11. Elevations (Show whether DF, RT, etc.) 3705.8 GL		12. County Lea	19. Proposed Depth 11,700
21A. Kind & Status Plug. Bond \$50,000 Blanket		19A. Formation Strawn	20. Rotary or C.T. Rotary
21B. Drilling Contractor Moranco		22. Approx. Date Work will start 10/3/84	

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
17 1/2	13 3/8	54.5	450'	400	Circ
11	8 5/8	24-32	4600'	900	Circ
7 7/8	5 1/2	17-20	11700'		Suff to cover 600' above pay

APPROVAL VALID FOR 180 DAYS
PERMIT EXPIRES 4/4/85
UNLESS DRILLING UNDERWAY

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed Ray Oster Title Reservoir Engineer Date 10/2/84

(This space for State Use)

ORIGINAL SIGNED BY JERRY BANTON
APPROVED BY DISTRICT SUPERVISOR TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

OCT - 4 1984

RECEIVED

OCT - 4 1984

OFFICE
HOBBS

**NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section

Operator HARVEY E. YATES CO.			Lease HOWRY		Well No. 1
Unit Letter E	Section 25	Township 17S	Range 37E	County LEA	
Actual Photage Location of Well: 1650 feet from the NORTH line and 330 feet from the WEST line					
Ground Level Elev. 3705.8	Producing Formation Strawn		Pool Wildcat		Dedicated Acreage: 40 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.

CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name

Ray F. Nokes

Position

Reservoir Engineer

Company

Harvey E. Yates Company

Date

October 2, 1984

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

9/27/84

Registered Professional Engineer
and/or Land Surveyor

Certificate No.

JOHN W. WEST

676


RONALD L. FINSON

3239


RECEIVED

OCT - 4 1984

CLERK
HOUSE OFFICE



BLOW OUT PREVENTION EQUIPMENT
 10" 900s ALL FLANGED CONNECTIONS
 3,000# WORKING PRESSURE - 6,000# TEST



RECEIVED

OCT - 4 1984

G.C.E.
HOBBS OFFICE

FILE