

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-29013
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1520
7. Lease Name or Unit Agreement Name BRIDGES STATE
8. Well No. 192
9. Pool name or Wildcat VACUUM GRAYBURG SAN ANDRES
10. Elevation (Show whether DP, RKB, RT, GR, etc.) GL 4025; KB 4038

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER

2. Name of Operator
Mobil Producing Tx. & N.M. Inc.*

3. Address of Operator *Mobil Exploration & Producing U.S. Inc., as Agent for
Mobil Producing TX. & N.M. Inc., P. O. Box 633, Midland, TX 79702

4. Well Location
Unit Letter H : 2569 Feet From The NORTH Line and 1219 Feet From The EAST Line

Section 23 Township 17-S Range 34-E NMPM LEA County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU PU. DIG PIT. FLOW WELL BACK TO PIT. ND WH. NU BOP.
POOH W/148 JT 2-7/8 TBG & TBG ANCHOR. RIH W/CIBP AND WS TO 4508. SET CIBP AT 4508. LOAD HOLE W/9.5
PPG MUD. CAP CIBP W/35 FT CLASS C CMT.
PUH TO 2916. SPOT 100 FT CLASS C CMT PLUG ACROSS YATES TOP AT 2866 FROM 2916-2816.
PUH TO 1772. SPOT 120 FT CLASS C CMT PLUG ACROSS 8-5/8 CSG SHOE AT 1700 AND SALT TOP AT 1722 FROM
1772 TO 1652.
PUH TO 30. SPOT 30 FT CLASS C CMT PLUG FROM 30 TO SURFACE. POOH W/WS.
ND BOP. RD PU. DIG OUT CELLAR & CUT CSG 3 FT BELOW SURFACE. WELD STEEL PLATE ON CSG STUB. ERECT P & A
MARKER WITH WELL NAME AND PLUGGED DATE. FILL CELLAR & CLEAN SURFACE LOCATION.

THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
ANY OPERATIONS FOR THE CHS
BEING PERFORMED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kaye Pollock TITLE REGULATORY TECHNICIAN DATE 06-15-93
(915)
TYPE OR PRINT NAME KAYE POLLOCK TELEPHONE NO. 688-2584

(This space for State Use)
ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

JUN 18 1993

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

BRIDGES STATE # 192
VACUUM GRAYBURG (SAN ANDRES) FIELD
LEA COUNTY, NEW MEXICO

RECOMMENDED WORKOVER PROCEDURE

1. MIRU PU. DIG PIT. FLOW WELL BACK TO PIT. ND WH. NU BOP.
2. POOH W/ 148 JTS 2-7/8" TBG AND TBG ANCHOR. RIH W/ CIBP AND WS TO 4508'. SET CIBP @ 4508'. LOAD HOLE W/ 9.5 PPG MUD. CAP CIBP W/ 35' CLASS C NEAT CMT.
3. PUH TO 2916'. SPOT 100' CLASS C NEAT CMT PLUG ACROSS YATES TOP @ 2866' FROM 2916-2816'.
4. PUH TO 1772'. SPOT 120' CLASS C NEAT CMT PLUG ACROSS 8-5/8" CSG SHOE @ 1700' AND SALT TOP @ 1722' FROM 1772-1652'.
5. PUH TO 30'. SPOT 30' CLASS C NEAT CMT PLUG FROM 30'-SURFACE. POOH W/ WS.
6. ND BOP. RD PU. DIG OUT CELLAR AND CUT CSG 3' BELOW SURFACE. WELD STEEL PLATE ON CSG STUB. ERECT P&A MARKER WITH WELL NAME AND PLUGGED DATE. FILL CELLAR AND CLEAN SURFACE LOCATION.

RECEIVED

JUN 17 1993

OLD HORBS

1993

BRIDGES STATE
WELL # 192

VACUUM GRAYBURG (SAN ANDRES) FIELD
LEA COUNTY, NEW MEXICO
PROPOSED COMPLETION

GL = 4025'
KB = 4036'

H, 23, 17-S, 34-E, 2566' FNL, 1219' FEL

30' CLASS C NEAT CMT PLUG
FROM 30'-SURFACE

8-5/8" 24# ST&C CSG @ 1700'
CMTD W/ 1400 SX CIRC.

120' CLASS C NEAT CMT PLUG ACROSS CSG SHOE @ 1700'
& SALT TOP @ 1722' FROM 1772-1662'

100' CLASS C NEAT CMT PLUG ACROSS YATES TOP (2865')
FROM 2916-2816'

CIBP @ 4506' W/ 35' CLASS C NEAT CMT CAP

SAN ANDRES PERFS 4538-4578'

5-1/2" 14# K-55 ST&C CSG CMTD W/ 1600 SX (TOC @ 890')
200 SX CIRC FROM 890'-SURFACE W/ 3/4" KOBE TBG

PBTD=4682'
TD=4761'

BS1822P PRE
ALS 0627/93

BRIDGES STATE
WELL # 192

VACUUM GRAYBURG (SAN ANDRES) FIELD
LEA COUNTY, NEW MEXICO
CURRENT COMPLETION

GL = 4025'
KB = 4036'

H, 23, 17-S, 34-E, 2566' FNL, 1219' FEL

1700'

8-5/8" 24# ST&C CSG CMTD W/ 1400 SX CIRC.

PRODUCTION EQUIPMENT	
140 JTS 2-7/8" TBG	
TAC	
6 JTS 2-7/8" TBG	
2-7/8" SN	
2-3/8" SN	
2-7/8" PERF SUB	
OPMA @ 4600'	
4 K-BARS, 103 3/4" RODS, 75 7/8" RODS	
2-1/2" X 2" X 20' PUMP	

SAN ANDRES PERFS 4538-4578'

5-1/2" 14# K-55 ST&C CSG CMTD W/ 1600 SX (TOC @ 890')
200 SX CIRC FROM 890'-SURFACE W/ 3/4" KOBE TBG

PBTD=4682'
TD=4761'

BS1822C PRE
ALS 0627/93