

WRS COMPLETION REPORT

COMPLETIONS SEC 18 TWP 19S RGE 35E
PI# 30-T-0012 02/24/86 30-025-29041-0001 PAGE 1

NMEX LEA * 660FNL 1980FWL SEC NE NW
STATE COUNTY FOOTAGE SPOT
YATES FRED G D X DO
OPERATOR WELL CLASS INIT FIN
2 REDDY-GULF STATE
WELL NO. LEASE NAME

3902GR LEA
OPER ELEV FIELD/POOL/AREA
API 30-025-29041-0001

08/27/1985 09/24/1985
SPUD DATE COMP. DATE TYPE TOOL OIL-WO
9615 NOT RPTD STATUS

PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 10270 PB 9615 OTD 10270 FM/TD BONE SPG
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

9 MI S BUCKEYE, NM

TUBING DATA

TBG 2 7/8 AT 5634

INITIAL POTENTIAL

IPP 39BOPD 41BW
SN ANDRS PERF W/ 17/IT 5645- 5709 GROSS 002
PERF 5645, 5646, 5651, 5653, 5662, 5664, 5665, 5673
PERF 5676, 5678, 5687, 5688, 5689, 5690, 5707, 5708
PERF 5709
SGFR 5645- 5709 2000GALS 36000LBS SAND

ADDTVGEL

GTY NOT RPTD
GOR (TSTM)

PRODUCTION TEST DATA

DELAWARE PERF W/ 30/IT 6787- 6825 GROSS 001
PERF 6787, 6788, 6789, 6790, 6799, 6803, 6807, 6808
PERF 6817, 6818, 6819, 6821, 6823, 6824, 6825
ACID 6787- 6825 1500GALS
7 1/2% MSR
SGFR 6787- 6825 13200GALS 36800LBS SAND

ADDTVGEL

BRPG 6787- 6825
NO GAUGE RPTD

DEPTH 9615

CONTINUED IC# 300257003786

Copyrighted
Reproduction
Prohibited



Petroleum Information

CORPORATION

PI-WRS-GE
Form No. 15

COMPLETIONS SEC 18 TWP 19S RGE 35E
PI# 30-T-0012 02/24/86 30-025-29041-0001 PAGE 2

YATES FRED G
2

REDDY-GULF STATE

D X DO

DRILLING PROGRESS DETAILS

YATES FRED G

OWWO: OLD INFO: FORMERLY YATES FRED G, #2
REDDY-GULF STATE. ELEV 3902 GR. SPUD 11/30/84.
20 @ 60, 13 3/8 @ 380 W/400 SX. 8 5/8 @ 3981
W/1350 SX. 5 1/2 @ 10244 W/1395 SX. LOG TOPS:
GRAYBURG 5330, DELAWARE SAND 6130, BONE SPRING
8088. OTD 10270. PB 9999. COMP 7/2/85. IPF
265 BO, 27 BWP. PROD ZONE: BONE SPRING 9701-
9869.

02/18
02/18

LOC/1986/
10270 TD, PB 9615
COMP 2/24/85, IPP 39 BO, 41 BWP, GTY (NR)
GOR (TSTM)
PROD ZONE - SAN ANDRES 5645-5709
FIRST REPORT & COMPLETION

COUNTY LEA FIELD Scharb S. 1-84
 OPR YATES FRED G A- 30-025-29041
 NO 2 LEASE Reddy-Gulf State MAP
Sec 18, T19S, R35E COORD
660 INL, 1980 FWL of Sec 8-1-44 NM
9 mi S/Buckeye SPD 11-30-84 CWF 7-2-85

CSC	WELL CLASS: INIT D FIN DO USE CODE			
	FORMATION	DATUM	FORMATION	DATUM
20-60-set				
13 3/8-380-400 sx				
8 5/8-1981-1350 sx				
5 1/2- 0,244-1395 sx				
2 7/8- 880				
	ID 10,270 (BSPG)		PBD 10,244	

IP (Bone Spring) Perfs 9701-9869 F 265 BOPD + 17-84
 Pot based on 24 hr test thru 34/64 chk. GOF 60% at 17-84

CONTR Honda Drlg #5 OPRSELEV 3902 GR 3-85

F.R. 12-3-84
 PD 11,500 RT (Bone Spring)
 8-3-85 AMEND OPERATOR: Formerly Reddy George R
 12-27-84 Drlg 30 w/CT
 3-19-85 TD 60; WORT
 5-15-85 Drlg 3985
 Spud 5-9-85 w/RT
 5-20-85 Drlg 5536
 5-30-85 Drlg 9290
 6-12-85 TD 10,270; PBD 10,244; WOCT
 No Cores
 DST (STRD)(Bone Spring) 9690-9734, no desc
 DST (STRD)(Grayburg) 5540-5726, no desc
 6-18-85 TD 10,270; PBD 10,244; MICT

8-1-44 NM

LEA
YATES FRED G

Scharb
2 Reddy-Gulf State
Sec 18, T19S, R35E

NM
Page 2

7-2-85 TD 10,270; PBD 9999; Prep Acid
Perf (Bone Spring) 9800-9869
Acid (9800-9869) 4000 gals (HCL w/30% CO2)
Swbd ~ 80 + 21 BW in 24 hrs (9800-9869)
Perf (Bone Spring) 9701-9705, 9707-9709, 9718-
9729
7-18-85 TD 10,270; PBD 9999; WOPT
Acid (9701-9729) 4000 gals (15% NEFF) +
19 tons CO2
7-29-85 TD 10,270; PBD 9999; Complete
LOG TOPS: Rusier 1853, 1-15 10-0, 1-15 10-0,
3274, Yates 3532, Queen 4682, Graphing 10-0,
Delaware Sand 6130, Bone Spring 2089

8-1-85 TP

7-29-85 Continued
LOGS RUN: EPT, NGT, BHCS, DL, SFL, CBND,
LDT, CNL, CWL
Rig Released 6-7-85
8-3-85 COMPLETION ISSUED

8-1-84 NM
IC 20-025-7576