

CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-79

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease

State ☐Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry - Plug & Abandon	7. Unit Agreement Name
2. Name of Operator Amerind Oil Co.	8. Farm or Lease Name Cities Service "15"
3. Address of Operator 500 Wilco Bldg., Midland, TX 79701	9. Well No. 1
4. Location of Well UNIT LETTER <u>L</u> , <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>15</u> TOWNSHIP <u>17S</u> RANGE <u>37E</u> NMPAL.	10. Field and Pool, or Wildcat Humble City Strawn
15. Elevation (Show whether DF, RT, GR, etc.) 3748' GL, 3762' KB	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

3/24/86: Reached TD of 11,442'. Set 80 sx CIs "H" w/0.8% TF-4 & 6 lb/sk sand on btm.
Dressed off to 11,387' for DST.

3/28/86: PBTD 11,387'. Set cement plugs as follows:

Plug	Depth	No. of Sacks	Type of Cement
# 1	11,350' - 11,250'	35	CIs "H" Neat
# 2	11,202' - 11,102'	35	CIs "H" Neat
# 3	9,947' - 9,847'	45	CIs "H" Neat
# 4	9,073' - 8,973'	50	CIs "H" Neat
# 5	6,704' - 6,604'	45	CIs "C" Neat
# 6	5,124' - 5,024'	45	CIs "C" Neat
# 7	4,550' - 4,450'	40	CIs "C" Neat
# 8	2,230' - 2,130'	30	CIs "C" Neat
# 9	456' - 356'	30	CIs "C" Neat
# 10	Surface	10	CIs "C" Neat

Casing left in hole: 13-3/8" 54.5# & 61#, set @ 406'. 8-5/8" 32# & 24#, set @ 4500'.
Released rig 4:45 P.M. MST 3/28/86. Weld on cap & dry hole marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Robert C. Leibrock TITLE Vice President DATE April 22, 1986PREPARED BY Durward R. Smith TITLE OIL & GAS INSPECTOR DATE MAR 14 1986

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED
APR 23 1986
C.C.D.
HOBBS OFFICE