NO. OF COPIES A	5000050						
						Form C-10	•
SANTA FE	ION					Supersede: C=102 and	
FILE		 	NEW MEXICO OIL CON	ISERVATION COMMI	SSION	Effective	
		 	٠				
LAND OFFICE						5a. Indicate T	ype of Lease
OPERATOR		+				State X	Fee
OPERATOR						I	Gas Lease No.
						V-1709	
	SE THIS FORM F	JNDRY NOTICE OR PROPOSALS TO DE PLICATION FOR PERM	S AND REPORTS OF		ESERVOIR.		
I.	GAS [٦				7. Unit Agreen	nent Name
	WELL L	OTHER-					
2. Name of Operato						8. Form or Le	ase Name
3. Address of Oper	PRODUCERS	·				Buckeye	-C-, 8601 JV
I		142 13 1 1	T =====			9. Well No.	
104 Sout		Midland,	Texas 79701			2	
		000				10. Field and	Pool, or Wildcat
UNIT LETTER _	-U-	, <u>990 </u>	EET FROM THE North	LINE AND330	FEFT FROM	Double -	-A- Abo, Souti
f						IIIIII	minim
THE WE	S L LINE,	SECTION	TOWNSHIP17-	-S RANGE35.	<u>-E</u> nmpm.		
mmm	mm						
			Elevation (Show whethe			12. County	
16.	7777777		3,900' GR 3			Lea	
	Ch	eck Appropriat	e Box To Indicate	Nature of Notice,	Report or Oth	er Data	
	NOTICE	OF INTENTION	TO:		SUBSEQUENT		F:
PERFORM REMEDIAL	. WORK		PLUG AND ABANDON	REMEDIAL WORK		ALT	ERING CASING
TEMPORARILY ABANI	D 0 N			COMMENCE DRILLING	0 PN S.	PLU	G AND ABANDONMENT
PULL OR ALTER CAS	ING		CHANGE PLANS	CASING TEST AND CEN	ENT JOB		
				OTHER			
OTHER							
17. Describe Propo	sed or Complet	ted Operations (Cle	arly state all pertinent de	and a second of			
work) SEE RUL	LE 1103.	or operations (ore	arty state att pertinent de	idiis, and give pertinen	dates, including	estimated date o	of starting any propose
6-19-87	Denth 0	168' Drlg 7-	7/01/ 1-7				
6-20-87	Depth 8,	237' DST #1	- 8,164' - 8,21	1' Drlg 7-7/8"	hole.		
3,110 Dild /=//() [[()][]							
6-28-87 Depth 9,400' DST #4 - 9,378' - 9,400' Drlg 7-7/8" hole.							
6-29-87 Depth 9,448' DST #5 - 9,409' - 9,427' Drlg 7-7/8" hole.							
$\frac{7-02-87}{1-02-8}$ Depth 9,527' DST #6 - 9,476' - 9.527'							
7-03-87 TD 9,527' Cmt'd 5-1/2" 17# LTC csg @ 9.527' w/1 500 sv							
set slips & cut off. TOC @ 700'. Set slips & cut off.							
Released rig @ 5:00 p.m.							
		complete.	F				
	i i ep. to	complete.				\$	
						政).
						ng si	
						17.5 13.6 2	en e

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED SIGNED BY JERRY SEXTON

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

718

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROGRADS TO CRILL OR TO REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROGRADS TO CRILL OR TO REPORT OF DUTY FOR SUPPRIOR DELIVERS FOR DELI	DISTRIBUTION SANTA FE FILE	NEW MEXICO OIL CONSERVATION COMMISSION	Form C-103 Supersedes Old C-102 and C-103 Effective 1-1-65
SURPRY NOTICES AND REPORTS ON WELLS The state of the sta			State X Fee 5. State Oil & Gas Lease No.
2. Name of Ciperosco 81 A 011 Producers 3. Address of Specials 104 South Pecos; Midland, TX 79701 4. Lecotion of West West 104 South Pecos; Midland, TX 79701 4. Lecotion of West North 17-S 18- Emor Lesaw Home Buckeye - C. , 3601 JV 9. West John South Pecos; Midland, TX 79701 4. Lecotion of West 19- 990 11- S 11- S	SUND	RY NOTICES AND REPORTS ON WELLS ROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. TION FOR PERMIT _** (FORM C-101) FOR SUCH PROPOSALS.)	7-1709
BTA 0il Producers 3. Address of Ceptator 104 South Pecos; Midland, TX 79701 4. Location of West West West Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM SEMEDIAL WORK PULL OR ALTER CASINE CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS PULL OR ALTER CASINE CHANGE PLANS PULL OR ALTER CASINE CHANGE PLANS CHANGE PLAN	OIL GAS WELL WELL		
3. Suckeys C-, \$601 JV 4. Location of Weil 4. Location of Weil 4. Location of Weil 5. Elevation (Note Anno 330 6. Feet reported Double A- Abo, South 6. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data 8. Subsequent Report of: 8. Subsequent Report of: 8. Subsequent Report or Other Data 8. Subsequent Report of: 8. Subsequent Report of: 8. Subsequent Report of: 8. Subsequent Report of Other Data 8. Subsequent Report of:	1		
4. Location of Weil 4. Location of Weil 4. Location of Weil Out Letter D- 990 North Line And 330 Test radio Double -A- Abo, Souly The West Line, section 36 Township 17-5 Names 35-E Names 17-5 Nam	3. Address of Operator	JI. I TV TOOL	Buckeye -C-,8601 JV-F
West West 36 TOWNSHIP 17-S NAME OF THE NOTE OF THE NOT	4. Location of Well		1-2
17-S NAME 18-SECTION 15-SERVATION (Show whether DF, RT, GR, etc.) 12-SOURTY Lea 12-SOURT	UNIT LETTER D 9	90 North 330	10. Field and Pool, or Wildcat Double -A- Abo, South
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data Subsequent Report of: Check Appropriate Box To Indicate Nature of Notice, Report or Other Data Subsequent Report of: PERFORM REMEDIAL WORK TEMPORATIVE ASANDON PULL OR ALTER CASING OTHER OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propularly Asandon Subsequent Plus And Asandonment Other OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any propularly as a starting any propularly Asandon Asandonment Other Subsequent Plus And Asandonment Other Other Other Subsequent Plus And Asandonment Other	THE West LINE, SECT	100 TOWNSHIP 17-S RANGE 35-E	NMPM.
Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK TEMPORABILY ABARDON PULL OR ALTER CASING OTHER OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any prop 6-6-87 Spudded 9:15 AM. Drlg 17-1/2" hole. Cmt'd 54.5# J55 STC 13-3/8" csg @ 405' w/450 sx. Cmt circ. WOC. Cut-off, installed csg head & BOP's. 6-13-87 Depth 4,410' cmt'd 24 & 32# J55 STC 8-5/8" csg. @ 4410' w/1,800 sx. WOC. 6-14-87 Depth 4410'. Set slips & installed spool. Drld out. Drlg 7-7/8" hole. TOC by temp survey 1300'.		15. Elevation (Show whether DF, RT, GR, etc.)	12. County
PERFORM REMEDIAL WORK TEMPORABILLY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any prop work) SEE RULE 1103. 18. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any prop details and give pertinent dates, including estimated date of starting any prop details and give pertinent dates, including estimated date of starting any prop details and give pertinent dates, including estimated date of starting any prop details and give pertinent dates, including estimated date of starting any prop details and give pertinent dates, including estimated date of starting any prop details and give pertinent dates, including estimated date of starting any prop details and give pertinent dates, including estimated date of starting any prop details. 6-6-87 Spudded 9:15 AM. Drlg 17-1/2" hole. Cmt'd 54.5# J55 STC 13-3/8" csg	Check	Appropriate Box To Indicate Nature of Notice, Report	or Other Data
17. Describe Proposed or Completed Operations (Clearly state all persinent details, and give persinent dates, including estimated date of starting any prop work) SEE RULE 1103. 6-6-87 Spudded 9:15 AM. Drlg 17-1/2" hole. Cmt'd 54.5# J55 STC 13-3/8" csg @ 405' w/450 sx. Cmt circ. WOC. Cut-off, installed csg head & BOP's. Drlg 11" hole. 6-13-87 Depth 4,410' cmt'd 24 & 32# J55 STC 8-5/8" csg. @ 4410' w/1,800 sx. WOC. 6-14-87 Depth 4410'. Set slips & installed spool. Drld out. Drlg 7-7/8" hole. TOC by temp survey 1300'.	TEMPORARILY ABANDON	PLUG AND ABANDON REMEDIAL WORK COMMENCE DRILLING OPNS.	ALTERING CASING
6-6-87 Spudded 9:15 AM. Drlg 17-1/2" hole. Cmt'd 54.5# J55 STC 13-3/8" csg @ 405' w/450 sx. Drlg 11" hole. 6-13-87 Depth 4,410' cmt'd 24 & 32# J55 STC 8-5/8" csg. @ 4410' w/1,800 sx. WOC. 6-14-87 Depth 4410'. Set slips & installed spool. Drld out. Drlg 7-7/8" hole. TOC by temp survey 1300'.		OTHER	
6-6-87 Spudded 9:15 AM. Drlg 17-1/2" hole. Cmt'd 54.5# J55 STC 13-3/8" csg @ 405' w/450 sx. Drlg 11" hole. 6-13-87 Depth 4,410' cmt'd 24 & 32# J55 STC 8-5/8" csg. @ 4410' w/1,800 sx. WOC. 6-14-87 Depth 4410'. Set slips & installed spool. Drld out. Drlg 7-7/8" hole. TOC by temp survey 1300'.	17. Describe Proposed or Completed Opwork) SEE RULE 1103.	perations (Clearly state all pertinent details, and give pertinent dates, in	scluding estimated date of starting any propos
6-14-87 Depth 4410'. Set slips & installed spool. Drld out. Drlg 7-7/8" hole. TOC by temp survey 1300'.	<u>6-6-87</u> Spudded 9:15 @ 405' w/450	5 AM. Drlg 17-1/2" hole. Cmt'd 54.5# J55 S	
or 19 7 770 Hote. Too by temp survey 1300'.	$\frac{6-13-87}{\text{w/1,800 sx.}}$	cmt'd 24 & 32# J55 STC 8-5/8" csg. @ 4410'	
18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.	6-14-87 Depth 4410'. Drlg 7-7/8"	Set slips & installed spool. Drld out. hole. TOC by temp survey 1300'.	
18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
Regulatory Supervisor 6-15-87	18. I hereby certify that the information a	Regulatory Supervisor	^ 6-15-27

DATE UN 1 7 1987

ORIGINAL STATE BY JERRY SERVICE APPROVED BY ... DISTRICT! SUFERVICES
CONDITIONS OF APPROVAL, IF ANY: