

WRS COMPLETION REPORTCOMPLETIONS SEC 32 TWP 17S RGE 35E
PI# 30-T-0023 04/11/88 30-025-30020-0000 PAGE 1NMEX LEA * 2065FNL 2540FEL SEC SW NE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN
019 EAST VACUUM (GBSA) UNIT TR 3202
WELL NO. LEASE NAME
3975KB 3962GR VACUUM
OPER ELEV FIELD POOL/AREA
API 30-025-30020-0000LEASE TYPE NO PERMIT OR WELL I.D. NO
10/10/1987 12/31/1987 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4800 SN ANDRS TMBR SHARP DRLG 3 RIG SUB 12
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4800 PB 4756 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK T.D. OLD T.D. FORM T.D.**LOCATION DESCRIPTION**

2 MI SE BUCKEYE, NM

WELL IDENTIFICATION/CHANGESLOC CHGD FROM 2056 FNL 2540 FEL SEC
PROJ FM CHGD FROM GRAYBURG-SAN ANDRES**CASING/LINER DATA**CSG 13 3/8 @ 35
CSG 8 5/8 @ 1514 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1250 SACKS**TUBING DATA**

TBG 2 7/8 AT 4490

INITIAL POTENTIALIPP 13BOPD .5MCFD 54BW 24HRS
SN ANDRS PERF W/ 2/FT 4380- 4645 GROSS
GTY 38.2 GOR 38

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1522 2453	
LOG	SALT		1631 2344	2653 1322
LOG	YATES		2835 1140	
LOG	QUEEN		3690 285	

CONTINUED IC# 300257024687

COMPLETIONS
PI# 30-T-0023 04/11/88 SEC 32 TWP 17S RGE 35E
30-025-30020-0000 PAGE 2

PHILLIPS PET
019 EAST VACUUM (GBSA) UNIT TR 3202^D DO

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	GRAYBURG		4019	-44		
LOG	SN ANDRS		4332	-357		

PRODUCTION TEST DATA

PTS	3BO		96BW			9HRS
SN ANDRS PERF			W/ 2/FT	4380-	4645	GROSS
PERF	4380- 4388	4394- 4397	4399- 4401	4404- 4407		
PERF	4409- 4415	4417- 4428	4480- 4484	4490- 4496		
PERF	4501- 4505	4509- 4511	4633- 4636	4643- 4645		
ACID	4633- 4645	500GALS				
15% NEFE HCL						
ACID	4380- 4511	7000GALS				
15% NEFE HCL						

PTP	15BOPD	.5MCFD	84BW			24HRS
SN ANDRS PERF				4380- 4645	GROSS	

PTP	13BOPD	.5MCFD	54BW			24HRS
SN ANDRS PERF				4380- 4645	GROSS	

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	100- 4800	DLL	100- 4800	MSFL		GR
LOGS		CAL	100- 4800	CNL	100- 4800	LDT
LOGS		BHCS	3800- 4756	GR	3800- 4756	CCL
LOGS	100- 4800	SONL	100- 4800	CBL		

DRILLING MEDIA /TYPE,DEPTH/

4582	10.2		PPG
------	------	--	-----

DRILLING PROGRESS DETAILS

	PHILLIPS PET
	4001 PENBROOK
	ODESSA, TX 79762
	915-367-1266
08/18	LOC/1987/
10/16	DRLG 4582 (ANHY, DOLO), VIS 33
10/16	WIRELINE SURVEY @ 1822, 2140, 2457
10/26	4800 TD, WOCT

CONTINUED

COMPLETIONS SEC 32 TWP 17S RGE 35E
PI# 30-T-0023 04/11/88 30-025-30020-0000 PAGE 3

PHILLIPS PET EAST VACUUM (GBSA) UNIT TR 3202 D DO
019

DRILLING PROGRESS DETAILS

10/30 4800 TD, WOCT
11/10 4800 TD, PB 4756, PREP TEST
11/20 4800 TD, PB 4756, SI
11/25 4800 TD, PB 4756, SI
12/16 4800 TD, PB 4756, SI
12/21 4800 TD, PB 4756, SI
12/31 4800 TD, PB 4756, WOCT
TD REACHED 10/16/87 RIG REL 10/18/87
04/07 4800 TD, PB 4756
COMP 12/31/87, IPP 13 BO, .5 MCFG, 54 BWPD
GOR 38, GTY 38.2
PROD ZONE - SAN ANDRES 4380-4645
NO CORES OR DSTS RPTD