

COMPLETIONS
PI# 30-T-0015 12/07/87 SEC 32 TWP 17S RGE 35E
30-025-30021-0000 PAGE 3

PHILLIPS PET
010 EAST VACUUM (GBSA) UNIT TR 3299 D DO

DRILLING PROGRESS DETAILS

10/16 4800 TD, PB 4752, PREP TEST
10/26 4800 TD, PB 4752, TOP
10/30 4800 TD, PB 4752, FLWG
11/10 4800 TD, PB 4752, SI
12/01 TD REACHED 09/30/87 RIG REL 10/02/87
4800 TD, PB 4752
COMP 11/1/87, IPF 400 BO, .5 MCFD THRU OP
CHK, GOR 1.25, GTY 38.1, CP
PKR, FTP 88
PROD ZONE - GRAYBURG-SAN ANDRES 4360-4671
NO CORES OR DSTS RPTD

WRS COMPLETION REPORT

COMPLETIONS SEC 32 TWP 17S RGE 35E
PI# 30-T-0015 12/07/87 30-025-30021-0000 PAGE 1

NMEX LEA * 1980FSL 10FWL SEC NW SW
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INT FIN
010 EAST VACUUM (GBSA) UNIT TR ~~3229~~ 3229
WELL NO LEASE NAME
3987KB 3974GR VACUUM
OPER ELEV FIELD POOL AREA
API 30-025-30021-0000

LEASE TYPE NO PERMIT OR WELL I.D. NO
09/20/1987 11/01/1987 ROTARY OIL
SPUD DATE COMP DATE TYPE TOOL STATUS
4800 GRBG-SAD TMBR SHARP DRLG 3 RIG SUB 12
PROJ DEPTH PROJ FORM CONTRACTOR
DTD 4800 PB 4752 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. FLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SE BUCKEYE, NM

CASING/LINER DATA

CSG 20 @ 30
CSG 13 3/8 @ 1496 W/ 1400 SACKS
CSG 8 5/8 @ 3150 W/ 2175 SACKS
CSG 5 1/2 @ 4800 W/ 300 SACKS

TUBING DATA

TBG 2 7/8 AT 4613

INITIAL POTENTIAL

IPF 400BOPD .5MCFD 24HRS
SN ANDRS PERF W/ 2/FT 4360- 4671 GROSS
TP 88
GTY 38.1 GOR 1.25
CP PKR
FLWG THRU OP CHK
RESV - GRAYBURG-SAN ANDRES

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1502 2485	
LOG	SALT		1610 2377	2653 1334
LOG	YATES		2838 1149	
LOG	QUEEN		3700 287	

CONTINUED IC# 300257024387

COMPLETIONS SEC 32 TWP 17S RGE 35E
PI# 30-T-0015 12/07/87 30-025-30021-0000 PAGE 2

PHILLIPS PET D DO
010 EAST VACUUM (GBSA) UNIT TR 3299

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	GRAYBURG		4011	-24		
LOG	SN ANDRS		4298	-311		

PRODUCTION TEST DATA

PTS	15BO		136BW		9HRS
SN ANDRS	PERF		W/ 2/FT	4360- 4671	GROSS
PERF	4360- 4366	4429- 4432	4435- 4437	4440- 4442	
PERF	4448- 4454	4458- 4460	4462- 4464	4468- 4471	
PERF	4529- 4543	4547- 4558	4566- 4571	4573- 4575	
PERF	4580- 4583	4589- 4594	4596- 4605	4646- 4662	
PERF	4664- 4671				
ACID	4360- 4671	10BBLs			
10% ACETIC ACID					

PTS	4BO		100BW		9HRS
SN ANDRS	PERF			4360- 4671	GROSS

PTF	340BO				17HRS
SN ANDRS	PERF			4360- 4671	GROSS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	3150- 4800	GR	3150- 4800	CAL	3150- 4800	DLL
LOGS	3150- 4800	MSFL	0- 4800	GR	0- 4800	CAL
LOGS	0- 4800	CNL	0- 4800	CNDL	3800- 4752	GR
LOGS	3800- 4752	CCL	3800- 4752	CORL		

DRILLING MEDIA /TYPE,DEPTH/

4192	9.3	PPG
------	-----	-----

DRILLING PROGRESS DETAILS

	PHILLIPS PET
	4001 PENBROOK RM 401
	ODESSA, TX 79762
	915-362-1266
08/18	LOC/1987/
09/29	DRLG 4192 (ANHY), VIS 29
10/02	4800 TD, PB 4752, WOCT
10/09	4800 TD, PB 4752, WOCT

CONTINUED