

WRS COMPLETION REPORT

COMPLETIONS SEC 12 TWP 18S RGE 32E
PI# 30-T-0005 12/23/87 30-025-30028-0000 PAGE 1

NMEX LEA * 1650FNL 990FWL SEC SW NW
STATE COUNTY FOOTAGE SPOT
YATES HARVEY E D DO
OPERATOR CHEVRON "12" FEDERAL WELL CLASS INIT FIN
2 LEASE NAME
WELL NO 3892KB 3874GR YOUNG N
OPER ELEV FIELD/POOL AREA
API 30-025-30028-0000

LEASE TYPE NO PERMIT OR WELL I.D. NO
09/02/1987 11/13/1987 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOO. STATUS
10000 BONE SPG MORANCO 10 RIG SUB 17
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 9900 PB 8570 FM/TD BONE SPG
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

13 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 13 3/8 @ 400 W/ 425 SACKS
CSG 8 5/8 @ 2915 W/ 1320 SACKS
CSG 5 1/2 @ 9900 W/ 1520 SACKS

TUBING DATA

TBG 2 3/8 AT 8552

INITIAL POTENTIAL

IPP 67BOPD 57 MCFD 12BW 24HRS
BONE SPG PERF 8434- 8514 GROSS
GTY 37.0 GOR 850

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1322 2552	
LOG	YATES		2820 1054	
LOG	SVN RVRS		3262 612	
LOG	BOWERS		3748 126	
LOG	QUEEN		4028 -154	
LOG	PENROSE		4300 -426	
LOG	GRAYBURG		4616 -742	
LOG	DELAWARE		5960 -2086	
LOG	BONE SPG		6522 -2648	

CONTINUED IC# 300257025787

Petroleum Information

Copyrighted 1988
Petroleum
Information Corporation

DB a company of
The Dun & Bradstreet Corporation

PI-WRS-GET
Form No 187

COMPLETIONS
PI# 30-T-0005 12/23/87 SEC 12 TWP 18S RGE 32E
30-025-30028-0000 PAGE 2

YATES HARVEY E
2

CHEVRON "12" FEDERAL

D DO

TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB

SUBSEA MEASUREMENTS FROM GR

PRODUCTION TEST DATA

PTS
BONE SPG PERF 1UW
PERF 9480- 9490 9480- 9490
BRPG 9480- 9490
SWBD WTR DEPTH 9475

PTS 8B0
BONE SPG PERF 95BW
PERF 9457- 9465 9457- 9465
ACID 9457- 9465 500GALS
15% HCL
SQZD 9457- 9465
CMT RET @ 9400 W/ 45S
SQZD & DOC

BONE SPG PERF
PERF 9458- 9458 AJET W/ 2/IT 9458- 9458
ACID 9458- 9458 1000GALS
15% HCL
BRPG 9458- 9458 DEPTH 9440

BONE SPG PERF
PERF 8578- 8592 8578- 8592
ACID 8578- 8592 3900GALS
BRPG 8578- 8592 DEPTH 8570

PTS 1UO
BONE SPG PERF
PERF 8434- 8452 W/ 2/FT 8434- 8514 GROSS
ACID 8434- 8514 8480- 8488 8500- 8514
20% HCL 5500GALS
ACID 8434- 8514 15000GALS
28% (RE-ACIDIZE)
SWBD FLUID W/50% OIL CUT

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS

DLL

MICL

DNL

CONTINUED

COMPLETIONS SEC 12 TWP 18S RGE 32E
PI# 30-T-0005 12/23/87 30-025-30028-0000 PAGE 3

YATES HARVEY E
2

CHEVRON "12" FEDERAL

D DO

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS

GR

DRILLING PROGRESS DETAILS

YATES HARVEY E
BOX 1933
ROSWELL, NM 88201
505-623-6601
08/25 LOC/1987/
09/03 400 TD, WOC
09/08 DRLG 4191
09/23 9900 TD, CIRC
10/09 9900 TD, TSTG
10/23 9900 TD, PB 8570, SWBG
11/02 9900 TD, PB 8570, TSTG
12/21 TD REACHED 09/23/87
9900 TD, PB 8570
COMP 11/13/87, IPP 67 BO, 57 MCFG, 12 BWPD
GOR 850, GTY 37
PROD ZONE - BONE SPRING 8434-8514
NO CORES OR DSTS RPTD