

WRS COMPLETION REPORT

COMPLETIONS
PI# 30-T-0015 02/22/88 SEC 29 TWP 17S RGE 34E
30-025-30074-0000 PAGE 1

NMEX LEA * 1980FSL 660FWL SEC NW SW
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN
35 LEA
WELL NO. LEASE NAME
4095KB 4086GR
OPER ELEV

VACUUM
FIELD/POOL/AREA
API 30-025-30074-0000
PERMIT OR WELL I.D. NO.
OIL
STATUS
12/09/1987 02/01/1988 ROTARY
SPUD DATE COMP. DATE TYPE TOOL
4900 GRBG-SAD LA RUE C E 2 RIG SUB 8
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4800 PB 4755
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FM/TD SN ANDRS
FORM T.D.

LOCATION DESCRIPTION

11 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1475 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1700 SACKS

TUBING DATA

TBG 2 7/8 AT 4675

INITIAL POTENTIAL

IPP 43BOPD 388 MCFD 15BW
GRAYBURG PERF
SN ANDRS PERF
GTY 36.9 GOR 9023
RESV- GRAYBURG-SAN ANDRES
PERFED W/230 IT
COMMINGLED
4272- 4601 GROSS 24HRS
4640- 4672 GROSS

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1514 2581	
LOG	SALT		1693 2402	
LOG	QUEEN		3803 292	2900 1195
LOG	GRAYBURG		4204 -109	
LOG	SN ANDRS		4602 -507	

CONTINUED IC# 300257031287

Copyrighted 1988
Petroleum
Information Corporation

BB a company of
The Dun & Bradstreet Corporation

PI-WRS-GE
Form No 187

Petroleum Information

COMPLETIONS
PI# 30-T-0015 02/22/88 SEC 29 TWP 17S RGE 34E
30-025-30074-0000 PAGE 2

D DO

PHILLIPS PET
35

LEA

CORES

CORE 1 4420- 4445 REC 23.00FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE

CORE 2 4445- 4505 REC 60.00FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE

CORE 3 4505- 4565 REC 60.00FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE

CORE 4 4565- 4619 REC 56.00FT GRBG-SAD CONV D
NO DESCRIPTION AVAILABLE

CORE 5 4619- 4660 REC 33.00FT SN ANDRS CONV D
NO DESCRIPTION AVAILABLE

PRODUCTION TEST DATA

GRAYBURG PERF	4272- 4274	4278- 4280	4282- 4284	4272- 4601 GROSS
SN ANDRS PERF	4335- 4339	4372- 4377	4432- 4438	4640- 4672 GROSS
PERF	4488- 4492	4497- 4509	4516- 4523	4327- 4329
PERF	4538- 4549	4556- 4571	4576- 4585	4475- 4478
PERF	4640- 4658	4661- 4665	4669- 4672	4529- 4533
ACID	4272- 4672	11500GALS		4599- 4601

15% NEFE HCL
SWFR 4272- 4672 94000GALS 182000LBS SAND ADDTVGELA

X-LINK 2% KCL
SWBD 160 BLW IN 3 HRS
PERFED W/230 IT
COMMINGLED

PTF 17BOPD 410 MCFD 100BW
GRAYBURG PERF
SN ANDRS PERF
TP 250 CP 700
COMMINGLED

20/64CK 24HRS
4272- 4601 GROSS
4640- 4672 GROSS

PTP 38BOPD
GRAYBURG PERF

24HRS
4272- 4601 GROSS

CONTINUED

COMPLETIONS SEC 29 TWP 17S RGE 34E
PI# 30-T-0015 02/22/88 30-025-30074-0000 PAGE 3

PHILLIPS PET D DO
35 LEA

PRODUCTION TEST DATA

SN ANDRS PERF 4640- 4672 GROSS
PPD 38 BO + 57 BLW IN 24 HRS
COMMINGLED

PTP 43BOPD 24HRS
GRAYBURG PERF 4272- 4601 GROSS
SN ANDRS PERF 4640- 4672 GROSS
PPD 43 BO + 16 BLW IN 24 HRS
COMMINGLED

PTP 43BOPD 15BW 24HRS
GRAYBURG PERF 4272- 4601 GROSS
SN ANDRS PERF 4640- 4672 GROSS
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4800 DLL	2500- 4800 MSFL	2500- 4800 GR
LOGS 2500- 4800 CAL	2500- 4800 CNL	2500- 4800 LDT
LOGS 0- 2500 CNL	0- 2500 GR	0- 2500 CAL
LOGS CNL	SPCT	DENL
LOGS 3500- 4755 GR	3500- 4755 CCL	

DRILLING MEDIA /TYPE,DEPTH/

4215 10.2 PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK RM 401
ODESSA, TX 79762
915-367-1266
09/29 LOC/1987/
12/17 DRLG 4215 (DOLO), VIS 31
12/17 DEV SURVEY @ 454 (0.25 DEG), 936 (0.50 DEG),
1781 (1 DEG), 2276 (1 DEG), 2778 (1.25 DEG),
3310 (0.75 DEG), 3840 (0.75 DEG)
12/29 4800 TD, PB 4751, WOCT
01/13 4800 TD, PB 4755, PREP TEST
01/14 4800 TD, PB 4755, SWBG
01/19 4800 TD, PB 4755, FLWG

CONTINUED

COMPLETIONS SEC 29 TWP 17S RGE 34E
PI# 30-T-0015 02/22/88 30-025-30074-0000 PAGE 4

PHILLIPS PET
35

LEA

D DO

DRILLING PROGRESS DETAILS

01/28 4800 TD, PB 4755, TOP
02/01 4800 TD, PB 4755, TSTG
02/03 4800 TD, PB 4755, WOPT
02/08 4800 TD, PB 4755, WOPT
02/18 TD REACHED 12/24/87 RIG REL 12/29/87
4800 TD, PB 4755
COMP 2/1/88, IPP 43 BO, 388 MCFG, 15 BWPD,
GOR 9023, GTY 36.9
PROD ZONE - GRAYBURG-SAN ANDRES 4272-4672
(COMMINGLED)
FIVE CORES, NO DSTS RPTD