

WRS COMPLETION REPORT

COMPLETIONS SEC 31 TWP 17S RGE 35E
PI# 30-T-0018 10/03/88 30-025-30278-0000 PAGE 1

NMEX LEA * 2173FSL 1410FEL SEC NW SE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET OPERATOR D DO
008 EAST VACUUM (GBSA) UNIT TR 3127
WELL NO LEASE NAME
3986KB 3974GR VACUUM
OPER ELEV FIELD POOL AREA

LEASE TYPE NO. API 30-025-30278-0000
07/01/1988 08/22/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4800 SN ANDRS CACTUS DRLG 62 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4800 PB 4755 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. FLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

1 MI S BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

PROJ FM CHGD FROM GRAYBURG-SAN ANDRES

CASING/LINER DATA

CSG 13 3/8 @ 1520 W/ 1400 SACKS
CSG 5 1/2 @ 4800 W/ 2100 SACKS

TUBING DATA

TBG 2 7/8 AT 4404

INITIAL POTENTIAL

IPP 249BOPD 109 MCFD 747BW 24HRS
SN ANDRS PERF 438 4344- 4661 GROSS
GTY 35.0 GOR

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1493 2481	
LOG	SALT		1600 2374	2648 1326
LOG	YATES		2804 1170	
LOG	SVN RVRS		3140 834	
LOG	QUEEN		3708 266	
LOG	GRAYBURG		4050 -76	

CONTINUED IC# 300257013688

Copyrighted 1988
Petroleum
Information Corporation

Petroleum Information

BB a company of
The Dun & Bradstreet Corporation

PI-WRS-GET
Form No 187

COMPLETIONS SEC 31 TWP 17S RGE 35E
PI# 30-T-0018 10/03/88 30-025-30278-0000 PAGE 2

PHILLIPS PET D DO
008 EAST VACUUM (GBSA) UNIT TR 3127

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	SN ANDRS	4330	-356	
SUBSEA MEASUREMENTS FROM GR				

PRODUCTION TEST DATA

PTS	30BW	24HRS
SN ANDRS PERF	W/ 2/FT	4651- 4661
PERF	4651- 4661	

PTF 124BO		8HRS
SN ANDRS PERF		4651- 4661
ACID 4651- 4661	500GALS	
15% NEFE HCL		
FLWD 124 BO IN 8 HRS 30 MINS		

PTF 29BOPD	5 MCFD	24HRS
SN ANDRS PERF	4651- 4661	

PTS	24BW	24HRS
SN ANDRS PERF	4344- 4501 GROSS	
PERF 4344- 4348	4378- 4382	4392- 4396
PERF 4422- 4428	4462- 4470	4474- 4478
PERF 4494- 4501		4483- 4490

PTS 1UO		5HRS
SN ANDRS PERF	4344- 4501 GROSS	
ACID 4344- 4501	1500GALS	
20% NEFE		
SWBD 168 BF (15% OIL CUT) IN 5 HRS 30 MINS		

PTS 1UO		8HRS
SN ANDRS PERF	W/ 32/IT	4554- 4610 GROSS
PERF 4554- 4558	4562- 4572	4580- 4590
PERF 4606- 4610		4598- 4602
SWBD 52 BF (5% OIL CUT) IN 8 HRS		

PTS 1UO		3HRS
SN ANDRS PERF	4554- 4610 GROSS	
ACID 4554- 4610	1500GALS	
20% NEFE HCL		
SWBD 112 BF (10% OIL CUT) IN 3 HRS 30 MINS		

CONTINUED

COMPLETIONS SEC 31 TWP 17S RGE 35E
PI# 30-T-0018 10/03/88 30-025-30278-0000 PAGE 3

PHILLIPS PET
008 EAST VACUUM (GBSA) UNIT TR 3127^D DO

PRODUCTION TEST DATA

PTS 1UO 6HRS
SN ANDRS PERF 4344- 4661 GROSS
SWBD 230 BF (20% OIL CUT) IN 6 HRS

PTP 257BOPD 116 MCFD 771BW 24HRS
SN ANDRS PERF 4344- 4661 GROSS

PTP 249BOPD 109 MCFD 747BW 24HRS
SN ANDRS PERF 4344- 4661 GROSS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2000- 4800 DLL 2000- 4800 MSFL 2000- 4800 GR
LOGS 2000- 4800 CAL 2000- 4800 CNL 2000- 4800 LDT
LOGS 0- 2800 CAL 0- 2800 CNL 0- 2800 GR

DRILLING MEDIA /TYPE,DEPTH/

3053 10.1 PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK
ODESSA, TX 79762
915-367-1266
NON-STANDARD LOCATION
02/01 LOC/1988/
07/05 DRLG 2720
07/06 DRLG 3053 (ANHY), VIS 29
07/11 DRLG 4530
07/13 4800 TD, WOCT
07/13 WIRELINE SURVEY @ 488 (.75 DEG), 980 (1.25 DEG),
1520 (1.25 DEG), 2014 (1.75 DEG), 2496 (1.75
DEG), 2845 (1.25 DEG), 3338 (1 DEG), 3802 (1.25
DEG), 4180 (1.25 DEG), 4520 (2 DEG), 4800 (2.25
DEG)
07/14 4800 TD, WOCT
07/20 4800 TD, WOCT
07/28 4800 TD, PB 4755, PREP TEST
08/10 4800 TD, PB 4755, PREP ACID
08/11 4800 TD, PB 4755, SWBG

CONTINUED

COMPLETIONS SEC 31 TWP 17S RGE 35E
PI# 30-T-0018 10/03/88 30-025-30278-0000 PAGE 4

PHILLIPS PET EAST VACUUM (GBSA) UNIT TR 3127^D DO
008

DRILLING PROGRESS DETAILS

08/18 4800 TD, PB 4755, SWBG
08/23 4800 TD, PB 4755, TOP
09/07 4800 TD, PB 4755, WOPT
09/28 TD REACHED 07/11/88 RIG REL 07/11/88
4800 TD, PB 4755
COMP 8/22/88, IPP 249 BO, 109 MCFG, 747
BWP, GOR 438, GTY 35
PROD ZONE - SAN ANDRES 4344-4661
NO CORES OR DSTS RPTD