

# WRS COMPLETION REPORT

COMPLETIONS  
 PI# 30-T-0017 09/02/88 SEC 31 TWP 17S RGE 35E  
 30-025-30279-0000 PAGE 1

NMEX LEA \* 1175FSL 740FEL SEC SE SE  
 STATE COUNTY FOOTAGE SPOT  
 PHILLIPS PET OPERATOR D DO  
 009 EAST VACUUM (GBSA) UNIT TR 3127 WELL CLASS INIT FIN  
 3987KB 3975GR LEASE NAME  
 OPER ELEV VACUUM FIELD/POOL AREA

06/20/1988 08/09/1988 LEASE TYPE/NO. API 30-025-30279-0000  
 SPUD DATE COMP. DATE TYPE TOOL PERMIT OR WELL I.D. NO.  
 4800 SN ANDRS CACTUS DRLG OIL STATUS  
 PROJ. DEPTH PROJ. FORM CONTRACTOR 62 RIG SUB 11  
 DTD 4800 PB 4763 FM/TD SN ANDRS  
 DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

NON-STANDARD LOCATION  
 1 MI S BUCKEYE, NM

### WELL IDENTIFICATION/CHANGES

PROJ FM CHGD FROM GRAYBURG-SAN ANDRES

### CASING/LINER DATA

CSG 13 3/8 @ 1521 W/ 1000 SACKS  
 CSG 8 5/8 @ 3150 W/ 1800 SACKS  
 CSG 5 1/2 @ 4800 W/ 900 SACKS

### TUBING DATA

TBG 2 7/8 AT 4498

### INITIAL POTENTIAL

IPP 130BOPD 84 MCFD 557BW 24HRS  
 SN ANDRS PERF W/ 142/IT 4352- 4682 GROSS  
 GOR 651 GTY-NO DETAILS

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1480 2495	
LOG	SALT		1608 2367	
LOG	YATES		2800 1175	2649 1326
LOG	SVN RVRS		3136 839	

CONTINUED IC# 300257013788

Copyrighted 1988  
 Petroleum  
 Information Corporation

Petroleum Information

IBB a company of  
 TheDun & Bradstreet Corporation

PI-WRS-GET  
 Form No187

**WRS COMPLETION REPORT**  
 COMPLETIONS SEC 31 TWP 17S RGE 35E  
 PI# 30-1-0017 09/02/88 30-025-30279-0000 PAGE 1

NMEX LEA \* 1175FSL 740FEL SEC SE SE  
 STATE COUNTY FOOTAGE SPOT  
 PHILLIPS PET D DO  
 OPERATOR WELL CLASS INIT FIN  
 009 EAST VACUUM (GBSA) UNIT TR 3127  
 WELL NO. LEASE NAME  
 3987KB 3975GR VACUUM  
 OPER ELEV FIELD/POOL AREA  
 API 30-025-30279-0000

LEASE TYPE/NO PERMIT OR WELL I.D. NO.  
 06/20/1988 08/09/1988 ROTARY OIL  
 SPUD DATE COMP. DATE TYPE TOOL STATUS  
 4800 SN ANDRS CACTUS DRLG 62 RIG SUB 11  
 PROJ. DEPTH PROJ. FORM CONTRACTOR  
 DTD 4800 PB 4763 FM/TD SN ANDRS  
 DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

NON-STANDARD LOCATION  
 1 MI S BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

PROJ FM CHGD FROM GRAYBURG-SAN ANDRES

CASING/LINER DATA

CSG 13 3/8 @ 1521 W/ 1000 SACKS  
 CSG 8 5/8 @ 3150 W/ 1800 SACKS  
 CSG 5 1/2 @ 4800 W/ 900 SACKS

TUBING DATA

TBG 2 7/8 AT 4498

INITIAL POTENTIAL

IPP 130BOPD 84 MCFD 557BW 24HRS  
 SN ANDRS PERF W/ 142/IT 4352- 4682 GROSS  
 GOR 651 GTY-NO DETAILS

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1480 2495	
LOG	SALT		1608 2367	2649 1326
LOG	YATES		2800 1175	
LOG	SVN RVRS		3136 839	

CONTINUED IC# 300257013788

COMPLETIONS SEC 31 TWP 17S RGE 35E  
 PI# 30-T-0017 09/02/88 30-025-30279-0000 PAGE 2

PHILLIPS PET D DO  
 009 EAST VACUUM (GBSA) UNIT TR 3127

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	QUEEN		3706 269	
LOG	GRAYBURG		4039 -64	
LOG	SN ANDRS		4318 -343	

SUBSEA MEASUREMENTS FROM GR

PRODUCTION TEST DATA

SN ANDRS PERF W/ 20/IT 4672- 4682  
 PERF 4672- 4682  
 ACID 4672- 4682 500GALS  
 15% NEFE HCL

PTS 9BO 25BW 9HRS  
 SN ANDRS PERF W/ 38/IT 4541- 4631 GROSS  
 PERF 4541- 4547 4567- 4571 4580- 4590 4594- 4596  
 PERF 4600- 4604 4614- 4622 4627- 4631

SN ANDRS PERF 4541- 4631 GROSS  
 ACID 4541- 4631 3000GALS  
 20% NEFE HCL

PTS 34BO 43BW 8HRS  
 SN ANDRS PERF W/ 84/IT 4352- 4490 GROSS  
 PERF 4352- 4366 4376- 4390 4400- 4412 4422- 4434  
 PERF 4442- 4450 4454- 4458 4462- 4466 4470- 4482  
 PERF 4486- 4490  
 ACID 4352- 4490 9000GALS  
 20% NEFE HCL  
 SWBD 34 BO + 43 BW IN 8 HRS 30 MINS

PTP 130BOPD 84 MCFD 557BW 24HRS  
 SN ANDRS PERF 4352- 4682 GROSS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	0- 4800 SL	0- 4800 CNL	0- 4800 CAL
LOGS	0- 4800 GR	3500- 4800 DLL	3500- 4800 MSFL
LOGS	3500- 4800 GR	3500- 4800 CAL	

DRILLING MEDIA /TYPE,DEPTH/

1150	9.8	4140	8.7	PPG
------	-----	------	-----	-----

CONTINUED

COMPLETIONS SEC 31 TWP 17S RGE 35E  
PI# 30-T-0017 09/02/88 30-025-30279-0000 PAGE 3

PHILLIPS PET EAST VACUUM (GBSA) UNIT TR 3127<sup>D</sup> DO  
009

-----  
DRILLING PROGRESS DETAILS  
-----

PHILLIPS PET  
4001 PENBROOK  
ODESSA, TX 79762  
915-367-1266  
02/01 LOC/1988/  
06/20 DRLG 550  
06/21 DRLG 1150 (RD BD, ANHY), VIS 33  
06/27 DRLG 3815  
06/28 DRLG 4140 (DOLO), VIS 29  
06/28 WIRELINE SURVEY @ 484, 980 (1.50 DEG), 1480  
(2.50 DEG), 2012 (2.75 DEG), 2506 (2.75 DEG),  
3006 (2.75 DEG), 3630 (2 DEG), 3925 (1.25 DEG)  
07/06 4800 TD, PB 4763, WOCT  
07/07 4800 TD, PB 4763, WOCT  
07/13 4800 TD, PB 4763, WOCT  
07/14 4800 TD, PB 4763, PREP SWAB  
07/20 4800 TD, PB 4763, PREP TEST  
07/28 4800 TD, PB 4763, PREP ACID  
08/10 4900 TD, PB 4763, WOCT  
08/15 4800 TD, PB 4763, WO STATE FORMS  
08/30 TD REACHED 06/29/88 RIG REL 06/29/88  
4800 TD, PB 4763  
COMP 8/9/88, IPP 130 BO, 84 MCFG, 557 BWPD  
GOR 651, GTY (NR)  
PROD ZONE - SAN ANDRES 4352-4682  
NO CORES OR DSTS RPTD