N.M. OII Come Jaum de P.O. Bris 1994

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

1 200		1111111
Lobus	16 17:	13024

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

BUREAU OF	NM-9016		
SUNDRY NOTICES Do not use this form for proposals to dr Use "APPLICATION FO	6. If Indian, Allottee or Tribe Name		
SUBMIT	7. If Unit or CA, Agreement Designation		
1. Type of Well X Well		8. Well Name and No. Inca Federal No. 8 9. API Well No. 30-025-30323 10. Field and Pool, or Exploratory Area Young; Queen 11. County or Parish, State Lea County, NM	
2. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
13 D. J. B	all pertinent details, and give pertinent dates, including estimated date of starting	g any proposed work. If well is directionally drilled	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

*SEE ATTACHED...

(ORIG. SGD.) GARY GOURLEY



Signed Signed Signed	Title Regulatory Coordinator	Date9/9/98
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction



to tag sand 4070'. Come out laying down. Hung up pkr 3800', went back down 30'. Could not come up. Pmp'd 60 BW down. Started moving pkr. Rotated it, came loose. LD pkr. SDFN.

4/17/98:

RIH w/ 2 7/8" bull plug, 1 jt. 2 7/8" tbg, XO, SN and 121 jts. 2 3/8" 4.7# J-55 YB tbg, SN @ 3817', ND BOP's. NUWH, pour 5 gals corrosion and demulsifier down tbg string, RIH w/ 2" x 16' RWBC #CMC205 pump, 6-1.5" weight bars, 145-3/4" "D" rods, $\frac{3}{4}$ " x 8", 2" pony rods, and 1 $\frac{1}{4}$ " x 16' polish rod w/1.5" liner. Will set pumping unit 4/21/98. SDFN.

4/21/98:

Waiting on parts to hook up the pumping unit. Will hook up in the a.m.

4/22/98:

Start up unit @ 12:30 p.m. - pumping good.

4/23/98:

Testing through 5/8/98.

Final Report - 8 BO, 60 BW, 10 Mcf.

