

WRS COMPLETION REPORTCOMPLETIONS SEC 29 TWP 17S RGE 34E
PI# 30-T-0003 10/31/88 30-025-30425-0000 PAGE 1NMEX LEA * 660FSL 1980FWL SEC SE SW
STATE COUNTY FOOTAGE SPOT

PHILLIPS PET D DO

OPERATOR WELL CLASS INIT FIN

42 LEA

WELL NO. LEASE NAME

4090KB 4078GR

VACUUM

OPER ELEV FIELD/POOL/AREA

API 30-025-30425-0000

LEASE TYPE NO. PERMIT OR WELL I.D. NO.

08/21/1988 10/03/1988 ROTARY

OIL

SPUD DATE COMP. DATE TYPE TOOL STATUS

4900 GRBG-SAD ROD RIC CORP

6

RIG SUB 11

PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 4800

PB 4715

FM/TD SN ANDRS

DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

11 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1567 W/ 1000 SACKS

CSG 5 1/2 @ 4800 W/ 1100 SACKS

TUBING DATA

TBG 2 3/8 AT 4688

INITIAL POTENTIAL

IPP 35BOPD 44 MCFD 9BW

24HRS

GRAYBURG PERF

4149- 4557 GROSS

SN ANDRS PERF

4560- 4681 GROSS

GTY 36.8 GOR 1257

COMMINGLED

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
------	-----------	-----	-----	-----------	-----	-----------

LOG RUSTLER

1514

2576

LOG SALT

1665

2425

2664

1426

LOG QUEEN

3812

278

LOG GRAYBURG

4147

-57

LOG SN ANDRS

4559

-469

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257030288

Copyrighted 1988
Petroleum
Information Corporation**Petroleum Information****BB** a company of
The Bank & Bradstreet CorporationPI-WRS-GET
Form No 187

COMPLETIONS SEC 29 TWP 17S RGE 34E
PI# 30-T-0003 10/31/88 30-025-30425-0000 PAGE 2

PHILLIPS PET D DO
42 LEA

PRODUCTION TEST DATA

PTS 16BOPD 24HRS
GRAYBURG PERF 4149- 4557 GROSS
SN ANDRS PERF 4560- 4681 GROSS
PERF 4149- 4151 4185- 4187 4202- 4205 4271- 4274
PERF 4336- 4339 4377- 4380 4440- 4445 4503- 4508
PERF 4519- 4525 4530- 4535 4555- 4557 4560- 4564
PERF 4566- 4570 4576- 4578 4582- 4586 4668- 4681
ACID 4149- 4681 7000GALS
15% NEFE HCL
SWFR 4149- 4681 70000GALS 133000LBS SAND ADDTVGELA
X-LINK 2% KCL 20/40 MESH OTTAWA
SWBD 16 BO + 140 BLW IN 24 HRS
PERFED W/132 IT

PTP 41BOPD 136BW 24HRS
GRAYBURG PERF 4149- 4557 GROSS
SN ANDRS PERF 4560- 4681 GROSS
COMMINGLED

PTP 45BOPD 60BW 24HRS
GRAYBURG PERF 4149- 4557 GROSS
SN ANDRS PERF 4560- 4681 GROSS
COMMINGLED

PTP 35BO 11BW
GRAYBURG PERF 4149- 4557 GROSS
SN ANDRS PERF 4560- 4681 GROSS
COMMINGLED

PTP 35BOPD 9BW 24HRS
GRAYBURG PERF 4149- 4557 GROSS
SN ANDRS PERF 4560- 4681 GROSS
GTY 36.8 GOR 1257
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 0- 4800 CAL 0- 4800 CNL 0- 4800 GR
LOGS 0- 4800 LDT 2500- 4800 CAL 2500- 4800 DLL
LOGS 2500- 4800 GR 2500- 4800 MSFL CBL
LOGS CCL

CONTINUED

COMPLETIONS SEC 29 TWP 17S RGE 34E
PI# 30-T-0003 10/31/88 30-025-30425-0000 PAGE 3

PHILLIPS PET D DO
42 LEA

DRILLING MEDIA /TYPE,DEPTH/

3395 10.0 PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK
ODESSA, TX 79762
915-367-1266
07/18 LOC/1988/
08/22 DRLG 3395 (ANHY,SALT), VIS 28
09/07 4800 TD, PB 4715, SWBG
09/07 DEVIATION SURVEYS @ 492 (1/4 DEG), 990 (3/4 DEG)
1489 (1 DEG), 1567 (3/4 DEG), 2062 (1 DEG),
2538 (1 DEG), 3025 (1 DEG), 3492 (1 1/2 DEG),
3966 (3/4 DEG), 4464 (1 DEG), 4800 (1 1/2 DEG)
TOTAL DISPLACEMENT 79.91 FT @ TD
09/15 4800 TD, PB 4715, TSTG
09/20 4800 TD, PB 4715, TOP
09/23 4800 TD, PB 4715, RNG RODS
09/28 4800 TD, PB 4715, TOP
10/03 4800 TD, PB 4715, TOP
10/10 4800 TD, PB 4715, WOPT
10/26 TD REACHED 08/24/88 RIG REL 08/25/88
4800 TD, PB 4715
COMP 10/3/88, IPP 35 BO, 44 MCFG, 9 BWPD,
GOR 1257, GTY 36.8
PROD ZONE - GRAYBURG-SAN ANDRES 4149-4681
(COMMINGLED)
NO CORES OR DSTS RPTD