

WRS COMPLETION REPORT

COMPLETIONS SEC 28 TWP 17S RGE 35E
 PI# 30-T-0006 01/30/89 30-025-30436-0000 PAGE 1

NMEX LEA * 1286FSL 1333FWL SEC SE SW
 STATE COUNTY FOOTAGE SPOT
 EXXON CORP D DO
 OPERATOR WELL CLASS INIT FIN
 34 NEW MEXICO "K" STATE
 WELL NO. LEASE NAME
 3968KB 3952GR VACUUM
 OPER ELEV FIELD POOL AREA
 API 30-025-30436-0000

LEASE TYPE NO. PERMIT OR WELL I.D. NO.
 10/23/1988 12/30/1988 ROTARY OIL
 SPUD DATE COMP. DATE TYPE TOOL STATUS
 6300 GLORIETA GRACE DRLG 447 RIG SUB 15
 PROJ. DEPTH PROJ. FORM CONTRACTOR
 DTD 6309 PB 6189 FM/TD PADDOCK
 DRILLERS T.D. LOG T.D. PLUG BACK TD. OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI E BUCKEYE, NM

ACTUAL BOTTOM HOLE LOCATION

1378 FSL 1234 FWL SEC NW SW

CASING/LINER DATA

CSG 13 3/8 @ 471 W/ 500 SACKS
 CSG 8 5/8 @ 4739 W/ 1200 SACKS
 CSG 5 1/2 @ 6300 W/ 350 SACKS

TUBING DATA

TBG 2 7/8 AT 6225

INITIAL POTENTIAL

IPP 93BOPD 41 MCFD 48BW 24HRS
 GLORIETA PERF W/ 65/IT 6043- 6181
 PERF 6043- 6181
 ACID 6043- 6181 5628GALS
 15% HCL
 GTY 38.3 GOR 438
 FM - GLORIETA-PADDOCK

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1580 2388	

CONTINUED IC# 300257031488

COMPLETIONS
 PI# 30-T-0006 01/30/89 SEC 28 TWP 17S RGE 35E
 30-025-30436-0000 PAGE 2

EXXON CORP
 34 NEW MEXICO "K" STATE D DO

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	SALT		1685	2283	2740	1228
LOG	YATES		2837	1131		
LOG	SVN RVRS		3067	901		
LOG	QUEEN		3745	223		
LOG	GRAYBURG		4075	-107		
LOG	SN ANDRS		4405	-437		
LOG	GLORIETA		5955	-1987		
LOG	PADDOCK		6090	-2122		

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

PADDOCK PERF W/ 40/IT 6194- 6245
 PERF 6194- 6245
 ACID 6194- 6245 3860GALS
 15% HCL
 BRPG @ 6189 6194- 6245

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	DLL	MLL	GR
LOGS	CNL	CAL	ACSL
LOGS	CZDN		

DRILLING PROGRESS DETAILS

EXXON CORP
 BOX 1600
 MIDLAND, TX 79702
 915-688-6100

07/27 DIRECTIONAL WELL
 10/28 LOC/1988/
 11/04 DRLG 318
 12/02 DRLG 3653
 12/02 6309 TD, WOCT

DEVIATION SURVEYS @ 153 (.25 DEG), 478 (.75 DEG)
 630 (1 DEG), 700 (1 DEG), 800 (1 DEG), 1045 (1
 DEG), 1109 (.25 DEG), 1359 (.25 DEG), 1623 (.75
 DEG), 1772 (1.25 DEG), 1865 (1 DEG), 2156 (1
 DEG), 2493 (1 DEG), 2897 (1.25 DEG), 3167 (1.25
 DEG), 3481 (.75 DEG), 3892 (.25 DEG), 4165 (.25
 DEG), 4567 (.75 DEG), 4810 (.25 DEG), 4904 (.25

CONTINUED

COMPLETIONS SEC 28 TWP 17S RGE 35E
PI# 30-T-0006 01/30/89 30-025-30436-0000 PAGE 3

EXXON CORP
34

NEW MEXICO "K" STATE

D DO

DRILLING PROGRESS DETAILS

DEG), 5142 (4.50 DEG), 5206 (4.75 DEG), 5269
(4.75 DEG), 5364 (5 DEG), 5459 (5.50 DEG), 5554
(5.50 DEG), 5648 (5.75 DEG), 5743 (5.75 DEG),
5837 (5.75 DEG), 5932 (6 DEG), 6027 (6 DEG),
6184 (6.50 DEG), 6309 (6.75 DEG)
12/16 6309 TD, WOCT
12/23 6309 TD, WOCT
01/06 6309 TD, PB 6189, WOPT
TD REACHED 11/16/88 RIG REL 11/16/88
01/24 6309 TD, PB 6189
COMP 12/30/88, IPP 93 BO, 41 MCFG, 48 BWPD
GOR 438, GTY 38.3
PROD ZONE - GLORIETA 6043-6181
NO CORES OR DSTS RPTD