

WRS COMPLETION REPORT

COMPLETIONS
PI# 30-T-0015 12/19/88 SEC 14 TWP 18S RGE 32E
30-025-30445-0000 PAGE 1NMEX LEA * 330FSL 2310FWL SEC SE SW
STATE COUNTY FOOTAGE SPOT
SIETE O&G WD DO
OPERATOR WELL CLASS INIT FIN1 QUANAH FEDERAL
WELL NO. LEASE NAME
3810KB 3792GR QUERECHO PLAINS
OPER ELEV FIELD/POOL/AREALEASE TYPE NO. API 30-025-30445-0000
08/24/1988 12/05/1988 ROTARY PERMIT OR WELL I.D. NO.
SPUD DATE COMP. DATE TYPE TOOL OIL
11400 BONE SPG MORANCO 2 STATUSPROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 11243 PB 8665 FM/TD WOLFCAMP
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

14 MI SW BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

FIELD CHGD FROM WILDCAT
PROJ FM CHGD FROM WOLFCAMP

CASING/LINER DATA

CSG 13 3/8 @ 423 W/ 395 SACKS
CSG 8 5/8 @ 3001 W/ 1225 SACKS
CSG 5 1/2 @ 11243 W/ 1910 SACKS

TUBING DATA

TBG 2 3/8 AT 8350

INITIAL POTENTIAL

IPP 50BOPD 75 MCFD 79BW 24HRS
BONE SP1 PERF W/ 13/IT 8448- 8516
PERF 8448- 8516
ACID 8448- 8516 2600GALS
7 1/2% HCL
SWFR 8448- 8516 38000GALS 113000LBS SANDX-LINK 16/30 ADDTVGELA
FIELD GOR 1500 GTY-NO DETAILS
/RESERVOIR

CONTINUED IC# 300257031888

Copyrighted 1988
Petroleum
Information Corporation

Petroleum Information

BB a company of
The Dun & Bradstreet CorporationPI-WRS-GE
Form No 187

SIETE O&G
1

QUANAH FEDERAL

WD DO

INITIAL POTENTIAL

/BONE SPRING

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1175	2617		
LOG	SALT		1290	2502	2540	1252
LOG	YATES		2800	992		
LOG	SVN RVRS		3205	587		
LOG	QUEEN		3910	-118		
LOG	GRAYBURG		4463	-671		
LOG	DELAWARE		5270	-1478		
LOG	BONE SPG		6785	-2993		
LOG	BONE SP1		8448	-4656		
LOG	BONE SP3		9830	-6038		
LOG	WOLFCAMP		10212	-6420		
SUBSEA MEASUREMENTS FROM GR						

PRODUCTION TEST DATA

PTS 1UO
WOLFCAMP PERF W/ 12/IT 10818-10860 GROSS
PERF 10818,10819,10820,10821,10822,10823,10824,10856
PERF 10857,10858,10859,10860
ACID 10818-10860 5000GALS
20% HCL
BRPG @10800 10818-10860
SWBD W/SO

WOLFCAMP PERF W/ 14/IT 10216-10244
PERF 10216-10244
ACID 10216-10244 5000GALS
20% HCL
BRPG @10200 10216-10244

PTS 1UO
BONE SP3 PERF W/ 15/IT 10008-10029
PERF 10008-10029
ACID 10008-10029 1000GALS
7 1/2% HCL
SWFR 10008-10029 38000GALS 115760LBS SAND
2000 LBS 100 MESH 113760 LBS 16/30

ADDTVGELA

CONTINUED

COMPLETIONS
PI# 30-T-0015 12/19/88 SEC 14 TWP 18S RGE 32E
30-025-30445-0000 PAGE 3

SIETE O&G
1

QUANAH FEDERAL

WD DO

PRODUCTION TEST DATA

BRPG @ 9900
SWBD W/SO

10008-10029

BONE SP1 PERF W/ 26/IT 9714- 9822
PERF 9714- 9822
ACID 9714- 9822 5000GALS
15% HCL
BRPG @ 9110 9714- 9822

BONE SP1 PERF W/ 25/IT 8681- 9014
PERF 8681- 9014
ACID 8681- 9014 5000GALS
20% HCL
BRPG @ 8665 8681- 9014

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 3000- 6909 LDT	3000- 6909 CNL	3000- 6909 DLL
LOGS 3000- 6909 MSFL	3000- 6909 MSFL	3000- 6909 EPT
LOGS 3000- 6909 BHC	CALP	0-11243 LDT
LOGS 0-11243 CNL	0-11243 DLL	0-11243 MSFL
LOGS 0-11243 EPT	0-11243 BHC	

DRILLING PROGRESS DETAILS

SIETE O&G
BOX 2523
ROSWELL, NM 88202
505-622-2202
07/29 LOC/1988/
08/18 MIRT
09/08 DRLG 6750
09/16 DRLG 9930
09/28 11243 TD, WOCT
10/06 11243 TD, PREP COMP
11/30 11243 TD, PB 8665, TSTG
12/09 11243 TD, PB 8665, WOCT
12/15 DEV SURVEYS @ 218 (1/2 DEG), 424 (1/4 DEG), 716
(1/4 DEG), 904 (3/4 DEG), 1175 (3/4 DEG), 1491
(1/4 DEG), 1708 (1/2 DEG), 2020 (3/4 DEG), 2450
(2 DEG), 2574 (1 1/4 DEG), 2765 (1/2 DEG), 3002
(1/2 DEG), 3517 (1 DEG), 4017 (1 1/2 DEG), 4544

CONTINUED

SIETE O&G WD DO
1 QUANAH FEDERAL

DRILLING PROGRESS DETAILS

(1 DEG), 5038 (1 DEG), 5495 (3/4 DEG), 6004 (1
DEG), 6527 (1 1/4 DEG), 6900 (2 DEG), 7029 (2
1/4 DEG), 7152 (2 DEG), 7309 (2 DEG), 7495 (2
DEG), 7806 (2 3/4 DEG), 7933 (3 DEG), 8067 (3
1/2 DEG), 8151 (2 1/2 DEG), 8245 (2 1/2 DEG),
8370 (2 DEG), 8527 (2 1/2 DEG), 8653 (1 3/4 DEG)
8902 (2 DEG), 9151 (2 3/4 DEG), 9276 (2 3/4 DEG)
9461 (2 1/2 DEG), 9598 (2 DEG), 9859 (2 DEG),
10167 (3/4 DEG), 10547 (1/4 DEG), 11065 (4 1/2
DEG), 11158 (5 DEG), 11210 (5 3/4 DEG), 11243
(6 DEG)
TD REACHED 09/23/88 RIG REL 09/26/88
12/15 11243 TD, PB 8665
COMP 12/5/88, IPP 50 BO, 75 MCFG, 79
BWP, GOR 1500, GTY (NR)
PROD ZONE - BONE SPRING 8448-8516
NO CORES OR DSTS RPTD