

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
NEW MEXICO

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Harvey E. Yates Company	8. FARM OR LEASE NAME Amoco CP 8 Federal
3. ADDRESS OF OPERATOR P.O. Box 1933, Roswell, New Mexico 88202	9. WELL NO. #2
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 330' FSL & 2310' FEL	10. FIELD AND POOL, OR WILDCAT North Young Bone Spring
14. PERMIT NO. 30-025-30562	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 8, T18S, R32E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3761.2 GL	12. COUNTY OR PARISH Lea
	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) TD & csg report	
(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

3/17/89 TD well @ 9216'
Ran 5 1/2" csg to 9216
Cmtd w/1000 sks filler & 450 sks "H" tail end
PD @ 4:00 pm 3/19/89
Release Rig @ 3/19/89 (10:00 pm)

18. I hereby certify that the foregoing is true and correct

SIGNED A.M. Young NM Young TITLE Drilling Superintendent DATE 4/13/89

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

ACCEPTED FOR RECORD

APR 19 1989

*See Instructions on Reverse Side

SJS
CARLSBAD, NEW MEXICO

RECEIVED

APR 24 1989

OCD
HOBBS OFFICE



LTR



Job separation sheet

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
N. M. OIL CONS. COMMISSION
P.O. BOX 88240
ALBUQUERQUE, NEW MEXICO 88240

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		3. LEASE DESIGNATION AND SERIAL NO NM-77315	
2. NAME OF OPERATOR Harvey E. Yates Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P.O. Box 1933, Roswell, New Mexico 88202		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 330' FSL & 2310' FEL		8. FARM OR LEASE NAME Amoco CP 8 Federal	
14. PERMIT NO 30-025-30562		9. WELL NO. #2	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3761.2 GL		10. FIELD AND POOL, OR WILDCAT North Young Bone Spring	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 8, T18S, R32E	
		12. COUNTY OR PARISH Lea	
		13. STATE NM	

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other) Spud & csg report	<input checked="" type="checkbox"/>
(Other)	<input type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.*

2/23/89 Spudded well @ 7:30 pm, TD @ 421'
Ran 426' 13 3/8 54.5# csg, Set @ 421'
Cmted w/400 sks Cl "C" w/2% CaCl
Circ 72 sks to pit
WOC 12 hrs; Tested csg 600#/30 min-Held ok

2/27/89 TD 12 1/" hole @ 2688'
Ran 1681' 8 5/8 32# & 1013' 8 5/8 24# csg, Set @ 2688
Cmted w/1000 sks 65/35 poz w/2% CaCl & 200 sks Cl "C" w/2% CaCl
Cmt did not circ, Ran Temp. Survey & TOC @ 800' (Attached)
One inched 3 stages: 1st @ 900' w/150 sks Cl "C" w/2% CaCl;
2nd @ 525' w/150 skssame cmt; 3rd @ 275' w/150 sks "C" Neat
Circ 10 sks to surface
WOC 12 hrs; Tested csg 1400#/30 min-Held ok

18. I hereby certify that the foregoing is true and correct

SIGNED David R. Glass NM Young TITLE Drilling Superintendent DATE 3/1/89

(This space for Federal or State records use)

APPROVED BY DAVID R. GLASS TITLE DRILLING SUPERINTENDENT DATE 3/1/89

CONDITIONS OF APPROVAL INT 389

CARLSBAD, NEW MEXICO See Instructions on Reverse Side




BENNETT-CATHEY WIRE LINE SERVICE

P. O. BOX 787 / ARTESIA, NEW MEXICO 88210 / PHONE 746-3281

TEMPERATURE SURVEY



OPERATOR HEYCO
LEASE AMOCO CP & FEDERAL
WELL NO. #2
COMPANY REPRESENTATIVE CURTIS TOLLE
DATE & TIME CEMENT JOB COMPLETED 1815 HRS 2-27-89
DATE & TIME SURVEY MADE 2230 HRS 2-27-89
SURVEY RUN BY LARRY MOSSBARGER
WELL DATA INDICATION OF CEMENT TOP AT 800 FEET
TAG TD AT 2595 FEET (KB)



RECEIVED

MAR 14 1989

CCD
HOBBS OFFICE