

WRS COMPLETION REPORT

COMPLETIONS SEC 8 TWP 18S RGE 32E
PI# 30-T-0008 07/17/89 30-025-30581-0000 PAGE 1

NMEX LEA * 660FNL 1980FWL SEC NE NW
STATE COUNTY FOOTAGE SPOT
OPERATOR MERIDIAN OIL INC D DO
WELL NO. 2 FEDERAL "AM" WELL CLASS INIT FIN

3802GR YOUNG N
OPER ELEV FIELD/POOL/AREA
API 30-025-30581-0000

LEASE TYPE/NO PERMIT OR WELL I.D. NO
04/19/1989 06/16/1989 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS

8900 BONE SPG CACTUS DRLG 71
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 8900 PB 8824 FM/TD BONE SPG
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

17 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 13 3/8 @ 421 W/ 425 SACKS
CSG 8 5/8 @ 2800 W/ 1700 SACKS
CSG 5 1/2 @ 8900 W/ 1640 SACKS

TUBING DATA

TBG 2 7/8 AT 8520

INITIAL POTENTIAL

IPF 413BOPD 790 MCFD 5BW 32/64CK 24HRS
BONE SPG PERF 8380- 8440
GTY 37.8 GOR 1913

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1050 2752	
LOG	YATES		2600 1202	
LOG	QUEEN		3710 92	
LOG	SN ANDRS		4250 -448	
LOG	BONE SPG		5960 -2158	
LOG	BONE SP1		7814 -4012	
LOG	BONE SP2		8460 -4658	

SUBSEA MEASUREMENTS FROM GR

CONTINUED IC# 300257004989

COMPLETIONS SEC 8 TWP 18S RGE 32E
PI# 30-T-0008 07/17/89 30-025-30581-0000 PAGE 2

MERIDIAN OIL INC D DO
2 FEDERAL "AM"

PRODUCTION TEST DATA

BONE SPG PERF 8380- 8440
PERF 8380- 8440
ACID 8380- 8440 3500GALS
7 1/2% NEFE HCL

BONE SPG PERF 8290- 8370
PERF 8290- 8370

BONE SPG PERF 8290- 8440 GROSS
ACID 8290- 8440 15000GALS
15% NEFE
SQZD W/ 125S 8290- 8370
SQZD & DOC

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	CNL	LDT	DLL
LOGS	MSFL		

DRILLING PROGRESS DETAILS

MERIDIAN OIL INC
21 DESTA DR
MIDLAND, TX 79705
915-686-5600
02/08 LOC/1989/
04/20 DRLG SURF
04/27 DRLG BELOW 2804
05/05 DRLG BELOW 7700
05/12 8900 TD, WOCT
05/12 DEVIATION SURVEYS @ 98 (1/2 DEG), 283 (1/2 DEG),
421 (1/4 DEG), 916 (1 1/4 DEG), 1178 (1 DEG),
1567 (3/4 DEG), 1833 (1/2 DEG), 2320 (3/4 DEG),
3275 (1 1/2 DEG), 4260 (1 1/4 DEG), 4756 (1 1/4
DEG), 5246 (1 1/2 DEG), 5738 (1 1/4 DEG), 6200
(1 1/2 DEG), 6795 (1 3/4 DEG), 7284 (3 1/2 DEG),
7377 (3 1/4 DEG), 7501 (3 1/4 DEG), 7624 (2 3/4
DEG), 7725 (3 DEG), 7840 (3 1/4 DEG), 7962 (3
1/4 DEG), 8117 (3 1/4 DEG), 8268 (3 1/2 DEG),
8517 (3 1/2 DEG), 8900 (2 3/4 DEG)
06/02 TOTAL DISPLACEMENT 261.6870 FT @ TD
8900 TD, PB 8824, PREP ACID

CONTINUED

COMPLETIONS
PI# 30-T-0008 07/17/89 SEC 8 TWP 18S RGE 32E
30-025-30581-0000 PAGE 3

MERIDIAN OIL INC
2 FEDERAL "AM" D DO

DRILLING PROGRESS DETAILS

06/16 8900 TD, PB 8824, PREP TEST
06/23 8900 TD, PB 8824, TSTG
07/13 LOCAL CALL: BONE SPRING DOLO 2 8054
TD REACHED 05/09/89 RIG REL 05/09/89
07/13 8900 TD, PB 8824
COMP 6/16/89, IPF 413 BO, 790 MCFG, 5 BWPD
32/64 CK, GOR 1913, GTY 37.8
PROD ZONE - BONE SPRING 8380-8440
NO CORES OR DSTS RPTD