Submit 3 Copies To Appropriate District Office	State of N				Form C-103	
District I 1625 N. French Dr., Hobbs, NM 87240	Energy, Minerals and Natural Resources			WELL API	NO	Revised March 25, 1999
District II	OIL CONCEDIVATION DIVICION			WEED III		30-025-30582
811 South First, Artesia, NM 87210 District III	OIL CONSERVATION DIVISION 2040 South Pacheco			5. Indicate		Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505			STATE X FEE		
District IY 2040 South Pacheco, Santa Fe, NM 87505				6. State C 25694	il & Gas	Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)  1. Type of Well:  Oil Well X Gas Well  Other				7. Lease Name or Unti Agreement Name J. R. Holt		
2. Name of Operator Texland Petroleum - Hobbs, L.L.C				8. Well No. 2		
3. Address of Operator 777 Main Street, Ste. 3200 Fort Worth, Tx. 76102				9. Pool name or Wildcat Shipp Strawn		
4. Well Location					IWII	
Unit Letter C : 940 feet from the North line and 2210 feet from the West line						
Section 2	Township 17	S Ra	inge 37E	NMPM		County Lea
	10. Elevation (Show w					
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data						
NOTICE OF IN PERFORM REMEDIAL WORK	TENTION TO: PLUG AND ABANDON	1	SUB REMEDIAL WOR	SEQUEN K		ORT OF: ALTERING CASING [
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DR	ILLING OPNS		PLUG AND [X]
PULL OR ALTER CASING	MULTIPLE COMPLETION		CASING TEST AND CEMENT JOBS			ABANDONMENT
OTHER:			OTHER:			
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work). SEE RULE 1103. For Multiple Completions: Attach diagram of proposed completion or recompletion.  5/31/02 MIRU BOF Well Service. Install BIP, POH w/367 jts. 2 7/8" N80 tbg. 2 7/8"x5 1/2" TAC, 7 jts. 2 3/8" tbg, seating nipple & mud jt. w/bull plug. S1 & SD for weekeend. 6/3/02 Rig up Computalog WL. GIH w/CIBP. Set plug @ 11,400'. POH w/WL. Rig down WL. GIH w/2 /78" tbg. Tag CIBP @ 11,380'. Circ hlle w/260 bbls. gelled brine. Spot 25sx cmt on top of CIBP. POH, laying down tbg. LD 105 jts., end of tbg @ 8350'. S1 SDFN. 6/4/02 end of tbg @8350'. Spot 25sx plug across Tubb. POH laying down 121 jts. 2 7/8". End of tbg @ 4600'. Spot 40sx plug across 8 5/8" scg shoe. POH w/tbg to 3350'. WOC. Tag plug at 4228'. POH laying down 77 jts. End of tbg at 2233'. Spot 25sx plug at top of salt section. POH laying down 52 jts. End of tbg @ 600'. Circ cmt to surface w/60sx. Lay down 20 jts tbg, 355 total jts. Release BOP. Cap well.  Approved as to plugging of the Well Bore.  Liability under and is retained until  Approved as to plugging of the Well Bore.  Surface restoration is completed.						
I hereby certify that the information above is true and complete to the best of my knowledge and belief.						
SIGNATURE	ill the	TITLE_	Regulatory Analyst	· · · · · · · · · · · · · · · · · · ·		DATE 06/17/2002
Type or print nameAnn Burdette				···	Telepl	none No. (817)336-2751
(This space for State use)  APPROVED BY	W. Wink D REPRESENTATIVE II	TITLE_	anager			ARA JE 2 2000