

WRS COMPLETION REPORT

COMPLETIONS SEC 26 TWP 17S RGE 36E
PI# 30-T-0011 12/08/89 30-025-30701-0000 PAGE 1

NMEX LEA * 660FNL 660FWL SEC NW NW
STATE COUNTY FOOTAGE SPOT
YATES PET D D
OPERATOR SIRINGO "ACS" STATE
1
WELL NO. LEASE NAME
3889KB 3881GR SPENCER
OPER ELE. FIELD POOL AREA
API 30-025-30701-0000
LEASE NO. PERMIT OR WELL ID NO.
10/27/1989 11/16/1989 ROTARY VERT D&A-OG
VALID DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
5500 SN ANDRS ARTESIA FSHG TOOL 2 RIG SUB 7
PROF. DEPTH PROJ. FORM CONTRACTOR
DTD 5450 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

6 MI W HUMBLE CITY, NM

CASING/LINER DATA

CSG 20 @ 40
CSG 8 5/8 @ 2043 W/ 1100 SACKS
CMT PLUGS @ 5350-5450 W/25 SX, 4514-4614 W/35 SX,
3253-3353 W/55 SX, 1933-2093 W/30 SX, SURF-63 W/25 SX

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		2052	1837		
LOG	YATES		3353	536		
LOG	QUEEN		4392	-503		
LOG	GRAYBURG		4614	-725		
LOG	SN ANDRS		5210	-1321		

SUBSEA MEASUREMENTS FROM KB

FORMATION TEST DATA

DST 1 5298- 5450 SN ANDRS S
REC 2914.0 FT OG&MCW .5 CFT GAS
REC 80.0 CC OIL 1340.0 CC FWTR
INIT OP 20M IFP 244 FFP 621 OP W/GD BLOW
FINAL OP 1H IFP 658 FFP 1402 GD BLOW
ISIP 1825 1H FSIP 1825 3H IHP 2964 FHP 2973
SPL CHAM PRESS FINAL 30
WS 33000 PPM CL
OP W/GD BLOW ON BTM OF BUCKET, INCR TO 2.5 PSI IN 10

CONTINUED IC# 300257029689

Copyrighted 1985
Reproduction
Prohibited

Petroleum Information

PI WRS-GEJ
Form No. 187

BB a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 26 TWP 17S RGE 36E
PI# 30-T-0011 12/08/89 30-025-30701-0000 PAGE 2

YATES PET
1

D D

SIRINGO "ACS" STATE

FORMATION TEST DATA

MINS

RE-OP W/GD BLOW, INCR TO 2.25 PSI IN 30 MINS

DST 2 - SN ANDRS MISRUN

DST 3 5054- 5084 SN ANDRS
REC 150.0 FT FLUD 2600.0 CC FLUD
INIT OP 30M IFP 83 FFP 95 OP W/WK BLOW
FINAL OP 1H IFP 95 FFP 95 WK BLOW
ISIP 95 1H IHP 2808 FHP 2808
SPL CHAM PRESS FINAL 60
WS170000 PPM CL
OP W/WK BLOW, DECR TO V-WK BLOW IN 30 MINS
RE-OP ON 2ND FLOW W/WK BLOW, DIED IN 5 MINS
RE-OP ON 3RD FLOW W/WK BLOW, DIED IN 5 MINS
OP 30 MINS SI 1 HR; OP 1 HR SI 3 HRS; OP 1 HR
IFP 82-95, 95-95, 95-95
ISIP 95, 95

DST 4 5269- 5362 SN ANDRS S
REC 570.0 FT O&GCW 2100.0 CC O&GCW
REC .3 CFT GAS
INIT OP 30M IFP 69 FFP 120 OP W/FAIR BLOW
FINAL OP 1H IFP 188 FFP 222 FAIR BLOW
ISIP 1436 1H FSIP 1604 2H IHP 2819 FHP 2853
SPL CHAM PRESS FINAL 220
WS115000 PPM CL
OP W/FAIR BLOW, INCR TO BTM OF BUCKET IN 8 MINS, INCR
TO 13 OZ IN 30 MINS
RE-OP W/FAIR BLOW, INCR TO 7.25 OZ IN 1 HR
SPL REC 2100 CC O&GCDFLUD + .34 CFT GAS
DP REC 570 FT O&GCDFLUD
WS 115000 PPM CL @ TOP OF SPL

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS CNL FDC DLL
LOGS MSFL

DRILLING PROGRESS DETAILS

YATES PET

CONTINUED

COMPLETIONS SEC 26 TWP 17S RGE 36E
PI# 30-T-0011 12/08/89 30-025-30701-0000 PAGE 3

YATES PET
1

SIRINGO "ACS" STATE

D D

DRILLING PROGRESS DETAILS

105 S 4TH ST
ARTESIA, NM 88210
505-748-1471
10/12 LOC/1989/
10/31 DRLG SURF
11/03 DRLG 2231
11/06 DRLG 4375
11/15 5450 TD, HOLDING FOR DATA
11/15 DEVIATION SURVEYS @ 465 (1/2 DEG), 970 (1/4 DEG)
1470 (1/2 DEG), 1939 (1/2 DEG), 2043 (3/4 DEG),
2655 (1/2 DEG), 3150 (1 DEG), 3650 (2 DEG),
4190 (1 1/2 DEG), 4456 (1 1/2 DEG), 4980 (1 1/4
DEG), 5450 (1 3/4 DEG)
TD REACHED 11/10/89 RIG REL 11/16/89
12/05 5450 TD
COMP 11/16/89, D&A
NO CORES, FOUR DSTS RPTD