

**WRS COMPLETION REPORT**

COMPLETIONS SEC 28 TWP 17S RGE 35E  
PI# 30-T-0010 08/30/90 30-025-30805-0000 PAGE 1

NMEX LEA \* 430FSL 330FWL SEC SW SW  
STATE COUNTY FOOTAGE SPOT  
EXXON CORP D DO  
OPERATOR WELL CLASS INIT FIN  
36 NEW MEXICO "K" STATE  
WELL NO. LEASE NAME  
3963KB 3948GR VACUUM  
OPER ELEV FIELD/POOL/AREA  
API 30-025-30805-0000  
LEASE NO. PERMIT OR WELL I.D. NO.  
03/23/1990 06/11/1990 ROTARY VERT OIL  
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS  
6500 GLORIETA CACTUS DRLG 53 RIG SUB 14  
PROJ. DEPTH PROJ. FORM CONTRACTOR  
DTD 6310 PB 6259 FM/TD PADDOCK  
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

**LOCATION DESCRIPTION**

2 MI E BUCKEYE, NM

**CASING/LINER DATA**

CSG 13 3/8 @ 460 W/ 400 SACKS  
CSG 8 5/8 @ 4808 W/ 1425 SACKS  
CSG 5 1/2 @ 6308 W/ 160 SACKS

**TUBING DATA**

TBG 2 7/8 AT 6211

**INITIAL POTENTIAL**

IPP 38BOPD 18 MCFD 17BW 24HRS  
GLORIETA PERF W/ 1/FT 5946- 6006  
PADDOCK PERF W/ 2/FT 6022- 6132  
GTY 38.4 GOR 476  
FIELD /RESERVOIR  
/GLORIETA

**COMMINGLED**

| TYPE | FORMATION | LTH | TOP DEPTH/SUB | BSE DEPTH/SUB |
|------|-----------|-----|---------------|---------------|
| LOG  | ANHYDRTE  |     | 1560 2403     |               |
| LOG  | SALT      |     | 1670 2293     | 2665 1298     |
| LOG  | YATES     |     | 2820 1143     |               |
| LOG  | SVN RVRS  |     | 3055 908      |               |
| LOG  | QUEEN     |     | 3695 268      |               |

CONTINUED IC# 300257006690

Copyrighted 1990  
Reproduction  
Prohibited

**Petroleum Information**

PI-WRS-GET  
Form No 187

**DB** a company of  
The Dun & Bradstreet Corporation

COMPLETIONS SEC 28 TWP 17S RGE 35E  
 PI# 30-T-0010 08/30/90 30-025-30805-0000 PAGE 2

EXXON CORP D DO  
 36 NEW MEXICO "K" STATE

| TYPE | FORMATION | LTH | TOP DEPTH/SUB | BSE DEPTH/SUB |
|------|-----------|-----|---------------|---------------|
| LOG  | GRAYBURG  |     | 4055 -92      |               |
| LOG  | SN ANDRS  |     | 4335 -372     |               |
| LOG  | GLORIETA  |     | 5936 -1973    |               |
| LOG  | PADDOCK   |     | 6022 -2059    |               |

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

PTS 91BW 24HRS  
 GLORIETA PERF W/ 1/FT 5946- 6006  
 PADDOCK PERF W/ 2/FT 6022- 6132  
 PERF 5946- 6006 6022- 6132  
 ACID 5946- 6132 440BBLS  
 15% HCL  
 COMMINGLED

PTP 4BOPD 15 MCFD 10BW 24HRS  
 GLORIETA PERF 5946- 6006  
 PADDOCK PERF 6022- 6132  
 COMMINGLED

PTP 92BOPD 49BW 24HRS  
 GLORIETA PERF 5946- 6006  
 PADDOCK PERF 6022- 6132  
 ACID 5946- 6132 66BBLS  
 15% HCL  
 COMMINGLED

PTP 43BOPD 21BW 24HRS  
 GLORIETA PERF 5946- 6006  
 PADDOCK PERF 6022- 6132  
 COMMINGLED

PTP 31BOPD 16 MCFD 13BW 24HRS  
 GLORIETA PERF 5946- 6006  
 PADDOCK PERF 6022- 6132  
 COMMINGLED

LOGS AND SURVEYS /INTERVAL, TYPE/

| LOGS | DLL<br>CALP | MLL<br>CZDN | GR<br>CNL |
|------|-------------|-------------|-----------|
| LOGS |             |             |           |

CONTINUED

COMPLETIONS SEC 28 TWP 17S RGE 35E  
PI# 30-T-0010 08/30/90 30-025-30805-0000 PAGE 3

EXXON CORP  
36

NEW MEXICO "K" STATE

D DO

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS

ACSL

DRILLING PROGRESS DETAILS

EXXON CORP  
BOX 1600  
MIDLAND, TX 79702  
915-688-6100  
02/20 LOC/1990/  
03/28 DRLG 2827  
04/12 DRLG 6310  
04/25 6310 TD, PB 6259, SWBG  
04/25 DEVIATION SURVEYS @ 240 (1/4 DEG), 470 (3/4 DEG)  
1006 (1/4 DEG), 1499 (1/4 DEG), 1988 (3/4 DEG),  
2482 (1/2 DEG), 2940 (3/4 DEG), 3264 (3/4 DEG),  
3532 (1/4 DEG), 4012 (1 DEG), 4542 (3/4 DEG),  
4780 (1/4 DEG), 5318 (3/4 DEG), 5406 (3/4 DEG),  
5806 (3/4 DEG), 6270 (1 1/4 DEG)  
05/06 6310 TD, PB 6259, TOP  
05/14 6310 TD, PB 6259, TOP  
05/29 6310 TD, PB 6259, TOP  
06/06 6310 TD, PB 6259, TOP  
07/31 6310 TD, PB 6259, WOPT  
08/29 RIG REL 04/09/90  
6310 TD, PB 6259  
COMP 6/11/90, IPP 38 BO, 18 MCFG, 17 BWPD,  
GOR 476, GTY 38.4  
PROD ZONE - GLORIETA 5946-6132  
(COMMINGLED)  
NO CORES OR DSTS RPTD