

WRS COMPLETION REPORT

COMPLETIONS SEC 27 TWP 19S RGE 35E
PI# 30-T-0024 10/05/90 30-025-30869-0000 PAGE 1

NMEX LEA * 265FSL 10FWL SEC SW SW
STATE COUNTY FOOTAGE SPOT
PYRAMID ENERGY D DO
OPERATOR WELL CLASS INIT FIN
84 EAST PEARL (QUEEN) UNIT
WELL NO. LEASE NAME
3713GR PEARL
OPER ELEV FIELD/POOL/ AREA

API 30-025-30869-0000
LEASE NO. PERMIT OR WELL I.D. NO.
05/28/1990 06/23/1990 ROTARY VERT OIL
SPUD DATE COMP DATE TYPE TOO. HOLE TYPE STATUS
5000 QUEEN PETERSON DRLG 2
PROL. DEPTH PROL. FORM CONTRACTOR
DTD 5150 PB 5099 FM/TD QUEEN
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

12 MI SE BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

OPERATOR CHGD FROM SIRGO OPERATING
LEASE NAME CHGD FROM WEST PEARL (QUEEN) UNIT

CASING/LINER DATA

CSG 8 5/8 @ 416 W/ 250 SACKS
CSG 5 1/2 @ 5150 W/ 1050 SACKS

TUBING DATA

TBG 2 7/8 AT 4800

INITIAL POTENTIAL

IPP 26BOPD 10 MCFD 295BW 24HRS
QUEEN U PERF W/ 6/IT 4711- 4746 GROSS
QUEEN L PERF W/ 3/FT 4861- 4890 GROSS
GTY 35.0 GOR 384

TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB

LOG QUEEN 4625 -912
SUBSEA MEASUREMENTS FROM GR

CONTINUED IC# 300257014890

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

DB a company of
TheDun & Bradstreet Corporation

PI-WRS-GET
Form No 187

COMPLETIONS SEC 27 TWP 19S RGE 35E
PI# 30-T-0024 10/05/90 30-025-30869-0000 PAGE 2

PYRAMID ENERGY EAST PEARL (QUEEN) UNIT D DO
84

CORES

CORE 1 4605- 4628 REC 23.00FT SVN R QN CONV D
NO DESCRIPTION AVAILABLE
CORE 2 4716- 4746 REC 30.00FT QUEEN CONV D
NO DESCRIPTION AVAILABLE
CORE 3 4746- 4756 REC 10.00FT QUEEN CONV D
NO DESCRIPTION AVAILABLE
CORE 4 4855- 4915 REC 56.30FT QUEEN CONV D
NO DESCRIPTION AVAILABLE
CORE 5 4915- 4975 REC 60.00FT QUEEN CONV D
NO DESCRIPTION AVAILABLE

PRODUCTION TEST DATA

PTF 2BOPD 140BW 16/64CK 24HRS
QUEEN L PERF W/ 3/FT 4861- 4890 GROSS
PERF 4861- 4863 4865- 4869 4870- 4873 4888- 4890
ACID 4861- 4890 1000GALS
15% NEFE
SFFR 4861- 4890 15000GALS 44200LBS SAND ADDTVGELA
X-LINK 12/20
62 TONS CO2

QUEEN U PERF 4711- 4746 GROSS
PERF 4711, 4712, 4740, 4742, 4745, 4746
ACID 4711- 4746 500GALS
15% NEFE
SFFR 4711- 4746 22786GALS 30100LBS SAND ADDTVGELA
X-LINK 20/40
40 TONS CO2

PTP 10BOPD 246BW 24HRS
QUEEN U PERF 4711- 4746 GROSS
QUEEN L PERF 4861- 4890 GROSS
PTP 13BOPD 384BW 24HRS

CONTINUED

COMPLETIONS SEC 27 TWP 19S RGE 35E
PI# 30-T-0024 10/05/90 30-025-30869-0000 PAGE 3

PYRAMID ENERGY EAST PEARL (QUEEN) UNIT D DO
84

PRODUCTION TEST DATA

QUEEN U PERF 4711- 4746 GROSS
QUEEN L PERF 4861- 4890 GROSS
PPD 12.96 BO + 384.04 BW IN 24 HRS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	GR	CZDN	CALP
LOGS	DCL	GR	CBL
LOGS	CBND		

HOLE DEVIATION /DEPTH,DIRECTION,ANGLE/

416	.8D	935	.3D	1403	.3D
1900	.5D	2317	.8D	2767	.8D
3768	1.5D	4263	1.0D	4685	1.0D
5150	.8D				

DRILLING PROGRESS DETAILS

PYRAMID ENERGY
14100 SAN PEDRO STE 700
SAN ANTONIO, TX 78232
512-490-5000
04/16 LOC/1990/
05/29 DRLG 416
05/30 416 TD, WOC
06/03 4628 TD, PREP CORE #2
06/14 5150 TD, SI
06/21 5150 TD, PREP TREAT
07/02 5150 TD, PB 5099, TOP
07/11 5150 TD, PB 5099, WOPT
10/03 RIG REL 06/14/90
5150 TD, PB 5099
COMP 6/23/90, IPP 26 BO, 10 MCFG, 295 BWPD
GOR 384, GTY 35
PROD ZONE - QUEEN 4711-4890
FIVE CORES, NO DSTS RPTD