Form 3160-5 (November 1983) (Formerly 9-331)	UNITED STATES DEPARTMEN. OF THE INTER BUREAU OF LAND MANAGEMEN	-	Expires August		
	NDRY NOTICES AND REPORTS form for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT-" for such p	back to a different reservoir.	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME	
I. OIL GAS WELL WELL	OTRER		7. UNIT AGREEMENT NA	ME	
2. NAME OF OPERATOR			8. FARM OR LEASE NAME		
Santa Fe	Young North AN Federal				
3. ADDRESS OF OPERATO	9. WELL NO.				
500 W. I	2				
<ol> <li>LOCATION OF WELL (Report location clearly and in accordance with any State requirements.<sup>*</sup> See also space 17 below.)</li> </ol>			10. FIELD AND POOL, OR WILDCAT		
At surface			North Young W	lolfcamp	
560' FSL and	990' FWL, Sec. 8, T-18S, R-32	E	11. SEC., T., R., M., OR E SURVET OR AREA	LE. AND	
Unifm			Sec. 8, T-185	, R-32E	
14. PERMIT NO.	15. ELEVATIONS (Show whether DE	r, RT, GR, etc.)	12. COUNTY OR PARISH	13. STATE	
API # 30-025-30	945	GR	Lea	NM	
16.	Check Appropriate Box To Indicate N	lature of Notice, Report, or C	)ther Data		
	NOTICE OF INTENTION TO:	SUBSEQU	ENT REPORT OF:		
TEST WATER SHUT-O Fracture treat	FF PULL OR ALTER CASING	WATER SHUT-OFF	BEPAIRING W		

17. DESCRIDE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) •

19 jts 5-1/2" 17# J-55 casing and set at 10,800'. FC at 10,761'. Stage collar at 6670'. Cemented 1st stage w/ 1100 sx Cl H + 1% FL-20, 5% salt. Plug down

Cl H lite + 10% salt and 200 sx Cl H Neat. Plug down at 9:15 a.m. PU stack and set slips. ND. Install tbg head. Clean pits. Released rig. WOCU.

John

NTITLE Sr. Production Clerk

8-6-90: Depth 10,800' (TD). Ran 74 jts 5-1/2" 17# N-80, 172 jts 5-1/2" 15.5# K-55, and

8-7-90: Open stage collar and circulated 200 sx to pit. Cement 2nd stage w/ 500 sx

SHOUTING OR ACIDIZING

(Other)

Ran casing

ABANDONMENT\*

RECEIVE

8-9-90

DATE

DATE

string & RR

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

SHOOT OR ACIDIZE

18. I hereby certify that the foregoing is

(This space for Federal or State office use)

CONDITIONS OF APPROVAL, IF ANY:

SIGNED

APPROVED BY

REPAIR WELL

(Other)

ABANDON\*

at 1:30 a.m. 8-7-90.

CHANGE PLANS

a/nd/correct

See 1	Instructions	on	Roverse	Side
		<b>VII</b>		JULE

TITLE

(November 1983) (Formerly 9-331)		RTM IT OF TH			08 08 re-	5. LEASE DES NM-4(		ND SERIAL NO
		OTICES AND R	EPORTS (	ON WELLS	oir.	6. IF INDIAN,	ALLOTTEE	OR TRIBE NAME
ī.						7. UNIT AGEE	EMENT NAM	£
OIL X GAN		R						
2. NAME OF OPERAT	DE .					8. FARM OR L		
		Operating Part	ners, L.	P		Young N 9. WELL NO.	North A	N Federal
3. ADDRESS OF OPER		- ·· · · · · · · · · · · · · · · · · ·				8. N. 866 AU.	2	
SUU W.	LLLINOIS	, Suite 500, Mi on clearly and in accords	diand, I	X /9/01 State requirements.*		10. FIELD AND		WILDCAT
See also space 17 At surface	'below.)		- · · · · •	· · · · •		North Yo	ung Wo	lfcamp
					-	11. SEC., T., E		
560' FSL	and 990' F	WL, Sec. 8, T-	18S, R-32	2E		BURARI		
Unit M						Sec. 8,		
14. PERMIT NO.		15. ELEVATIONS (SI		, RT, GR. etc.)		12. COUNTY O	B PARISE	13. STATE
API # 30-025	-30945		)'GR			Lea		NM
16.	Check	Appropriate Box To	Indicate N	lature of Notice, Rep	ort, or Ot	her Data		
	NOTICE OF 12	TENTION TO:			SUBSEQUE	NT REPORT OF	:	
TEST WATER SH Fracture treat		PULL OR ALTER CASIN Multiple complete	с	WATER SHUT-OFF FRACTURE TREATM			PAIRING WE	
SHOUT OR ACIDIZ	.в	ABANDON*		SHOOTING OR ACIDI	·		NDONMENT	·
REPAIR WELL		CHANGE PLANS		(Other) Ran (NOTE: Repo	rt results o	f multiple con	apletion on	Well
(Other) 17. DESCRIBE PROPOSE proposed work nent to this wor	. If well is dir	OPERATIONS (Clearly state ectionally drilled, give au	te all pertinen ibsurface locat	details, and give pertibetions and measured and tr	ent dates, li	ion Report and acluding estim depths for all	ated date	of starting any
7-18-90:	2471'. C	Cemented w/ 800	sx BJ Li	8-5/8" 24# K-55 te + 10% salt, ed 35 sx cement	tail w/	200 sx		
7-19-90:	3000 psi.	Test hydril t	:o 1500 p	NU BOP stack and si. PU BHA and me drilling ope	30 DC'	s. TIH.		to 8-5/8"
						AREA	Jun 24 11	RECEIVE
			A				5	E
			4	h		.*	H	0
						רי קי ע		
18. I bereby certify the SIGNED	hat the famegold,	g in true and correct	ritle Sr.	Production Cle	rk	DATE	July 2	23, 1990
(This space for F	ederal or State	office use)			·····		<u>_</u>	····
,						<b>_</b> · · <b>_</b>		
APPROVED BY _ CONDITIONS OF	APPROVAL, II		TITLE		_,	DATE		

## \*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECENCE

-----

Ċ

JUL 27 1990

676 1978: 077**0** 

(November 1983) (Formerly 9-331)	DEPARTMENT OF THE INTER BUREAL FLAND MANAGEMEN		5. LEASE DESIGNATION AND BERIAL NO NM-40449			
(Do not use th	NDRY NOTICES AND REPORTS his form for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT-" for such	back to a different reservoir.	6. IF INDIAN, ALEOTTEI	C OR TRIBE NAME		
1. OIL X GAS	OTHER		7. UNIT AGREEMENT NA	XE		
2. NAME OF OPERATOR			8. FARM OR LEASE NAME			
Santa F	Santa Fe Energy Operating Partners, L.P.			Young North AN Federal		
3. ADDRESS OF OPERAT		9. WELL NO.				
500 W.	500 W. Illinois, Suite 500, Midland, TX 79701			2		
1. LOCATION OF WELL See also space 17 b	(Report location clearly and in accordance with an	y State requirements.*	10. FIELD AND POOL, OR WILDCAT			
At surface	etow. /		North Young W	olfcamp		
560' FSL and 990' FWL, Sec. 8, T-18S, R-32E			11. SEC., T., E., M., OR BLE. AND SURVEY OR ARMA			
Unit	m		Sec. 8, T-18S	, R-32E		
14. PERMIT NO.	15. ELEVATIONS (Show whether I	)F, RT, GR. etc.)	12. COUNTY OR PARISH	13. STATE		
	~ 3760' GR		Lea	NM		
16.	Check Appropriate Box To Indicate	Nature of Notice, Report, or C	Other Data			
	NOTICE OF INTENTION TO:	SUBSEQU	EQUENT REPORT OF :			
TEST WATER SHUT	POFT PULL OR ALTER CASING	WATER SHUT-OFF	BEPAIRING W			
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CA	SING		
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMEN	T.		
REPAIR WELL	CHANGE PLANS	(Other) Spud and s	set casing stri	ng X		
(Other)		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)				
17. DESCRIBE PROPOSED proposed work. nent to this work.	OR COMPLETED OPERATIONS (Clearly state all pertine If well is directionally drilled, give subsurface loca )*	ut details and give pertinent dates.	including estimated date	of starting any		

- 7-15-90: Spud well at 11:30 a.m. CDT. Drilled to 393'. Ran 10 jts 13-3/8" 48# H-40 ST&C casing and set at 390'. Cement w/ 450 sx Cl C w/ 2% CaCl<sub>2</sub> + 1/4#/sk celloflakes. Plug down at 8:00 p.m. Circulated 110 sx to pit. WOC.
- 7-16-90: WOC 4 hours (Option II). Pressure test 13-3/8" casing w/ 600 psi ok. Resume drilling operations.

Cementing operations witnessed by Jack Johnson of the BLM.

Alen

18. I hereby certify that the foregoing intrue, and correct Production Clerk July 18, 1990 Sr. TITLE . DATE .... SIGNEE (This space for Federal or State office use) TITLE . DATE . APPROVED BY CONDITIONS OF APPROVAL, IF ANY :

## \*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



····.