Free Lease - \$copies OIL CONSERVATION DIVISION APPINO. (assigned by OCD on New Wells) DISTRICTI P.O. Box 2088 Santa Fe, New Mexico 87504-2088 Santa Fe, New Mexico 87504-2088 DISTRICTII Santa Fe, New Mexico 87504-2088 State Fe New Mexico 87504-2088 State Fe New Mexico 87504-2088 DISTRICTII FO. Box 2088 Santa Fe, New Mexico 87504-2088 State Fe New Mexico 87504-2088 DISTRICTII Fee D. D. Anceia, NM 8210 State Fee New Mexico 87504-2088 State Oil & Get Lease No. DISTRICTII FO. Box 2081 State Fee New Mexico 87504-2088 State Oil & Get Lease No. DISTRICTII For Of Veil: State Fee New Mexico 87504-2088 State Oil & Get Lease No. APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK Isouring to no Paddock Unit State Fee New Mexico 2004 Is Type of Weil: One of Weil: State Coll & Get Lease No. State Oil & Get Lease No. State State Go Peracer Deepen Plug BACK Isouring to no Paddock Unit State State Oil & Get Lease No. 13. Address of Operacer State 2004 Operacer Isouring to no Paddock Isouring to no Paddock 14. Weil Lease of Veil: State Oil Cease County State Oil Cease County Isouring to no Tote Lease	Submit to Appropriate District Office State Lease - 6 copies	Energy, N	State of New Mexico Energy, Minerals and Natural Resources Department			Form C-101 Revised 1-1-89		
DISTRICT-III Image: Solution & Call Design No. 1000 Ruo Brazos Rd., Aziec, NM \$7410 B 1553 APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK B 1553 1a. Type of Work: 7. Lease Name or Usil Agreement Name b. Type of Well: SINCLE over L EX well over Vell EX well over Vell EX over Vell EX well over ORDER OF PERMIT CORPORATION 139 Sceleon 1 Township 11490 Westheimer, Suite 200, Houston, Texas 77077 Pool same or Widcat Lovington Paddock Line Mark Letter F : 2527 Feet From The North Line and 1550 Feet From The West Line 10. Proposed Depth 11. Formation 11. Range 36 East NMPM Lea County 13829 GR 14. Kind & Same Plug. Bood 13. Elevationa (Show whether DF, RT, GR, etc.) 14. Kind & Same Plug. Bood 3829 GR 14. Kind & Same Plug. Bood 15. Drilling Coernector 13. Elevationa (Show whether DF, RT, GR, etc.) 14.	For Lesse - Scopies DISTRICT I P.O. Box 1980, Hobbs, NM	88240 Sa	P.O. Box 2088	S. Indicate T	30-0.25-31.571 5. Indicate Type of Lease STATE X FEE			
Is. Type of Wort: DRILL EX RE-ENTER DEEPEN PLUG BACK Lovington Paddock Unit b. Type of Well: ONS OTHER DEEPEN PLUG BACK Lovington Paddock Unit 01 ONS OTHER DEEPEN PLUG BACK Lovington Paddock Unit 02 ONS OTHER DEEPEN MULTERS Lovington Paddock Unit 02 ONE DEEPEN PLUG BACK Lovington Paddock Unit 03 OPERATOR 139 State Value of Operator 139 1490 Westheimer, Suite 200, Houston, Texas 77077 Prool Barne of Wildcat Lovington Paddock 11490 Westheimer, Suite 200, Houston, Texas 77077 Feet From The West Line 10 Downship 17 South Range 36 East NMPM Lea County 10 Proposed Depth 11. Formation 12. Rotary or C.T. Rotary Rotary 13. Elevations (Show whather DF, RT, GR, etc.) 14. Kind & Shanu Flug. Bood 15. Drilling Contractor 16. Approt. Date Work will sant 13. Elevations (Show whather DF, RT, GR, etc.) 14. Kind & Shanu Flug. Bood 15. Drilling Contractor <t< td=""><td>DISTRICT III 1000 Rio Brazos Rd., Aztec.</td><td>. NM 87410</td><td></td><td colspan="3"></td></t<>	DISTRICT III 1000 Rio Brazos Rd., Aztec.	. NM 87410						
Ia. Type of Work: DRILL #X RE-ENTER DEEPEN PLUG BACK Lovington Paddock Unit b. Type of Well: ONE SINCLE MCLTPLE Lovington Paddock Unit 2. Name of Operator GREENHILL PETROLEUM CORPORATION SiNCLE MCLTPLE Lovington Paddock Unit 3. Address of Operator 11490 Westheimer, Suite 200, Houston, Texas 77077 9. Pool mane or Wildcat Lovington Paddock 4. Well Location Unit Letter F: 2527 Feet From The North Line and 1550 Feet From The Line Section 1 Township 17 South Range 36 East NMPM Lea County 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Stanus Plug. Bood 0 n file 15. Drilling Contractor 16. Approc. Due Work will sant 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Stanus Plug. Bood 0 n file 15. Drilling Contractor 16. Approc. Due Work will sant 17. PROPOSED CASING AND CEMENT PROGRAM 16. Approc. Due Work will sant 17. PROPOSED CASING AND CEMENT PROGRAM 13.00' 550 Surface	APPLICAT	ION FOR PERMIT IN	J DRILL, DEEFER, O		7 Leane Nar	7 Leave Name or Linit Arrement Name		
2. Name of Operator 8. Well No. GREENHILL PETROLEUM CORPORATION 1.39 3. Address of Operator 9. Pool same or Wildcat 11490 Westheimer, Suite 200, Houston, Texas 77077 9. Pool same or Wildcat 4. Well Location 1.550 Unit Letter F 2.527 Feet From The North Line and 1550 Section 1 Township 17 South Range 36 East NMPM Lea County ////////////////////////////////////	Ia. Type of Work: DRILL XX RE-ENTER DEEPEN PLUG BACK b. Type of Well: DRILL XX RE-ENTER DEEPEN PLUG BACK b. Type of Well: DRILL XX RE-ENTER DEEPEN PLUG BACK							
GREENHILL PETROLEUM CORPORATION 139 3. Address of Operator 9. Pool name or Wildcal 11490 Westheimer, Suite 200, Houston, Texas 77077 Lovington Paddock 4. Well Location E Unit Letter F 2527 Feet From The North Line and 150 Feet From The Well Location 10. Proposed Depth 11. Formation 12. Rotary or C.T. Paddock Rotary 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Status Plug. Bood 3829 GR 0n file 17. PROPOSED CASING AND CEMENT PROGRAM 17. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEGHT PER FOOT 12. 1/4 '' 8 5/8 '' 24		الع 			8. Well No.			
3. Address of Operator 11490 Westheimer, Suite 200, Houston, Texas 77077 Jovington Paddock 4. Well Location F : 2527 Feet From The North Line and 1550 Feet From The West Line Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County I3. Elevaliona (Show whether DF, RT, GR, etc.) 14. Kind & Status Plug. Bond 15. Drilling Contractor 16. Approx. Date Work will start I3. Elevaliona (Show whether DF, RT, GR, etc.) 14. Kind & Status Plug. Bond 15. Drilling Contr		TRATETIM CORPORA	TTON					
11490 Westheimer, Suite 200, Houston, Texas 77077 Image 200, Houston, Texas 77077 4. Well Location Unit Letter F: 2527 Feet From The North Line and 1550 Feet From The West Line Section 1 Township 17 South Range 36 East NMPM Lea County Section 1 Township 17 South Range 36 East NMPM Lea County Image 200, Houston 10. Proposed Depth 11. Formation 12. Rotary or C.T. Image 200, Houston 6450' Paddock Rotary 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Same Plug. Bond 15. Drilling Contractor 16. Approx. Date Work will start 17. PROPOSED CASING AND CEMENT PROGRAM 16. Approx. Date Work will start 4-1-92 17. PROPOSED CASING AND CEMENT PROGRAM SIZE OF CASING WEGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 12. 1/4 '' 8 5/8 '' 24 1300' 550 surface		TRULEUM CORTONA	1100					
4. Well Location Unit Letter F 2527 Feet From The North Line and 1550 Feet From The West Line Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 South Range 36 East NMPM Lea County Image: Section 1 Township 17 Proposed Depth 11. Formation 12. Rotary 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Status Plug. Bood 15. Drilling Contractor 16. Approx. Date Work will start 3829 GR 0n file TBD 4-1-92 17. PROPOSED CASING AND CEMENT PROGRAM 14. Size OF CASING NEGHT PER FOOT SETTING DEPTH<	3 Address of Operator	imor Suite 200	Houston, Texas	3 77077	Lovin	Lovington Paddock		
Section 1 Township 17 South Range 36 East NMPM 10 Proposed Depth 10 Proposed Depth 11. Formation 12. Rotary or C.T. 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Status Plug. Bond 15. Drilling Contractor 16. Approx. Date Work will start 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Status Plug. Bond 15. Drilling Contractor 16. Approx. Date Work will start 17. PROPOSED CASING AND CEMENT PROGRAM 14. Kind & Status Plug. Bond 15. Drilling Contractor 16. Approx. Date Work will start 17. PROPOSED CASING AND CEMENT PROGRAM 16. Approx. Date Work will start 12. 1/4 12. 5/8 24 1300' 550	A Minist Leasting							
382101 10. Proposed Depth 6450' 11. Formation Paddock 12. Rotary or C.T. Rotary 13. Elevations (Show whether DF, RT, GR, etc.) 3829 GR 14. Kind & Status Plug, Bood on file 15. Drilling Contractor TBD 16. Approx. Date Work will start 4-1-92 17. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 12. 1/4 8. 5/8 24 1300' 550 surface	Custion .	1 Townst	up 17 South Ran	ge 36 East	NMPM	L محمد محمد	ea County	
10. Proposed Depail Paddock Rotary 6450' Paddock Rotary 13. Elevations (Show whether DF, RT, GR, etc.) 14. Kind & Status Plug, Bood on file 15. Drilling Contractor 16. Approx. Date Work will start 17. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 12 1/4 '' 8 5/8 '' 24 1300' 550 surface		mmmill				ШЩЦ		
13. Elevations (Show whather DF, RT, GR, etc.) 3829 GR 14. Kind & Status Plug. Bood on file 15. Drilling Constructor TBD 16. Approx. Date Work will start 4-1-92 17. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 12 1/4 8 5/8 24 1300' 550 surface	(/////////////////////////////////////						•	
13. Elevations (Show whather DF, RT, GR, etc.) 14. Kills & sum Fint, both on file TBD 4-1-92 17. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 12 1/4 8 5/8 24 1300' 550 surface			6450'		Paddock		and the second	
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. 10P 12 1/4 8 5/8 24 1300' 550 surface	13. Elevations (Show whether 3829 GR	er DF, RT, GR, etc.)			10 r			
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. 10P 12 1/4 8 5/8 24 1300' 550 surface	17. PROPOSED CASING AND CEMENT PROGRAM							
SIZE OF HOLE SIZE OF CASING WEIGHT EFFECT CE 12 1/4 8 5/8 24 1300' 550 surface						CEMENT	EST. TOP	
				and the second			surface	
	12 1/4				1100			
	1 1/0	J					<u> </u>	

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: # PROPOSAL IS TO DEEPEN OR FLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, # ANY.

SKONATURE Micha	chael J. Newport	www.wdge and belief. 	<u>п</u> дате <u>3-24-92</u> (713) теleficine no. 589-8484
(This space for State Use)	Orig. Signed by Paul Kautz		ина (192 дата

CONDITIONS OF AFTROVAL, IF ANY:

711-3109

Permit Expires 6 Months From Approval Date Unless Drilling Underway. Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 5 copies State of New Mexico Energ. Minerals and Natural Resources Durartment

OIL CONSERVATION DIVISION P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

WELL LOCATION AND ACREAGE DEDICATION PLAT

DISTRICT III 1000 Rio Brasos Rd., Astac, NM 87410

All Distances must be from the outer boundaries of the section



GREENHILL PETROLEUM CORPORATION BOP PROGRAM FOR LOVINGTON PADDOCK UNIT #139

Casing Program

e

BOP Program

Size	Depth	Wt.	Grade	Configuration	Test Pressure
8-5/8"	1300 ′	24	H40, STC	RA*	200 psi
5-1/2"	6450 ′	15.5	K55, STC	RR*	250/1500 psi

- * = RR-Ram Ram
- * = RA-Ram Annular

Diverter-Hydrill may be substituted for a diverter.

sjs:s 92.215

03/24/92