

1 mended

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-31709
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil / Gas Lease No.	B-2706
7. Lease Name or Unit Agreement Name	VACUUM GLORIETA WEST UNIT
8. Well No.	80
9. Pool Name or Wildcat	VACUUM GLORIETA
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	3997' GR

SUNDRY NOTICES AND REPORTS ON WELL
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:	OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER INJECTION <input type="checkbox"/>
2. Name of Operator	TEXACO EXPLORATION & PRODUCTION INC.
3. Address of Operator	205 E. Bender, HOBBS, NM 88240
4. Well Location	Unit Letter <u>G</u> : <u>2517</u> Feet From The <u>NORTH</u> Line and <u>2442</u> Feet From The <u>EAST</u> Line Section <u>36</u> Township <u>17S</u> Range <u>34E</u> NMPM <u>LEA</u> COUNTY

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPERATION ☐ PLUG AND ABANDONMENT ☐
 CASING TEST AND CEMENT JOB ☐
 OTHER: ☒ SQZD PERFS, ADDED NEW PERFS & ACIDIZED

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6/9/97 - 6/20/97

- MIRU. RELEASED INJ PKR & TOH W/ INJ EQUIP.
 - SET CEMENT RETAINER @ 5859'. SQUEEZED PERFS FROM 5959'-6159' W/ 75 SACKS CLASS H CEMENT. WOC. TAGGED CMT @ 5840', DRILLED OUT CMT & CMT RETAINER @ 5859', & CEMENT TO 6187', CIRC HOLE CLEAN.
5859'
 - TIH W/ WS TO 6176', SPOTTED 75 SACKS CLASS H CMT. WOC. TAGGED CMT @ 5591', DRILLED OUT CMT TO 6070' (NEW PBTD)
 - PERFORATED W/ 2 JSPF FROM 5930'-5968' & 5980'-6020' (.47" HOLES, 78', 156 HOLES).
 - TIH W/ TREATING PKR & SET @ 5810'. ACIDIZED NEW PERFS 5930'-6020' W/ 4000 GALS 15% NEFE. MAX P = 3500#, AIR = 3.5 BPM. SI 1 HR. SWABBED BACK LOAD.
 - TOH W/ PKR. TIH W/ 5 12" BAKER LOC-SET INJ PKR ON 180 JTS 2 3/8" RICE DUOLINED INJ TBG. CIRCD HOLE W/ CORROSION INHIBITED FRESH WATER, SET PKR @ 5845'. TESTED CASING FROM SURFACE TO PKR SET @ 5845' AS PER NMOCD GUIDELINES TO 580# FOR 30 MIN, HELD OK. (ORIGINAL CHART ATTACHED, COPY OF CHART ON BACK)
 - RETURNED WELL TO INJECTION.
- OPT 7/3/97 INJECTING 1097 BWPD @ 26 PSI
(INTERNAL TEPI STATUS REMAINS INJ)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Monte C. Duncan TITLE Engr Asst DATE 7/9/97

TYPE OR PRINT NAME Monte C. Duncan Telephone No. 397-0418

(This space for State Use)

APPROVED BY Monte C. Duncan TITLE Engr Asst DATE 7/9/97

CONDITIONS OF APPROVAL, IF ANY:

JL