- Submit to Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies		State of New Me: , Minerals and Natural Re	sources Department	Form C-101 Revised 1-1-89			
DISTRICT I P.O. Box 1980, Hobbs, NM	(88240	CONSERVATIO P.O. Box 208 Santa Fe, New Mexico	API NO. (assigned by OCD on New Wells) 30-025-31781				
DISTRICT II P.O. Drawer DD, Artesia, N		S. Indicate Type of Lasse STATE X FEE					
DISTRICT III 1000 Rio Brazos Rd., Azie		6. State Oil & Gas Lesse No. B-1520-1					
•	TON FOR PERMIT						
APPLICAT	ION FOR FERMIT	7. Lease Name or Unit A	greement Name				
DRILL	X RE-ENTE	R DEEPEN	PLUG BACK	VACUUM GLORIE	TA WEST UNIT		
A. Type of Well: OL GAS WELL WHEL [] oner water in	JECTION 2014					
Name of Operator TEXACO EXPLOR	ATION AND PRODUC	8. Well No. 17					
Address of Operator		9. Pool same or Wildon					
P. O. Box 3109,	Midland, Texas	79702		VACUUM GLORIE	TA		
Well Location Unit Letter C		From The NORTH	Lise and 1399	Feet From The	WEST Line		
Section		<i>MMMMMMM</i>					
		10. Proposed Depth		Formation GLORIETA/PADDOCK	12. Rotary or C.T. ROTARY		
Elevations (Show whether	THE AT GR AND	14. Kind & Status Plug. Bond	15. Drilling Contractor		Date Work will start		
GR-4008'		BLANKET	TMBR/SHARP		MBER 10, 1992		
······································			D CENENT DDOOD				
		ROPOSED CASING AN	iu cementi progr	1AM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP		
SIZE OF HOLE 17 1/2	SIZE OF CASING 13 3/8	WEIGHT PER FOOT 48#	SETTING DEPTH 40'	SACKS OF CEMENT REDI-MIX	SURFACE		
SIZE OF HOLE 17 1/2 11 7 7/8	SIZE OF CASING 13 3/8 8 5/8 5 1/2 1: CONDUCTOR - RE	WEIGHT PER FOOT 48# 24# 15.5#	SETTING DEPTH 40' 1550' 6300'	SACKS OF CEMENT REDI-MIX 500 1300	SURFACE SURFACE SURFACE		
SIZE OF HOLE 17 1/2 11 7 7/8 MENTING PROGRAM RFACE CASING - 3 Caci2 (14.8ppg, ODUCTION CASING - TOOL @ 5000' - 2 .4gw/8). F/B 250 BIL OPERATES A V ORTHODOX LOCATIK RIED PIPELINE. APP	SIZE OF CASING 13 3/8 8 5/8 5 1/2 1: CONDUCTOR - RE 00 SX CLASS C w/ 1.34cf/s, 6.3gw/ - 1st STG: 300 SX 2nd STG: 750 SX 3 0 SX CLASS H w/ 1 WELL IN THIS QUAR ON - GRANTED UND PROVAL FOR THE A CRIBE PROPOSED PROCE BYTER PROPOSED PROCE	WEIGHT PER FOOT 48# 24# 15.5# EDIMIX. 4% GEL & 2% CacL2 (8). CLASS H w/ 1/4# FLO 5/65 POZ CLASS H w/ /4# FLOCELE (15.6pp TER QUARTER SECTION ER ORDER NO. R-9714 MENDED LOCATION HAS BRAM: FROPOSAL IS TO DEEPEN	SETTING DEPTH 40° 1550' 6300' (13.5ppg, 1.74cf/s OCELE (15.6ppg, 1 / 6% GEL, 5% SALT / 78 / 78 / 78 / 78 / 78 / 78 / 78 / 78	SACKS OF CEMENT REDI-MIX 500 1300 1300 18cf/s, 5.2gw/s). 8 1/4# FLOCELE (12 v/s). INISHED A COPY OF THE DVED 100' NORTH BEN TA FE. (COPY ATTAC	SURFACE SURFACE SURFACE 0 SX CLASS C w/ 2.8ppg, 1.94cf/s, HIS APPLICATION. CAUSE OF A HED)		
SIZE OF HOLE 17 1/2 11 7 7/8 MENTING PROGRAM RFACE CASING - 3 Caci2 (14.8ppg, ODUCTION CASING - TOOL @ 5000' - 2 Agw/s). F/B 250 BIL OPERATES A V ORTHODOX LOCATIK RIED PIPELINE. APP IN ABOVE SPACE DESC EDIAL GIVE BLOWOUT PREVE Interday certify that the inform	SIZE OF CASING 13 3/8 8 5/8 5 1/2 1: CONDUCTOR - RE 00 SX CLASS C W/ 1.34c1/s, 6.3gw/ - 1st STG: 300 SX 2nd STG: 750 SX 3 0 SX CLASS H W/ 1 WELL IN THIS QUAR ON - GRANTED UND PROVAL FOR THE A CRIBE PROPOSED PROC ENTER PROPOSED PROC ENTER PROPOSED PROC ENTER PROPOSED PROC ENTER PROPOSED PROC ENTER PROPOSED PROC	WEIGHT PER FOOT 48# 24# 15.5# DIMIX. 4% GEL & 2% CacL2 (8). CLASS H w/ 1/4# FLC 5/65 POZ CLASS H w/ /4# FLOCELE (15.6pp TER QUARTER SECTION ER ORDER NO. R-9714 MENDED LOCATION HAS BRAM: # PROPOSAL IS TO DEEPEN de to the best of my knowledge and	SETTING DEPTH 40' 1550' 6300' (13.5ppg, 1.74cf/s OCELE (15.6ppg, 1 6% GEL, 5% SALT g, 1.18cf/s, 5.2gw AND HAS BEEN FUR LOCATION WAS MO BEEN FILED IN SAN	SACKS OF CEMENT REDI-MIX 500 1300 100 1	SURFACE SURFACE SURFACE 0 SX CLASS C w/ 2.8ppg, 1.94cf/s, HIS APPLICATION. CAUSE OF A HED) D PROPOSED NEW PRODUCTIVE 11-02-92		
SIZE OF HOLE 17 1/2 11 7 7/8 MENTING PROGRAM RFACE CASING - 3 Cacl2 (14.8ppg, ODUCTION CASING - TOOL @ 5000' - 2 Agw/s). F/B 250 BIL OPERATES A W ORTHODOX LOCATIK RIED PIPELINE. APP IN ABOVE SPACE DESC KONATURE	SIZE OF CASING 13 3/8 8 5/8 5 1/2 1: CONDUCTOR - RE 00 SX CLASS C W/ 1.34cf/s, 6.3gw/ - 1st STG: 300 SX 2nd STG: 750 SX 3 0 SX CLASS H W/ 1 WELL IN THIS QUAR ON - GRANTED UND PROVAL FOR THE A CRIBE PROPOSED PROC BATER PROGRAM, IF ANY. DESCRIPTION OF A STREET PROGRAM, IF ANY.	WEIGHT PER FOOT 48# 24# 15.5# EDIMIX. 4% GEL & 2% CacL2 (8). CLASS H w/ 1/4# FLO 5/65 POZ CLASS H w/ /4# FLOCELE (15.6pp TER QUARTER SECTION ER ORDER NO. R-9714 MENDED LOCATION HAS BRAM: FROPOSAL IS TO DEEPEN	SETTING DEPTH 40' 1550' 6300' (13.5ppg, 1.74cf/s OCELE (15.6ppg, 1 6% GEL, 5% SALT g, 1.18cf/s, 5.2gw AND HAS BEEN FUR LOCATION WAS MO BEEN FILED IN SAN	SACKS OF CEMENT REDI-MIX 500 1300 2, 9.1gw/s). F/B 200 .18cf/s, 5.2gw/s). 8 1/4# FLOCELE (120 W/s). INISHED A COPY OF THE DVED 100' NORTH BED TA FE. (COPY ATTAC MARAGER DA	SURFACE SURFACE SURFACE 0 SX CLASS C w/ 2.8ppg, 1.94cf/s, HIS APPLICATION. CAUSE OF A HED) D PROPOSED NEW PRODUCTIVE 11-02-92		
SIZE OF HOLE 17 1/2 11 7 7/8 MENTING PROGRAM RFACE CASING - 3 Caci2 (14.8ppg, ODUCTION CASING - TOOL @ 5000' - 2 Agw/s). F/B 250 BIL OPERATES A V ORTHODOX LOCATIK RIED PIPELINE. APP IN ABOVE SPACE DESC EDNE. GIVE BLOWOUT PREVE Investor certify that the information ROMATURE	SIZE OF CASING 13 3/8 8 5/8 5 1/2 1: CONDUCTOR - RE 00 SX CLASS C W/ 1.34cf/s, 6.3gw/ - 1st STG: 300 SX 2nd STG: 750 SX 3 0 SX CLASS H W/ 1 WELL IN THIS QUAR ON - GRANTED UND PROVAL FOR THE A CRIBE PROPOSED PROC BATER PROGRAM, IF ANY. DESCRIPTION OF A STREET PROGRAM, IF ANY.	WEIGHT PER FOOT 48# 24# 15.5# EDIMIX. 4% GEL & 2% CacL2 (8). CLASS H w/ 1/4# FLO 5/65 POZ CLASS H w/ /4# FLOCELE (15.6pp TER QUARTER SECTION ER ORDER NO. R-9714 MENDED LOCATION HAS BRAM: # PROPOSAL IS TO DEEPER de to the best of my knowledge and I WH	SETTING DEPTH 40° 1550' 6300' (13.5ppg, 1.74cf/s OCELE (15.6ppg, 1 / 6% GEL, 5% SALT g, 1.18cf/s, 5.2gw AND HAS BEEN FUR LOCATION WAS MC BEEN FILED IN SAN HORPLUG BACK, GIVE DATA OF belief. DRILLING OPERATION	SACKS OF CEMENT REDI-MIX 500 1300 3, 9.1gw/s). F/B 200 .18cf/s, 5.2gw/s). 8 1/4# FLOCELE (12 w/s). INISHED A COPY OF TH DVED 100' NORTH BEO THE SENT PRODUCTIVE ZONE AN MANAGER DATE	SURFACE SURFACE SURFACE SURFACE 0 SX CLASS C w/ 2.8ppg, 1.94cf/s, HIS APPLICATION. CAUSE OF A HED) ED PROPOSED NEW PRODUCTIVE TE 11-02-92 EPHONE NO. (915) 688-4 NOV 1 8 '92		
17 1/2 11 7 7/8 MENTING PROGRAM RFACE CASING - 3 Caci2 (14.8ppg, ODUCTION CASING - TOOL @ 5000' - 2 .4gw/s). F/B 250 OBIL OPERATES A V ORTHODOX LOCATIK RIED PIPELINE. APP IN ABOVE SPACE DESC 20NE. GIVE BLOWOUT PREVE LINENDOW CONTROL OF C. P	SIZE OF CASING 13 3/8 8 5/8 5 1/2 1: CONDUCTOR - RE 00 SX CLASS C W/ 1.34c1/s, 6.3gw/ - 1st STG: 300 SX 2nd STG: 750 SX 3 0 SX CLASS H W/ 1 WELL IN THIS QUAR ON - GRANTED UND PROVAL FOR THE A CRIBE PROPOSED PROC INTER PROC	WEIGHT PER FOOT 48# 24# 15.5# EDIMIX. 4% GEL & 2% CacL2 (8). CLASS H w/ 1/4# FLO 5/65 POZ CLASS H w/ /4# FLOCELE (15.6pp TER QUARTER SECTION ER ORDER NO. R-9714. MENDED LOCATION HAS BRAM: PROPOSAL IS TO DEEPEN the to the best of my knowledge and 1 WH mm	SETTING DEPTH 40' 1550' 6300' (13.5ppg, 1.74cf/s OCELE (15.6ppg, 1 / 6% GEL, 5% SALT 0g, 1.18cf/s, 5.2gv AND HAS BEEN FUR LOCATION WAS MO BEEN FILED IN SAN HOR PLUG BACK, GIVE DATA OF belief. B	SACKS OF CEMENT REDI-MIX 500 1300 , 9.1gw/s). F/B 200 .18cf/s, 5.2gw/s). & 1/4# FLOCELE (12 w/s). INISHED A COPY OF TH DVED 100' NORTH BEO TA FE. (COPY ATTAC M PRESENT PRODUCTIVE ZONE AN NONS MANAGER DAT DAT	SURFACE SURFACE SURFACE SURFACE 0 SX CLASS C w/ 2.8ppg, 1.94cf/s, HIS APPLICATION. CAUSE OF A HED) ED PROPOSED NEW PRODUCTIVE TE		
SIZE OF HOLE 17 1/2 11 7 7/8 MENTING PROGRAM RFACE CASING - 3 Caci2 (14.8ppg, DUCTION CASING - 3 Caci2 (14.8ppg, Caci2 (14.8ppg, DUCTION CASING - 3 Caci2 (14.8ppg, Caci2 (14.	SIZE OF CASING 13 3/8 8 5/8 5 1/2 1: CONDUCTOR - RE 00 SX CLASS C W/ 1.34c1/s, 6.3gw/ - 1st STG: 300 SX 2nd STG: 750 SX 3 0 SX CLASS H W/ 1 WELL IN THIS QUAR ON - GRANTED UND PROVAL FOR THE A CRIBE PROPOSED PROC INTER PROC	WEIGHT PER FOOT 48# 24# 15.5# EDIMIX. 4% GEL & 2% CacL2 (8). CLASS H w/ 1/4# FLC 5/65 POZ CLASS H w/ /4# FLOCELE (15.6pp TER QUARTER SECTION ER ORDER NO. R-9714 MENDED LOCATION HAS BRAM: IF PROPOSAL IS TO DEEPEN de to the best of my knowledge and I WH TIM RRY SEX TON /ISOR TIL	SETTING DEPTH 40° 1550' 6300' (13.5ppg, 1.74cf/s OCELE (15.6ppg, 1 76% GEL, 5% SALT 19, 1.18cf/s, 5.2gw AND HAS BEEN FUR LOCATION WAS MC BEEN FILED IN SAN HORPLUG BACK, GIVE DATA OF belief. BRILLING OPERATION FOR PLUG BACK, GIVE DATA OF DRILLING OPERATION	SACKS OF CEMENT REDI-MIX 500 1300 3, 9.1gw/s). F/B 200 .18cf/s, 5.2gw/s). 8 1/4# FLOCELE (12 w/s). INISHED A COPY OF TH DVED 100' NORTH BEO THE SENT PRODUCTIVE ZONE AN MANAGER DATE	SURFACE SURFACE <td< td=""></td<>		

. Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

DISTRICT 1 P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410

State of New Mexico E1. gy, Minerals and Natural Resources Departme.

1

OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT All Distances must be from the outer boundaries of the section

									Well No.	<u>-</u>
Operator TEXACO E	XPL.	AND PRO	D. Inc.		Lease VACUI	JM GLORII	ETA WES	ST UNIT	W CII 140.	17
	Section	Town		•	Range			County		
C			17-So	u+h	-	-East			a	
Actual Footage Locatio	25		17-30		54	Last	NMP	MI det		
1220		North			1399			West		
Ground level Elev.	leet from th	Producing Forma		line and	Pool		feet fro	m the mebe	line Dedicated Ac	
		-				a 1 -		Deel		ICARC.
4008		lorieta			1	<u>cuum Glo</u>		P001	40	Acres
2. If more the action of the a	han one les han one les on, force-po	use is dedicated to use of different or poling, etc.?	o the well, out whership is dec	line each and dicated to the	identify the ov well, have the	interest of all ow	both as to wo	tking interest and a solidated by comm		ï
	Yes 1 "no" list ti	No he covers and in			e of consolidat actually been of	consolidated. (Us				
this form if						(01		u.		
							ation, unitizat	ion, forced-pooling	g, or otherwise)
or until a po	on-standard	l unit, eliminating	s such interest,	has been app	proved by the I	Division.		-		
b						Tununun		OPERAT		FICATION
	l l	Ŧ								the informatio
Mobil	Bridge	Mobil Bri	dog.			1		contained herei		
State		- State # 32				Ì		best of my know		•
12		ನ ನ	13			Ì				1
	20	N. A.	1 I	•		1		Signature	NII	1-2
-3	x			14		ł		V Kart	VIII	TI .
	Į.	10				1		Printed Name	man	ur
1399)	0 17 40	AC.							
	F	/2				T		Royce D	Mario	ott
	i	151)	7'		° 19	1		Position		
	i		18.0			i		Divisio	n Surve	<u>eyor</u>
	in 1	/				25		Company		
13,		113				•		Texaco	Expl	Prod.
		8.	-				1	Date		1000
• 22	, I	• 23	5		• 74			Nover	uber 2,	1992
	۲ آ	-	•		- •			SIDVEN	OP CEPT	FICATION
ł c			25	, <u> </u>				JUNVEI	OK CERT	TCATION
	28 ⁰		°79	•35	30 ₀			on this plat w actual surveys	as plotted fr made by r	ll location shor orn field notes ne or under t arne is true a
								correct to the	best of m	y knowledge a
_ 33	3	_34	40			36		belief.		
•		•	0'					Date Surveyed		<u></u>
	i					· i		October	~ 29. 1	992
0 38						1		Signature & Se		
39	•	46		• 47		1		Professional Su	aloi Livevor	
	ļ	•		• • 1		. 48			- /	
•45	5	⁵²	53 0			• ++C		Centificate No.)
0	l_				······			7254 J.	S. Pip	er
			······			,			<u>_</u>	
0 330 660	990 1320) 1650 1980	2310 2640) 2 0	00 1500	1000	500 0	ł		





Texaco USA Producing Department Midland Division PO Box 3109 Midland TX 79702-3109

November 2, 1992

GOV - STATE AND LOCAL GOVERNMENTS Unorthodox Locations Vacuum Glorieta West Unit Well Nos. 17 and 19 Lea County, New Mexico

State of New Mexico Energy and Minerals Department Oil Conservation Division P. O. Box 2088 Santa Fe, New Mexico 87501-2088

Attention: Mr. David R. Catanach

Gentlemen:

Texaco Exploration and Production Inc. respectfully submits, for administrative approval, amended drilling locations for the captioned injection wells under Order No. R-9714.

Well No. 17 had to be moved 100' North because of a buried pipeline and Well No. 19 had to be moved 100' West because of a buried pipeline.

Attached are Forms C-102, showing the amended locations for each well.

Yours very truly,

C. P. Basham/CWH

C. P. Basham Drilling Operations Manager

CWH:cwh

CC:NMOCD, P. C. Box 1980, Hobbs, NM 88240



