## Laboratory Services, Inc. 1331 Tasker Drive

Hobbs, New Mexico 88240



Telephone: (505) 397-3713

## WATER ANALYSIS

COMPANY	Marathon 01	1 Co.		 	
SAMPLE	Warn State	#6 DST #1	Bottom	 	
SAMPLED BY	Marathon Oi	1 Co.			
DATE TAKEN	01-01	-94		 	
REMARKS				 	
Barium as Ba			25.00	 	
Carbonate alkalinity PPM			0.00	 	
Bicarbonate alkilinity PPM			1700.00		<u></u>
pH at Lab			7.00		
Specific Grav	ity @ 60° F		1.020	 	
Magnesium a			1,856	<u></u>	
Total Hardnes			3,200		<u> </u>
Chlorides as (			4,236	 	
Sulfate as SO	94		2875.00		
Iron as Fe			10.25	 	
Potassium			1.17	 	
Hydrogen Sul			0.00	 	
Resistivity Oh			1.2400	22.70	
Total Dissolve	ed Solids		9,750		
Carbonate as			8.28		
Calcium as Ca	a		1,344		
Nitrate	<u></u>	* <b>F</b> .s. L.	4.40	 	

## Results reported as Parts per Million unless stated

Langelier Saturation Index +0.78

> Analysis by Rolland Perry Date: 01-02-94