

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.
30-025-32547

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

EAST VACUUM GB/SA UNIT
(State "B" 1576 #11) Arco Oil & Gas

8. Well No.
390

9. Pool name or Wildcat
VACUUM GB/SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER

2. Name of Operator
Phillips Petroleum Company

3. Address of Operator
4001 Penbrook Street, Odessa, TX 79762

4. Well Location
Unit Letter **JK** **1720** Feet From The **SOUTH** Line and **1700** Feet From The **West** **EAST** Line

Section **32** Township **17S** Range **35E** NMPM **LEA** County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3961' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: **ADD PERFS. ACIDIZE. & RETURN TO PROD.** ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. MIRU AND RU DDU. NU BOP.
2. RIH W/TBG AND SWAB.
3. GIH W/GR-CCL TO TD AND RUN TO 4000'. GIH W/CIBP AND SET @4700'. PERF W/4" CSG GUNS AT 2 SPF FROM 4395'-4464' 117 SHOTS.
4. GIH W/RBP AND SET AT 4500'. DUMP 2 SACKS SAND ON TOP. PULL PKR TO 4360'. SWAB. IF NO FLUID ENTRY, SKIP TO NEXT STEP.
5. ACIDIZE SAN ANDRES 4395'-4464' W/4500 GALS 15% FERCHECK ACID.
6. SWAB.
7. RELEASE PKR AND RBP AND COOH.
8. PERF W/4" CSG GUNS AT 2 SPF FROM 4312'-4366' 89 SHOTS. SWAB.
9. ACIDIZE 4312'-4366' W/3600 GALS 15% FERCHECK ACID. SWAB.
10. RIH W/TBG, ANCHOR, RODS, AND PUMP. ND BOP. RETURN TO PRODUCTION. RDMO DDU.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *L. M. Sanders* TITLE **SUPERVISOR, REG. AFFAIRS** DATE **11/15/94**

TYPE OR PRINT NAME **L. M. SANDERS**

TELEPHONE NO. **915/368-1488**

(This space for State Use)

ORIGINAL SIGNED BY
GARY WINK
FIELD REP. II

APPROVED BY

TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

NOV 21 1994