District I
PO Eox 1980, Hobbs, NM 88241-1980
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505 Form C-101
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

2040 South Pache	. NM 87505		AMENDED REPORT										
APPLICA	ATION	FOR PE	RMIT	ΓΟ DRI	LL, RE-E	ENT	ΓER. DEF	EPE	N. PLUGE	ACK.	OR A	DD A ZONE	
APPLICATION FOR PERMIT TO DRILL, RE-I							ss. Inc.				² OGRID Number 036554 ³ API Number		
⁴ Property Code												025-34580	
24298			⁵ Property Name TMBR State "11"									' Well No. 1	
						ce Location							
UL or lot no.			Range 35E	Lot Idn	Feet from the		North/South line		Feet from the	, , , , , , , , , , , , , , , , , , , ,		Count Lea	
⁸ Proposed Bottom Hole Location I							on If Diffe						
UL or lot no.	Section	Township	Range	Lot Idn	Feet from th		North/South 1		Feet from the East/		Vest line Coun		
Proposed Pool 1 Shoebar (Atoka) Gas							¹⁰ Proposed Pool 2						
" Work T	ı	¹² Well Type Code G			ble/R R	I		¹⁴ Lease Type C			15 Ground Level Elevation 3951		
16 Multiple		1	⁷ Proposed 1	-	·		nation			19 Contractor		²⁰ Spud Date	
							Atoka TMBR/Sharp and Cement Program					3/30/99	
Hole Si				ng weight/foot		Setting Depth			Sacks of Cement		Estimated TOC		
171/2		13%			48		450		440		Surface		
11		85/s		<u> </u>	32		5,000		1800		Surface		
77/a		51/2		<u> </u>	17		- 13,000		1200		4,800		
Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary. It is proposed to drill a 17½" hole to ±450' with FW, set 13¾" casing and cement casing back to surface. An 11" intermediate hole will then be drilled to ±5,000' w/brine-cut brine system and an 8½" casing string will be set and cemented back to surface. A 3000 psi annular preventer and 3000 psi dual ram BOP will be used on the intermediate hole. A 7½" hole will be drilled to an approximate TD of 13,000' w/FW mud. The 5½" casing will be set at TD and cemented back to the intermediate casing @ 5,000'. A 3000 psi annular preventer and a 5000 psi dual ram BOP will be used on the 7½" hole. Mud up will occur between 9,000' and 11,000' and several DST's are planned: Casing Drilling Underway													
²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.							OIL CONSERVATION DIVISION						
Signature: D. Dillyin							Approved by:						
Printed name: Jeffrey D. Philips						Title: BEL AGT ESTERMISOR							
Title: V. P. Production						Approval Date: Expiration Date:							
Date: 3/9/99 Phone: (915) 699-5050					0	Conditions of Approval :							

Attached U

MP

C-101 Instructions

Measurements and dimensions are to be in feet/inches. Well locations will refer to the New Mexico Principal Meridian.

IF THIS IS AN AMENDED REPORT CHECK THE BOX LABLED "AMENDED REPORT" AT THE TOP OF THIS DOCUMENT.

- Operator's OGRID number. If you do not have one it will be assigned and filled in by the District office.
- 2 Operator's name and address
- 3 API number of this well. If this is a new drill the OCD will assign the number and fill this in.
- Property code. If this is a new property the OCD will assign the number and fill it in.
- 5 Property name that used to be called 'well name'
- 6 The number of this well on the property.
- 7 The surveyed location of this well New Mexico Principal Meridian NOTE: If the United States government survey designates a Lot Number for this location use that number in the 'UL or lot no.' box. Otherwise use the OCD Unit Letter.
- 8 The proposed bottom hole location of this well at TD
- 9 and 10 The proposed pool(s) to which this well is beeing drilled.
- 11 Work type code from the following table:
 - N New well
 - E Re-entry
 - D Drill deeper
 - P Plugback
 - A Add a zone
- 12 Well type code from the following table:
 - O Single oil completion
 - G Single gas completion
 - M Mutiple completion
 - I Injection well
 - S SWD well
 - W Water supply well
 - C Carbon dioxide well
- 13 Cable or rotary drilling code

Propose to cable tool drill

- R Propose to rotary drill
- 14 Lease type code from the following table:
 - S State
 - P Private
- 15 Ground level elevation above sea level
- 16 Intend to mutiple complete? Yes or No
- 17 Proposed total depth of this well
- 18 Geologic formation at TD
- 19 Name of the intended drilling company if known.
- 20 Anticipated spud date.
- 21 Proposed hole size ID inches, proposed casing OD inches, casing weight in pounds per foot, setting depth of the casing or depth and top of liner, proposed cementing volume, and estimated top of cement
- Brief description of the proposed drilling program and BOP program. Attach additional sheets if necessary.
- 23 The signature, printed name, and title of the person

authorized to make this report. The date this report was signed and the telephone number to call for questions about this report.