Form 3160-5 (August 1999)

505

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

1625 N. French Dr. Hobbs, NM 88240RM APPROVED Expires: November 30, 2000

N . Oil Cons. Division

Lease Serial No. NM53239 5.

abandoned w	6. If Indian, Allottee or Tribe Name							
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No			
I. Type of Well ☐ Oil Well 🛛 Gas Well 📋 O	8. Well Name and No. MANTARAY 13 FED COM 1							
2. Name of Operator Contact: BEV		BEV HATFIELD E-Mail: beverly_hatfield@eogre	ATFIELD beverly_hatfield@eogresources.com		9. API Well No. 30-025-35773			
3a. Address P. O. BOX 2267 MIDLAND, TX 79702		3b. Phone No. (include area coc Ph: 915.686.3689 Fx: 915.686.3765	le)	10. Field and Pool, or Exploratory CORBIN MORROW; SOUTH (
4. Location of Well (Footage, Sec.,	n)		11. County or Parish, and State					
Sec 13 T18S R32E NESE 23				LEA COUNTY, NM				
12. CHECK APP	ROPRIATE BOX(ES) T	O INDICATE NATURE OF	NOTICE, RE	PORT, OR OTHE	R DATA			
TYPE OF SUBMISSION		ГҮРЕ С	TYPE OF ACTION					
□ Notice of Intent	□ Acidize	Deepen	🔲 Producti	on (Start/Resume)	□ Water Shut-Off			
	□ Alter Casing	Fracture Treat	_ □ Reclama		□ Well Integrity			
🛛 Subsequent Report	🗖 Casing Repair	New Construction	🗖 Recompl	ete	Other			
Final Abandonment Notice	🗖 Change Plans	Plug and Abandon	🗖 Tempora	rily Abandon	Drilling Operation			
	Convert to Injection	Plug Back	🔲 Water Di	sposal				
1-28-02 RAN 8-5/8" CSG TO 4 250 SX PLUS + 2% CACL2. B 2-19-02 TD 7-7/8" HOLE @ 11 2-20-02 RAN OPEN HOLE LO	LW WITNESSED BOTH pm 2-18-02. TD 13600'. GS. MA	CMT JOB & BOP TSTG	+ 1/4# FLOC	ELE TAILED W/				
I hereby certify that the foregoing is t	rue and correct.	real of the second s						
Name (Printed/Typed) BEV HATF		Tille 5. Regulatory admin						
Signature Dec-	Jacpell	Date (13/05/2)	002	·				
	THIS SPACE FO	R FEDERAL OR STATE	OFFICE USE					
pproved By		Title		Date				
iditions of approval, if any, are attached.	able title to those rights in the s	not warrant or						
ch would entitle the applicant to conduct	operations thereon.	Office						

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

: 15

SLM- Rescuell - OCD-Hobbs -WI- Scan- bev

RECEIVED

2002 HAR -6 AH 8:59

BUSMERT OFFICE BRIEF OF THE WOWL

N.M. Oil Crins. Division 1625 N. French Dr.

(August 1999)	UNITED STATE	INTERIOR		OMB	M APPROVED NO. 1004-0135 November 30, 2000		
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				Expires: November 30, 2000 5. Lease Serial No. NM53239 6. If Indian, Allottee or Tribe Name			
						SUBMIT IN TR	RIPLICATE - Other instru
1. Type of Well ☐ Oil Well ⊠ Gas Well □ O	Dther		·	8. Well Name and No MANTARAY 13			
2. Name of Operator EOG RESOURCES, INC.	Contact:	BEV HATFIELD E-Mail: beverly_hatfield@eogr	esources.com	9. API Well No. 30-025-35773			
3a. Address P. O. BOX 2267 MIDLAND, TX 79702		3b. Phone No. (include area con Ph: 915.686.3689 Fx: 915.686.3765	de)	10. Field and Pool, o CORBIN MOR	r Exploratory ROW; SOUTH (GA		
 Location of Well (Footage, Sec.) Sec 13 T18S R32E NESE 23 		1)		11. County or Parish, LEA COUNTY,			
12. CHECK APP	ROPRIATE BOX(ES) TO	D INDICATE NATURE OF	NOTICE, R	EPORT, OR OTHE	R DATA		
TYPE OF SUBMISSION		?YPE OF ACTION					
 Notice of Intent Subsequent Report Final Abandonment Notice 	 Alter Casing Casing Repair Change Plans Convert to Injection 	 Fracture Treat New Construction Plug and Abandon Plug Back 	🔲 Water 🛙	elete arily Abandon Pisposal	 □ Water Shut-Of □ Well Integrity □ Other 		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO	twill be performed or provide it i operations. If the operation resi- andonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG \ DP @ 4595'): 1675-1350' 3	W/75 SX; 7125-6750' 375' P	A. Required sub completion in a r ding reclamation	sequent reports shall be ew interval, a Form 316 , have been completed, a SX; 4825-4675'	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1	in y a recomplete informed or provide it i operations. If the operation resi- bandonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG V DP @ 4595'); 1675-1350' 3 LUG 20 SX: JOB COMPLE	whe bond No. on the with ELM/B1 ults in a multiple completion or rec d only after all requirements, inclu W/75 SX; 7125-6750' 375' P 325' PLUG W/85 SX; 703-60 ETE 3PM 2-21-02 BI M W/T	A. Required sub completion in a r ding reclamation LUG W/170 s 3' 100' PLUG	 isequent reports shall be ew interval, a Form 316 have been completed, a X; 4825-4675' 25 SX (TAG CDEED TIONE DE 	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL	in y a recomplete informed or provide it i operations. If the operation resi- bandonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG V DP @ 4595'); 1675-1350' 3 LUG 20 SX: JOB COMPLE	whe bond No. on the with ELM/B1 ults in a multiple completion or rec d only after all requirements, inclu W/75 SX; 7125-6750' 375' P 325' PLUG W/85 SX; 703-60 ETE 3PM 2-21-02 BI M W/T	A. Required sub completion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY #	isequent reports shall be ew interval, a Form 316 , have been completed, a SX; 4825-4675' 25 SX (TAG OPERATIONS; RE 7 8PM 2-21-02.	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J	rk will be performed or provide f l operations. If the operation rest andonment Netices shall be file inal inspection.) 10325-10125' 200' PLUG N DP @ 4595'); 1675-1350' 3 LUG 20 SX; JOB COMPLE JET & CLEAN PITS REMO	whe bond No. on the with ELM/B1 ults in a multiple completion or rec d only after all requirements, inclu W/75 SX; 7125-6750' 375' P 325' PLUG W/85 SX; 703-60 ETE 3PM 2-21-02 BI M W/T	A. Required sub completion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY #	exequent reports shall be ew interval, a Form 316 , have been completed, a SX; 4825-4675' 25 SX (TAG OPERATIONS; RE 7 8PM 2-21-02.	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J	true and correct.	whe bond No. on the with ELM/B1 ults in a multiple completion or rec d only after all requirements, inclu W/75 SX; 7125-6750' 375' P 325' PLUG W/85 SX; 703-60 ETE 3PM 2-21-02 BI M W/T	A. Required sub completion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY #	exequent reports shall be ew interval, a Form 316 , have been completed, a SX; 4825-4675' 25 SX (TAG OPERATIONS; RE 7 8PM 2-21-02.	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J	true and correct.	W/T5 SX; 7125-6750' 375' P W/T5 SX; 7125-6750' 375' P 325' PLUG W/85 SX; 703-60 ETE 3PM 2-21-02 BLM WIT DVE GAS BUSTER; RELEA	A. Required sub icompletion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY # MAR	exequent reports shall be ew interval, a Form 316 , have been completed, a SX; 4825-4675' 25 SX (TAG OPERATIONS; RE 7 8PM 2-21-02.	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J	In the performed or provide to peration any, performed or provide to perations. If the operation rest andonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG NOT 200' PLUG NOT 200 SX; JOB COMPLE JET & CLEAN PITS REMONNER The and correct. IELD	With bELM/BL uits in a multiple completion or red d only after all requirements, inclu W/75 SX; 7125-6750' 375' P 325' PLUG W/85 SX; 703-60 ETE 3PM 2-21-02 BLM WITI DVE GAS BUSTER; RELEA Title	A. Required sub icompletion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY # MAR	I 2002	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J BOP STACK; CUT OFF WH; J	In the performed or provide to peration any, performed or provide to perations. If the operation rest andonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG NOT 200' PLUG NOT 200 SX; JOB COMPLE JET & CLEAN PITS REMONNER The and correct. IELD	Title Date 03/05/2(A. Required sub icompletion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY # MAR	I 2002	filed within 30 days 0-4 shall be filed once and the operator has		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J BOP STACK; CUT OFF WH; J Name (Printed/Typed) BEV HATFI Signature	rk will be performed or provide i l operations. If the operation res- pandonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG N DP @ 4595'); 1675-1350' 3 LUG 20 SX; JOB COMPLE JET & CLEAN PITS REMO THIS SPACE FOR Approval of this notice does no able tille to those rights in the sp	Title	A. Required sub icompletion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY # MAR	sequent reports shall be ew interval, a Form 316 , have been completed, a SX; 4825-4675' 25 SX (TAG OPERATIONS; RE 7 8PM 2-21-02.	filed within 30 days 0-4 shall be filed once and the operator has		
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J	rk will be performed or provide i l operations. If the operation resp andonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG N DP @ 4595'); 1675-1350' 3 LUG 20 SX; JOB COMPLE JET & CLEAN PITS REMO THIS SPACE FOR Approval of this notice does no able title to those rights in the su toperations thereon. S.C. Section 1212 make it a crit	Title Title	A. Required sub completion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY # MAR MAR 002 DFFICE US	I 2002	filed within 30 days 0-4 shall be filed once and the operator has EMOVE		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fin 2-22-02 P&A AS FOLLOWS: 1 150 SX PLUG 85 SX (TAG TO TOP @ 556'); 60-SURF 60' PL BOP STACK; CUT OFF WH; J BOP STACK; CUT OFF WH; J Name (Printed/Typed) BEV HATFI Signature proved By	rk will be performed or provide i l operations. If the operation resp andonment Notices shall be file inal inspection.) 10325-10125' 200' PLUG N DP @ 4595'); 1675-1350' 3 LUG 20 SX; JOB COMPLE JET & CLEAN PITS REMO THIS SPACE FOR Approval of this notice does no able title to those rights in the su toperations thereon. S.C. Section 1212 make it a crit	Title Title	A. Required sub completion in a m ding reclamation LUG W/170 S 3' 100' PLUG NESSED ALL SE MCVAY # MAR MAR 002 DFFICE US	I 2002	filed within 30 days 0-4 shall be filed once and the operator has EMOVE		

J S S



2003 HAR - 6 AM 8: 59

IMON CHALLE OFFICE BURERU UN LEUR OFFICE