

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE  
(Other instructions  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.  
5. LEASE DESIGNATION AND SERIAL NO.

NY 036259

SUNDRY NOTICES AND REPORTS



REMIT "APPETITE" for such proposals,

UNITED STATES DEPARTMENT OF THE INTERIOR  
Form 9-331 (May 1963)

SUNDRY NOTICES AND REPORTS ON WELLS  
SUBMIT IN TRIPPLICATE

(DO not use this form for proposals to drill or to deepen or plug back to a different reservoir.)  
Use "APPLICATION FOR PERMIT" for such proposals.

6. IF INDIAN, ALLOTTEE OR DRAVE NAME <b>MN 036259</b>	7. UNIT AGREEMENT NAME	8. NAME OR LEASE NAME	9. WELL NO.	10. FIELD AND POOL, OR WILDCAT	11. SEC., T., R., OR SECTION SUBDIVISION OF AREA	12. COUNTY OR PARISH STATE	13. ELEVATIONS (Show whether Dr., Rd., etc.)	14. PERMIT NO.	15. ADDRESS OF OPERATOR	16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data																																		
330, PS 6 2310, PUL. OF SECTION 9.										NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:																																		
<table border="1"> <tr><td>TEST WATER SHUT-OFF</td><td>PULL OR ALTER CASING</td><td>WATER SHUT-OFF</td><td>WATER TREATMENT</td><td>ACIDIZING</td><td>SHOOTING OR ACCIDIZING</td><td>CHARGE PLANS</td><td>ABANDONMENT*</td><td>REPAIR WELL</td><td>REPORT OF ACIDIZE</td><td>REPORT OF COALBED BREAKDOWN (Clearly state all pertinent details, and give subsequent locations and measures for all markers and zones pertinent to this work.)</td></tr> <tr><td><input checked="" type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="10">(Note: Report results of multiple completion on Well soil and cement plug from a depth of 500', from the surface to 2683'. On April 8, 1964, this well was partially plugged by placing a 10 inch surface plug, sealing regulation well marker, and clearing location. On December 15, 1969, plugging was completed by placing a 10 inch surface plug, sealing regulation well marker, and clearing location.</td><td>DATE 12-28-69</td></tr> </table>												TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	WATER TREATMENT	ACIDIZING	SHOOTING OR ACCIDIZING	CHARGE PLANS	ABANDONMENT*	REPAIR WELL	REPORT OF ACIDIZE	REPORT OF COALBED BREAKDOWN (Clearly state all pertinent details, and give subsequent locations and measures for all markers and zones pertinent to this work.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	(Note: Report results of multiple completion on Well soil and cement plug from a depth of 500', from the surface to 2683'. On April 8, 1964, this well was partially plugged by placing a 10 inch surface plug, sealing regulation well marker, and clearing location. On December 15, 1969, plugging was completed by placing a 10 inch surface plug, sealing regulation well marker, and clearing location.										DATE 12-28-69									
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	WATER TREATMENT	ACIDIZING	SHOOTING OR ACCIDIZING	CHARGE PLANS	ABANDONMENT*	REPAIR WELL	REPORT OF ACIDIZE	REPORT OF COALBED BREAKDOWN (Clearly state all pertinent details, and give subsequent locations and measures for all markers and zones pertinent to this work.)																																		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																		
(Note: Report results of multiple completion on Well soil and cement plug from a depth of 500', from the surface to 2683'. On April 8, 1964, this well was partially plugged by placing a 10 inch surface plug, sealing regulation well marker, and clearing location. On December 15, 1969, plugging was completed by placing a 10 inch surface plug, sealing regulation well marker, and clearing location.										DATE 12-28-69																																		

17. DESCRIBE PROPOSED OR CONSIDERED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsequent locations and measures for all markers and zones pertinent to this work.)

SHOOTING OR ACCIDIZING	ABANDONMENT*	REPAIR WELL	REPORT OF ACIDIZE	REPORT OF COALBED BREAKDOWN (Clearly state all pertinent details, and give subsequent locations and measures for all markers and zones pertinent to this work.)
<input type="checkbox"/>				
(Other)				

18. I hereby certify that the foregoing is true and correct  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ DATE \_\_\_\_\_ TITLE \_\_\_\_\_

J. L. GORDON  
See Instructions on Reverse Side

APPROVED

FEB 12 1970

CONDITIONS OF APPROVAL, IF ANY:

(This space for Federal or State office use)

SIGNATURE DATE 12-28-69

## **Instructions**

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method or parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.