



# FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	15	15	Caliche
15	75	60	Sandy shale red
75	145	70	Red rock
145	215	70	Red shale
215	225	10	Sand
225	235	10	Red rock
235	245	10	Red shale
245	260	15	Water sand
260	285	25	Red shale
285	330	45	Red rock sandy
330	400	70	Red shale sandy
400	435	35	Red rock
435	610	175	Red shale
610	630	20	Red rock
630	685	55	Red shale hard
685	735	50	Red rock
735	800	65	Red shale
800	845	45	Red rock
845	875	30	Red shale
875	910	35	Anhydrite
910	980	70	Red shale
980	1080	100	Anhydrite
1080	1090	10	Salt
1090	1100	10	Potash, hard red
1100	1125	25	Red rock
1125	1140	15	Anhydrite
1140	1160	20	Red rock
1160	1177	17	Salt
1177	1190	13	Anhydrite
1190	1235	45	Salt
1235	1275	40	Salt & red rock
1275	1325	50	Salt
1325	1380	55	Salt & potash
1380	1395	15	Salt
1395	1500	105	Anhydrite
1500	1517	17	Salt
1517	1990	473	Anhydrite
1990	2002	12	Salt
2002	2017	15	Anhydrite
2017	2030	13	Salt
2030	2175	145	Anhydrite hard
2175	2195	20	Salt
2195	2300	105	Anhydrite hard
2300	2328	28	Lime hard gray
2328	2366	38	Red rock
2366	2389	23	Lime hard gray
2389	2438	49	Lime hard brown
2438	2478	40	Sandy lime
2478	2485	7	Lime hard brown
2485	2497	12	Lime hard gray
2497	2507	10	Lime hard brown
2507	2529	22	Lime hard gray
2529	2546	17	Lime med. - gray
2546	2580	34	Lime hard gray
2580	2585	5	Lime hard gray
2585	2600	15	Soft sand - show gas
2600	2625	25	Gray lime hard
2625	2627	2	Lime soft - oil.