

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Mexico

Lease No. 3961

Unit Lindsay

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

#1 - Lindsay C. H. Ray June 29, 1951, 19____
Well No. Lindsay #1 located 330 ft. from N line and 1580 ft. from E line of sec. ____
NE 34, 23 20-S 33-E New Mexico
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian) (State or Territory)
Texas (Extension Pool) 20-S 33-E New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3603 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

We plan to drill a late-even Waters test with collar tools to approximately 3350'. All casing, cementing and shut off tests will be in accordance with the approved methods of the U.S.G.S..

Casing program: 8-5/8" @ 1100' cemented from shoe to surface
7" @ 3300' cemented from shoe to surface

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company C. H. Ray

Address 321 Central Building

Midland, Texas

By J. D. McLean
Title _____