Apr 30 01 10:37a RFD

_	_	~	_	_	_	_
0	2	7	Œ	~	7	п

P. 1

OF COMMENT	RTMENT OF TH	E INTERIOR	. S. Land Office Lines	·
VED DEC 24 1946 AF	RTMENT OF THE GEOLOGICAL S	URVEY	Serial Number 0582	28_
A Asia Distinue Distinue			Louis or Pormit	
SUNDRY N	OTICES AN	D REPORT	'S ON WELLS	
NOTICE OF INTENTION TO DRILL		<u></u>		
NOTICE OF INTENTION TO CHANGE PLAN	IS.	SUBSEQUENT RECORD RECORD OF PERFORAT	UF SHOOTING	
NOTICE OF DATE FOR TEST OF WATER S REPORT ON RESULT OF TEST OF WATER	HUT-OFF	NOTICE OF INTENTION	TO PULL OR OTHERWISE ALTER CASING.	├
NOTICE OF INTENTION TO RE-DRILL OR R	SHUT-OFF	A MANUEL OF INTENTION.	TO ABANDON WEST	
HOTICE OF INTENTION TO SHOOT	PLVIK AFFT	SUBSEQUENT REPORT O	F ABANDONMENT	
		SUPPLEMENTARY WELL	HISTORY	
(INDICATE A	BOVE BY CHECK MARK NAT	pacord of	ementing Pipe	X
	TAN ARRA MAT	war of report, notice.	or other data)	
, , , , , , , , , , , , , , , , , , ,		De	cember 10	10 4
Following is a notice of	intention to do we	Li .	permit described as follows:	リンダ
report of	work done	on land under	permit described as follows:	
New Vertee		, (icase	
(State or Territory)	L	BA	tur.	•
Vallata -	4 Sec. 23	ty or Subdivision)	(FILE)	
Federal	O(See and See, No.)	<u>28s</u>	33R NMPH	
The elevation of the derrick floor	s above sea level is	-550-it and of	Lass line of sec 1937/4 2	00- -
ne elevation of the derrick floo	r above sea level is	3600 ft Est.		
ne elevation of the derrick floo	r above sea level is	3600 ft Est.		
ne elevation of the derrick floo	r above sea level is	3600 ft Est.		
I he elevation of the derrick floor	r above sea level is DETAILS OF P condition of the important of the impo	-3600. ft. Est. *LAN OF WORK and imprise of proposed on the proposed work.	riage; ladicate shadding jobs, comenting p	
Plate names of and expected depths to objective	r above sea level is DETAILS OF P Condent show since, weights, all other imports.	2600. ft. Est.	riage; indicate shedding jobs, comenting p	
On December 19,	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	dages indicate and diag jobs, commenting po	
On December 19,	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	dages indicate and diag jobs, commenting po	
On December 19,	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	and casing and comented with feet. Note	rinto, an
On December 19,	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	and casing and comented with	rian, an
On December 19, Level steel much to about	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	and casing and commuted with feet. Note	olais, as rd taib <u>í</u>
On December 19,	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	8" casing and comented with feet. Note f. 8. S	odana an
On December 19,	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	an casing and comented with feet. Note f. B. S. GEOLOGICAL SURV	olata, and
On December 19,	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	8" casing and comented with feet. Note f. 8. S	olata, and
On December 19, 1rculated much to sur	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	2600. ft. Est. PLAN OF WORK and imprise of proposed on. It proposed work. Sept. of 7 5/	an casing and comentary with feet. GEOLOGICAL SURV RECEIVED	d tahi
On December 19, Lreulated much to sur.	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	Ceet of 7 5/Ourton then	an casing and comentary with feet. RECEIVED DEC 2 2 1943 Artesis. New Mark	di tahi
On December 19, 1rculated much to sur	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	Ceet of 7 5/Ourton then	an casing and comentary with feet. RECEIVED DEC 2 2 1943 Artesis. New Mark	di tahi
On December 18, Iroulated much to sur Do sacks cement and	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	Company to	an casing and comentary with feet. GEOLOGICAL SURV RECEIVED	di tahi
Approved	r above sea level is DETAILS OF P conder show sizes, weights, all other imports. We set 1516 if face, Hallit plug was stor	Companith a By	an casing and comented with feet. RECEIVED DEC 2 2 1943 Artesis. New Mark	di tahi
On December 19, Iroulated much to sur Do sacks cement and	DETAILS OF P Condition of the labor importa- Condition of the labor important impor	Companith a By	an casing and comentary with feet. RECEIVED DEC 2 2 1943 Artesis. New Mark	di tahi

Porm No. 9-1102 UNITED STATES DEPARTMENT-OF-THE-INTERIOR COOKED STATES	Files Language		_6270270		р,
Geological Survey	Step 2	Toute			•
OPERATOR B			772		
OPERATOR By Petroleus	Corp. PERMI	TIEE	Lossia		
Field Wildont	11.0			WEL	LNo1
	GEC 4	_10.16	A PPPE	ed_11-29-16	!
County	DEC 1	1	10-10		
StateEst Merrico	JEC 18	1946 211	12-10	Edler of	feed !
State Ferico	DEC 3	1 Des Da	25%		1
Sec. 23 T. 208 R.	35E	1000	3/09/1	4)	:
Sukaning	100 13	1947 019 3	1601 R	157	
· · · · · · · · · · · · · · · · · · ·	JAN 22 JAN 29	1917	2/60/		<u> </u>
Location 660 - CP N 19801	201 29	1947 Also	33491	150 3	321-3
		W +03	329	2:3307	
Serial No. L.C. 058228 All	2/206	11/1/3	433	H Farl its	at FD
Ref. No Elev 36/2 L.			to P	+#	i
n.					i
Rig Syrface Rose	at				
Contractor					2
Casing Contra	et.)
Geolo	87,		(in)	1	
13/8-1601-300 TAZ	1779		 	1	//
	339			A	/
T8.2	-30		1		
BS 3	0/0		100	//	
A COMPANY OF THE PARTY OF THE P		╸╸┪/┆╸			
TBL		16/			
Dep yates 3115			/_		
				· · · · · · · · · · · · · · · · · · ·	·
			il .		
				Ī	
			il	1	
0					
	No.	+	1		
		-	1.		
23					
				1	
	•				
			-		
	#	!_	'1		

Apr 18 01 02:44p RFC

6270270

0270

P. O. Box 187 Artesia, New Mexico

October 27, 1947

Bay Petroleum Corporation P. O. Box 1785 Midland, Texas

Re: L.C. 058228

ATTENTION: Mr. Ellis H. Scobey

Gentlemen:

Reference is made to your well No. 1 Loomis, located in the NET NWT, section 23, T. 205., R. 35E., Les County, New Maxico, which was properly plugged and abandoned last April, 1917.

When you submitted a well log on our form 9-330 last February 3, 1947, it failed to include the fermation record from 0 to 1000 feet. When a representative of your company visited this office prior to the plugging of the well we requested that you furnish us with a supplemental log giving the formation from 0 to 1000 feet. Our records do not indicate that we have over received the additional information.

Your prompt attention in submitting this information will be greatly approxiated.

I remain,

Very truly yours

(Orig. Sed.) JOHN A. FROST

JOHN A. FROST District Engineer

01 02:42p RF0		6270270	
FORM 9-581 a (March 1942)			Budget Bureno No. 43. Approval expires 11–30.
/unestatt 1865)	(621m) may -		
		N TRIPLICATE)	Land Office Line Civil
	UNITE	D STATES	Lease No. 058228
DE	PARTMENT	OF THE INTERIOR	Unit Loomis
	GEOLOGI	ICAL SURVEY	GEOLOGICAL
			RECEI
SUNDRY NO	TICES AN	ID DEBOT	10V 3
	TICES AN	ID REPORTS ON	WELLS"
NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER	AFRICA VOL
NOTICE OF INTENTION TO CHANGE PLANS		- SUBSEQUENT REPORT OF SHOOTI	NG OR ACIDIZING
ROTICE OF INTENTION TO RE-DRILL OR PUBL	LID OF	SUBSECUENT REPORT OF ALTERIA	NG CASING
MULICE OF INTENTION TO SHOOT OR ACIDIZI	-	SUBSEQUENT REPORT OF REDRIL	LING OR REPAIR
NOTICE OF INTENTION TO PULL OR ALTER CONTICE OF INTENTION TO ABANDON WELL	ASING	SUBSEQUENT REPORT OF ABANDO SUPPLEMENTARY WELL HISTORY	NMENT
TO ARANDON WELL			
(INDICATE ABOVE	CHY CHECK MANY		***************************************
	and indirect 1481	fure of report, notice, or other	DATA)
		October	r_3Q,
Mind		(P)	m W line of sec2
Wildcat (Field)	20s (Twp.) (E	line and 1980 ft. fro	*****
(N Sec. and Sec. No.) Wildcat (Field)	County or S	33E NMPM (Moridian)	Mew Mexico (State or Textitory)
(N Sec. and Sec. No.) Wildcat	County or Si above sea level	33E NMPM (Moridian) abdivision) is 3612 ft.	New Mexico
Wildest (Field) The elevation of the derrick floor a	County or Si	mbdivision) is 3612 ft.	NOW MORICO (State or Turitory)
(N See and See No.) Wildcat (Field) The elevation of the derrick floor at the classic floor at the control of and expected depths to objectly ling	Above sea level DETAILS To and all other points, and all other	ange) (Moridian) abdivision) is 3612 ft. OF WORK reights, and lengths of proposed casis	NOW MORICO (State or Turitory)
(N Sec. and Sec. No.) Wildcat (Field) The elevation of the derrick floor at the control of the cont	Above sea level DETAILS To and all other points, and all other	ange) (Moridian) abdivision) is 3612 ft. OF WORK reights, and lengths of proposed casis	NOW MORICO (State or Turitory)
(N Sec and Sec No.) Wildcat (Field) The elevation of the derrick floor at the classic floor at the control of and expected depths to objectly ling Supplementary well hist	County or Si County or Si County or Si County or Si Boove sea level DETAILS re cande; show sizes, w points, and all ether Ory, as re	nbdivision) is 3612 ft. OF WORK reights, and lengths of proposed casis important proposed work) quested:	NOW MORICO (State or Turitory)
(Name and Sec. No.) Wildcat (Field) The elevation of the derrick floor at the elevation of the derrick floor at the elevation of and expected depths to objective line Supplementary well hist O = 60 *	County or Si above sea level DETAILS re cande; show sizes, w points, and all ether Ory, as re Surface S	ange) (Meridian) abdivision) is 3612 ft. OF WORK reights, and lengths of proposed cash important proposed work) que sted; and.	NOW MORICO (State or Turitory)
(Wildest and See No.) Wildcat (Field) The elevation of the derrick floor: (State names of and expected depths to objectly ling Supplementary well hist 0 - 60: 60:-760:	Los (County or Si above sea level DETAILS Points, and all other Ory, as re Surface S Red Shale	ange) (Meridian) abdivision) is 3612 ft. OF WORK relights, and lengths of proposed casis important proposed work) quested; and.	NOW MORICO (State or Turitory)
(N Sec. and Sec. No.) Wildcat (Field) The elevation of the derrick floor: (State names of and expected depths to objectly ling Supplementary well hist 0 - 60: 60:-760:	Los (County or Si above sea level DETAILS Points, and all other Ory, as re Surface S Red Shale	ange) (Meridian) abdivision) is 3612 ft. OF WORK reights, and lengths of proposed cash important proposed work) que sted; and.	NOW MORICO (State or Turitory)
(Wise and See No.) Wildcat (Field) The elevation of the derrick floor: (State names of and expected depths to objectly ling Supplementary well hist 0 - 60: 60:-760:	Los (County or Si above sea level DETAILS Points, and all other Ory, as re Surface S Red Shale	ange) (Meridian) abdivision) is 3612 ft. OF WORK relights, and lengths of proposed casis important proposed work) quested; and.	NOW MORICO (State or Turitory)
(Wildest Ed) Wildest (Field) The elevation of the derrick floor at the elevation of the derrick floor at the elevation of and expected depths to objectly ling Supplementary well hist 0 - 60! 60!-760! 760!-1000!	Above sea level DETAILS Permits and all ether Ory, as re Surface S Red Shale	ange) NMPM (Moridian) is 3612 ft. OF WORK relights, and lengths of proposed cash important proposed work) quested; and. and Red Sand.	(State or Turitory) (State or Turitory)
(N Sec. and Sec. No.) Wildcat (Field) The elevation of the derrick floor a Cleate names of and expected depths to objective ing Supplementary well hist 0 - 60! 60!-760! 760!-1000!	Los (County or Si above sea level DETAILS Personales show rives, w points, and all ether Ory, as re Surface 3 Red Shale Red Shale	ange) NMPM (Moridian) is 3612 ft. OF WORK reights, and lengths of proposed casis important proposed work) quested: and. and Red Sand.	(State or Turitory) (State or Turitory)
(N Sec. and Sec. No.) Wildest (Field) The elevation of the derrick floor at the elevation of the derrick floor at the elevation of and expected depths to objective line. Supplementary well hist 0 - 60: 60:-760: 760:-1000: 1 understand that this plan of work must recompany. The Bay Petrolei.	Los (County or Si above sea level DETAILS Permits and all ether Ory, as re Surface S Red Shale Red Shale	ange) NMPM (Moridian) is 3612 ft. OF WORK reights, and lengths of proposed casis important proposed work) quested: and. and Red Sand.	(State or Turitory) (State or Turitory)
(N Sec and Sec No.) Wildcat (Field) The elevation of the derrick floor a (State names of and expected depths to objective ing Supplementary well hist 0 - 60; 60;-760; 760;-1000;	Above sea level DETAILS DETAILS OPY, AS Pe Surface S Red Shale Red Shale	ange) NMPM (Moridian) is 3612 ft. OF WORK reights, and lengths of proposed casis important proposed work) quested: and. and Red Sand.	(State or Turitory) (State or Turitory)

APR-30-01 MON 10:59 AM FROM:

T۸٠

DAME ==

PHONE NO. : 505 622 f Apr 18 01 02:41p RF0 6270270 (SUBMIT IN TRIPLICATE) Lasso No.NM 0964 UNITED STATES DEPARTMENT OF THE INTERIOR Unit ____ GEOLOGICAL SURVEY SUNDRY NOTICES AND REPORTS ON WELLES, CARROLL NEW SER NOTICE OF INTENTION TO DRILL SUBSEQUENT REPORT OF WATER SHUT-OFF.... NOTICE OF INTENTION TO CHANGE MANS..... SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING NOTICE OF INTENTION TO TEST WATER SHUT-OFF ... SUBSEQUENT REPORT OF ALTERING CASING.... NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT REPORT OF REDRILLING OR REPAIR. NOTICE OF INTENTION TO SHOOT OR ACIDIZE... SUBSEQUENT REPORT OF ABANDONMENT NOTICE OF INTENTION TO PULL OR ALTER CASING... SUPPLEMENTARY WELL HISTORY..... NOTICE OF INTENTION TO ABANDON WELL. (Indicate above by Check Mark Nature of Report, Notice, or other data) Angust 24, , 19_54 is located 330 ft. from line and 1960 ft. from line of sec. 23 The elevation of the derrick floor above sea level is ... 3650 ft. DETAILS OF WORK 100 joints, 3125 2" tubing run. Pumped in los seeks coment with 45 Jal. Pulled tubing to 24001. Pumped 150 secks cement, AS Jal. Polled tubing to 1400'. Pumped 150 sacks coment, 45 Jel. After comment set 8 hours bailer test showed top of mement at 400° from surface. 10 sacks coment around 4" pape in top of hole 4" above Company Ca Ve Bay Address Box 216, Seminole, Temas

Title_

Rpr 18 01 02:41p RF0

6270270

p.2



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 187 Artesia, New Hexico

September 20, 1954

Bay Acholum corp.

C. U. Bay Box 216

Seminole, Texas

#/ Lindsey

Re: Oll & Gas Lease New Mexico 0964

Gentlemen:

Your "Subsequent Report of Abandonment" dated August 24, 1954, covering your well No. 1 Lindsey in HW1 HE2, section 23, T. 20 S., R. 33 E., Wildcat Area, Lea County, New Mexico, is

Very truly yours,

JAF : DE

Inspected by John A. Frost September 17, 1954