

ILLEGIBLE

FORM C-105

N


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

DUPLICATE

WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

W. H. Welch Artesia, N. M.

Company or Operator Address

Well No. 1 in of Sec. T. S.

State Loc County.

R. N. M. P. M. Field, Loc County.

Well is feet south of the North line and feet west of the East line of Sec. 21, T. 10, S. 13

If State land the oil and gas lease is No. Assignment No.

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is Address

Drilling commenced 19 Drilling was completed 19

Name of drilling contractor Address

Elevation above sea level at top of casing feet.

The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8"	26.5						1205	1210	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	8"	1205	25			
				1210		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		1210				

Results of shooting or chemical treatment

1210

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing 19

The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

James H. Welch Driller Driller

W. H. Welch Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 16 day of February 1946

Notary Public

My Commission expires May 10, 1949

Place Date

Name

Position

Representing

Company or Operator

Address

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	10		Caliche
10	20		Red Bed
200	300		Red Bed
300	400		Red Bed
400	500		Red Bed
500	600		Red Bed
600	700		Red Bed
700	800		Red Bed
800	900		Red Bed
900	1000		Red Bed
1000	1100		Red Bed
1100	1200		Red Bed
1200	1300		Red Bed
1300	1400		Red Bed
1400	1500		Red Bed
1500	1600		Red Bed
1600	1700		Red Bed
1700	1800		Red Bed
1800	1900		Red Bed
1900	2000		Red Bed
2000	2100		Red Bed
2100	2200		Red Bed
2200	2300		Red Bed
2300	2400		Red Bed
2400	2500		Red Bed
2500	2600		Red Bed
2600	2700		Red Bed
2700	2800		Red Bed
2800	2900		Red Bed
2900	3000		Red Bed
3000	3100		Red Bed
3100	3200		Red Bed
3200	3300		Red Bed
3300	3400		Red Bed
3400	3500		Red Bed
3500	3600		Red Bed
3600	3700		Red Bed
3700	3800		Red Bed
3800	3900		Red Bed
3900	4000		Red Bed
4000	4100		Red Bed
4100	4200		Red Bed
4200	4300		Red Bed
4300	4400		Red Bed
4400	4500		Red Bed
4500	4600		Red Bed
4600	4700		Red Bed
4700	4800		Red Bed
4800	4900		Red Bed
4900	5000		Red Bed
5000	5100		Red Bed
5100	5200		Red Bed
5200	5300		Red Bed
5300	5400		Red Bed
5400	5500		Red Bed
5500	5600		Red Bed
5600	5700		Red Bed
5700	5800		Red Bed
5800	5900		Red Bed
5900	6000		Red Bed
6000	6100		Red Bed
6100	6200		Red Bed
6200	6300		Red Bed
6300	6400		Red Bed
6400	6500		Red Bed
6500	6600		Red Bed
6600	6700		Red Bed
6700	6800		Red Bed
6800	6900		Red Bed
6900	7000		Red Bed
7000	7100		Red Bed
7100	7200		Red Bed
7200	7300		Red Bed
7300	7400		Red Bed
7400	7500		Red Bed
7500	7600		Red Bed
7600	7700		Red Bed
7700	7800		Red Bed
7800	7900		Red Bed
7900	8000		Red Bed
8000	8100		Red Bed
8100	8200		Red Bed
8200	8300		Red Bed
8300	8400		Red Bed
8400	8500		Red Bed
8500	8600		Red Bed
8600	8700		Red Bed
8700	8800		Red Bed
8800	8900		Red Bed
8900	9000		Red Bed
9000	9100		Red Bed
9100	9200		Red Bed
9200	9300		Red Bed
9300	9400		Red Bed
9400	9500		Red Bed
9500	9600		Red Bed
9600	9700		Red Bed
9700	9800		Red Bed
9800	9900		Red Bed
9900	10000		Red Bed