DEC 18 1961

SUNDRY NOTICES AND REPORTS ON WELLIS GEOLGINEAL SURFER

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

				moender 15	_, 19 01	
Gilar-I Well No.1 Stoltz- is locat	ederal ted 2310 ft.	$\operatorname{from}_{} \left\{ egin{aligned} oldsymbol{\hat{S}} \end{aligned} ight\} \operatorname{line} a$	and 2310 ft. from	$\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{w} \end{array} \right\}$ line of sec.	3	
NH SE 3	205	34B				
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)			
San Miguel		Lea		Verico		
(Field)	(Co	ounty or Subdivision)	(Sta	(State or Territory)		

The elevation of the derrick floor above sea level is 3656 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill to a total depth of approximately 4000 feet with rotary and cable tools and complete in the Yates-7 Rivers formation. The casing program will be as follows: 9-5/8 inch 36#, J-55 surface casing to be set 0 200 feet and cemented with 150 sacks. Cement will be circulated to surface. 4-1/2 inch 9.5%, J-55 casing set 0 4000 feet and cemented with 100 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.					
Company	J. N. C. Ritchie& Jack S. Reaves				
Address	Ver 953				
	Midland, Texas	By Thurs Must			
		Title Agent			

in the second se

and the September of the Control of

> > 1040 12