COST TO HOBBS

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4 Approval expires 12-31-60.
Approvat expires 12-31-00.

Lease No. LC 066126

U. S. GEOLOGO 1959

	AND REPORTS ON WELLS	
OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
AIDIT	SUBSEQUENT REPORT OF ALTERING CASING	
II I FGIBLE	SUBSEQUENT REPORT OF RE-DRILLING OF RE-	
II LUIDLE	SUPPLEMENTARY WELL HISTORY	
	SUPPLEMENTARY WELL RISTORY	
TICE OF INTENTION TO ABANDON WELL		
(NEDICATE ABOVE BY CHECK)	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	
(INDICATE ABOVE DI GILLONI	and the second s	
	June 18, 1959	, 19
((Range) (Meridian)	
e elevation of the derrick floor above se	ea level isft.	
The state of the s	TAILS OF WORK	
ate names of and expected depths to objective sands; sh ing points, an	ETAILS OF WORK now sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)	
Intend to drill with retary too 3850*, to test fates Will not \$-5/5" 24" cag at 175" Will use \$75 on coment on 145"	now sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work) Also (Alam Drilling Co.) to a depth of a complete or return assembly past the bases.	pprexim
Intend to drill with retary too 3050*, to test Tates Will set 8-5/6" 24* cag at 1750 Will use 275 on commit on 14* by temperature survey.	now sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work) also (Alam Brilling Ca.) to a depth of an indicate mudding case) to a depth of an indicate mudding case) to a depth of an indicate mudding case) to a depth of an indicate mudding case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brill	of salt
Intend to drill with retary too 3850*, to test letes Will set 8-5/6" 245 ceg at 1750 Will use 275 am commit on 145 by temperature survey. Designation of operator(3) and C-126 attached I understand that this plan of work must receive appr	now sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work) Also (Alam Drilling Co.) to a depth of a complete or return assembly past the bases.	of salt
Intend to drill with retary too 3850*, to test lates Will set 8-5/5" 24 ces at 175 Will use 275 on commit on 145 by temperature survey. Designation of operator(3) and C-126 attached I understand that this plan of work must receive approach company SOC 011 & Case Bldgs	now sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work) Also (Alan Drilling Co.) to a depth of an all of the colors of t	of salt
Intend to drill with retary too 3850*, to test lutes Will not 0-5/6" 24/ cag at 175 Will use 275 an econot on 14/ by temperature survey. Designation of operator(3) and C-126 attached I understand that this plan of work must receive appropriate the plan of work must receive appropriate the plan of work must receive appropriate the plan of the plan of work must receive appropriate the plan of the	now sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work) also (Alam Brilling Ca.) to a depth of an indicate mudding case) to a depth of an indicate mudding case) to a depth of an indicate mudding case) to a depth of an indicate mudding case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brilling Ca.) to a depth of an indicate case (Alam Brill	of salt
Intend to drill with retary too 3850°, to test lates Will set \$-5/5° 24' est at 175° Will use \$75 an essent on 146' by temperature survey. Designation of operator(3) and C-126 attached I understand that this plan of work must receive appropriate Empany BURK ROYALTY COMPANY diress 800 041 & One Bldgs	now sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work) Also (Alan Drilling Co.) to a depth of an all of the colors of t	of salt

\$ 11, te

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

					e de la companya di distributa de la companya di distributa di di distributa di distributa di distributa di distributa di distributa di distributa di distri	
Section A.				Da	ate	050
perator BUR	K ROYALTY COM	PANY L	ase HAI	NSON - F	EDERAT! 8 45	
tell No. I	Unit Letter	Section	25 T	ownship	<u> South Range</u>	34 East NMPM
ocated 330	Feet From G. L.	South Line	330		From West	Line
ounty Lea ame of Producin	ng Formation	ates - Sever	Rivers		Acreage 40	Acres
. Is the Opera	ator the only ov	wner* in the d	dicated ac	reage out	lined on the pla	t below?
Yes X			46. 1.4		. 11 Ab	h
					all the owners No I	
"yes," Type	of Consolidation	on				
 If the answer below: 	er to question t	two is "no," l:	ist all the	e owners a	nd their respect	ive interests
2020						
<u>Owner</u>			Ţ	and Descr	iption	
					RECEN	/ED
					JUN 1 9 19	959
	·				U. S. GEOLOGICAI	SUNVLY
	····				HOBBS, NEW M	EXICO
ction. B					Padin	
i			i		•	
i			i		This is to cert	
i	1				information in above is true a	
i	1		1		to the best of	
İ			!		and belief.	,
	 				BURK ROYALTY	COMPANY
	1		!		(Operator	
; ;					D./	Land
,	1		1		(Representa	tive
	1		1	1	800 Oil & Gas	Building
1			i		Wichita Falls	Texas
					Address	
l			1			
			1		This is to cert	
			1		well location s	
1			i		plat in Section from field note	
			į		surveys made by	
					my supervision	
					same is true an	
·			i		the best of my	knowledge and
			i		belief. Date Surveyed J	une 18. 1950
			i	1)-f
O			İ		Fr W.C	×hear
550'				4	Registered Prof Engineer and/or	
310 060 990 13	20 1050 1000 8310 2	5-40 Z000 II				
			ieo 100e	*00 0	Certificate No.	1559
	(See Instruc	ctions for comp	eting thi	s form on	the reverse sid	e)