


Land Office \_\_\_\_\_  
Lease No. **NM 002**  
Unit \_\_\_\_\_



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 10, 1959, 19\_\_

Rider Federal

Well No. **1** is located **2310** ft. from **N** line and **467** ft. from **E** line of sec. **27**

**22 1/4** **N 1/4** **Sec. 27** **T20S R34E** **N 1/4**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Leach** **Indesignated** **Lea** **New Mexico**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3695** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Intend to drill with rotary tools (Alan Drilling Co.) to an approximate depth of 3050' to test Yates

Will run and set 24' 2-1/2" csg to depth of approximately 175' w/150 ex cement to circulate

Will run 12.75' 4-1/2" csg to TD using 275 ex or circulate

0-125 attached -3 copies  
Designation of Operator attached -3 copies

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **NINE ROYALTY COMPANY**

Address **600 Oil & Gas Bldg.**

**Michoud Falls, Texas**

By *[Signature]*  
Agent

Title \_\_\_\_\_