	L			Budget Bureau No. 42–R358.4. Approval expires 12–31–60.
		(SUBMIT IN TRIPLICATE)		Land Office HODDE, N. N.
		UNITED	STATES	Lease No. LC 070315
	rovisions of T. De		OF THE INTERIOR	Unit
* R-	4	GEOLOGI		
39	•		11111111111111111111111111111111111111	胡 7 93
				· 6
	SUNDRY NO	TICES ANI	D REPORTS ON	WELLS
NOTICE OF	INTENTION TO DRILL	<b>.</b>	SUBSEQUENT REPORT OF WATER	SHUT-OFF
NOTICE OF	INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTIN	
1	INTENTION TO TEST WATER SHUT		SUBSEQUENT REPORT OF ALTERIN	
1	INTENTION TO RE-DRILL OR REPA		SUBSEQUENT REPORT OF RE-DRIL	
1	INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDO	NMENT
	INTENTION TO PULL OR ALTER CA		SUPPLEMENTARY WELL HISTORY	
NOTICE OF 1	INTENTION TO ABANDON WELL			
	(INDICATE ABOVE	BY CHECK MARK NATU	IRE OF REPORT, NOTICE, OR OTHER	 DATA)
11 man	017 //		November 12	
» <b>1190</b> 1	011 Company #2	n <b>use</b>		, 17 <u>**</u>
Well No	2 is located	50 ft. from.	nne and <b>660</b> ft. from	m E line of sec. 21
SE/L	SE/L	205 3		
(14 Se	c. and Sec. No.)	Twp.) (Rang		
Middl	a Lynch Yates	(County or Sub		New Mexico
The elevation	ion of the derrick floor a	above sea level is	ft. 2 <b>st 3668</b>	30.1.
		DETAILS	OF WORK	
(State names of	f and expected depths to objective ing	DETAILS sands; show sizes, we points, and all other in	OF WORK shts, and lengths of proposed casiz mportant proposed work)	ngs; indicate mudding jobs, cement-
(State names of Propose tools, as foll	f and expected depths to objective ing ed location SE/4 USIN <sub>C</sub> CUE tomary Lows:	DETAILS s sands; show sizes, we points; and all other in S <sup>3</sup> /4, Sec. casing pro	OF WORK ghts, and lengths of proposed cash mportant proposed work) 21, will be dri gram established	indicate mudding jobs, coment-
(State names of Propose tools, as fol: 13-	f and expected depths to objective ing ed location SE/4 USIN_ CUSTOMARY lows: -3/8" in Rop of	DETAILS sands; show sizes, we points, and all other in 3 <sup>4</sup> /4, Sec. <b>Casing pro</b> the Red Bed	OF WORK ghts, and lengths of proposed cash mportant proposed work) 21, will be dri gram established	indicate mudding jobs, coment-
(State names of Propose tools, as fol: 13- 10-	fand expected depths to objective ing ed location SE/4 USIN_ CUStomary lows: -3/8" in Rop of -3/4" as cave at	DETAILS sands; show sizes, wei points, and all other in S <sup>2</sup> /4, Sec. casing pro the Red Bec	OF WORK ights, and lengths of proposed cash mportant proposed work) 21, will be dri gram established 1, approximately wit 2001	1985; indicate mudding jobs, coment- lied with cable in the area 70°. With 25 sacks.
(State names of Propose tools, as fol: 13- 10-	fand expected depths to objective ing ed location SE/4 USIN_ CUSTOMARY lows: -3/8" in Pop of -3/4" as cave st -5/8" water shut	DETAILS sands; show sizes, we points; and all other in S <sup>2</sup> /4, Sec. casing pro the Red Bec ing at abc ing at abc	OF WORK ights, and lengths of proposed cash mportant proposed work) 21, will be dri gram established 1, approximately wit 2001	1985; indicate mudding jobs, coment- lied with cable in the area 70°. With 25 sacks.
(State names of Propose tools, as fol: 13- 10- 8.	fand expected depths to objective ing ed location SE/4 USIN_ CUSTOMARY lows: -3/8" in Top of -3/4" as cave st -5/8" water shut below the	DETAILS sands; show sizes, we points, and all other in S <sup>2</sup> /4, Sec. casing pro the Red Bed iring at abo ing at abo	OF WORK ights, and lengths of proposed cash mportant proposed work) 21, will be dri gram established 1, approximately put 700'. 5 at about 1300',	11ed with cable i in the area 70'. With 25 sacks. but in any event
(State names of Propose tools, as fol: 13- 10- 8-	fand expected depths to objective ing ed location SE/4 using customary lows: -3/8" in Pop of -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st	DETAILS sands: show sizes, wei points: and all other in 3 4, Sec. casing pro the Red Bed iring at abd i-off string water. ring to be	OF WORK ghts, and lengths of proposed cash mportant proposed work) 21, will be dri gram established 1, approximately put 700'. 5 at about 1300', set and cemented	1985; indicate mudding jobs, coment- lied with cable in the area 70°. With 25 sacks.
(State names of Propose tools, as fol: 13- 10- 8-	fand expected depths to objective ing ed location SE/4 using customary lows: -3/8" in Pop of -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st	DETAILS sands; show sizes, we points, and all other in S <sup>2</sup> /4, Sec. casing pro the Red Bed iring at abo ing at abo	OF WORK ghts, and lengths of proposed cash mportant proposed work) 21, will be dri gram established 1, approximately put 700'. 5 at about 1300', set and cemented	11ed with cable i in the area 70'. With 25 sacks. but in any event
(State names of Propose tools, as fol: 13- 10- 8- 7 ( Top of	fand expected depths to objective ing ed location SE/4 usin_ customary lows: -3/8" in Top of -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st by operato	DETAILS sands: show sizes, we points, and all other in S <sup>4</sup> , Sec. casing pro the Ked Bed ring at abd off string water. ring to be r, below the clark horizo	OF WORK ghts, and lengths of proposed cash mportant proposed work) 21, will be dri gram established 1, approximately put 700'. 5 at about 1300', set and cemented	11ed with cable in the area 70'. With 25 sacks. but in any event at point selected
(State names of tools, as fol: 13- 10- 8- 7 ( Top of of the	fand expected depths to objective ing ed location SE/4 Usin_ customary lows: -3/4" as cave st -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st by operato the first produ Seven-Sivers re	DETAILS points; show sizes, we points; and all other in S <sup>4</sup> /4, Sec. casing pro the Ked Bed wing at abo ring at abo ring to be r, below the oing horizo of.	OF WORK ights, and lengths of proposed cashs mportant proposed work) 21, will be dri Ogram established 1, approximately put 700'. ; at about 1300', set and cemented Tansill. m expected at 36	<pre>ngs; indicate mudding jobs, coment- lied with cable in the area 70'. With 25 sacks. but in any event at point selected 25, in the Top</pre>
(State names of tools, as fol: 13- 10- 8- 7 ( Top of of the	f and expected depths to objective ing ed location SE/4 USIN_ CUE tomary lows: -3/8" in Top of -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st by operato the first produ Seven-Sivers re	DETAILS sands: show sizes, wei points, and all other in S <sup>7</sup> /4, Sec. casing pro the Red Bed ring at abd off string water. ring to be r, below the off, below the off.	OF WORK ghts, and lengths of proposed cash mportant proposed work) 21, will be dri Ogram established 1, approximately put 700'. 3 at about 1300', set and cemented Pansill.	<pre>ngs; indicate mudding jobs, coment- lied with cable in the area 70'. With 25 sacks. but in any event at point selected 25, in the Top</pre>
(State names of Propose tools, as fol: 13- 10- 8- 7 ( Top of of the I understand Company	f and expected depths to objective ing ed location SE/4 USIN_ CUE tomary lows: -3/4" as cave st -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st by operato the first produ Seven-Sivers re d that this plan of work must rec wILSON OIL COM	DETAILS sands: show sizes, wei points, and all other in S <sup>7</sup> /4, Sec. casing pro the Red Bed ring at abd off string water. ring to be r, below the off, below the off.	OF WORK ights, and lengths of proposed cashs mportant proposed work) 21, will be dri Ogram established 1, approximately put 700'. ; at about 1300', set and cemented Tansill. m expected at 36	<pre>ngs; indicate mudding jobs, coment- lied with cable in the area 70'. With 25 sacks. but in any event at point selected 25, in the Top</pre>
(State names of Propose tools, as fol: 13: 10: 8: 7 ( Top of of the I understand Company	f and expected depths to objective ing ed location SE/4 USIN_ CUE tomary lows: -3/4" as cave st -3/4" as cave st -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st by operato the first produ Seven-Fivers re d that this plan of work must rec wILSON OIL COM	DETAILS sands: show sizes, we points: and all other in S <sup>4</sup> /4, Sec. Casing pro the Ked Bed sring at abd ing at	OF WORK ights, and lengths of proposed cash mportant proposed work) 21, will be dri Gram established 1, approximately put 700'. 3 at about 1300', set and cemented Pansill. m expected at 36 s by the Geological Survey before o	ngs; indicate mudding jobs, coment- lied with cable in the area 70'. With 25 sacks. but in any event at point selected 25, in the Top perations may be commenced.
(State names of Propose tools, as fol: 13- 10- 8- 7 ( Top of of the I understand Company	f and expected depths to objective ing ed location SE/4 USIN_ CUE tomary lows: -3/8" in Pop of -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st by operato the first produ Seven-Fivers re that this plan of work must rec >ILSON OIL COM	DETAILS sands: show sizes, we points: and all other in S <sup>4</sup> /4, Sec. Casing pro the Ked Bed sring at abd ing at	OF WORK ights, and lengths of proposed cash mportant proposed work) 21, will be dri Gram established 1, approximately put 700'. 3 at about 1300', set and cemented Pansill. m expected at 36 s by the Geological Survey before o	ngs; indicate mudding jobs, coment- lied with cable in the area 70'. With 25 sacks. but in any event at point selected 25, in the Top perations may be commenced.
(State names of Propose tools, as fol: 13- 10- 8- 7 ( Top of of the I understand Company	f and expected depths to objective ing ed location SE/4 USIN_ CUE tomary lows: -3/8" in Pop of -3/4" as cave st -5/8" water shut below the or 5-1/2" oil st by operato the first produ Seven-Fivers re that this plan of work must rec >ILSON OIL COM	DETAILS sands: show sizes, we points: and all other in S <sup>4</sup> /4, Sec. Casing pro the Ked Bed sring at abd ing at	OF WORK ights, and lengths of proposed cash mportant proposed work) 21, will be dri Gram established 1, approximately put 700'. 3 at about 1300', set and cemented Pansill. m expected at 36 s by the Geological Survey before o	nge; indicate mudding jobs, coment- lied with cable in the area 70'. With 25 Backs. but in any event at point selected 25, in the Top perations may be commenced.

U. S. GOVERNMENT PRINTING OFFICE 18-8437-6

Form C-128 J MEXICO OIL CONSERVATION COMMILLION Revised 5/1/57Well Location and Acreage Dedication Plat HOBBS OFFICE OCC Section A. 11-12-57 Date WILSON OIL COMPANY Operator NUSE ICES Amee 10 2 Well No. Unit Letter 📕 Section Township 48 Range NMPM 660 Bast Located 660 \_\_\_\_Feet From Line Sout) Feet From Line G. L. Elevation 3668 EST. County\_\_\_ Les Dedicated Acreage Acres Name of Producing Formation Seven Rivers Pool Middle Lynch Lates 1. Is the Operator the only owner\* in the dedicated acreage outlined on the plat below? Yes\_\_ 🎩 \_\_\_\_No 2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes\_\_\_\_No\_\_\_\_. If answer is "yes," Type of Consolidation\_ 3. If the answer to question two is "no," list all the owners and their respective interests below: Owner Land Description Section.B This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief. WILSON OIL COMPANY (Operator) haymond Lamb (Representative) Box 1436, Artesia, N.M. Address This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief. 11-7-57 Date Surveyed 660-Registered Professional Engineer and/or Land Surveyor. 1650 1980 2310 2640 1320 2000 1500 1000 928 500 Certificate No.

(See instructions for completing this form on the reverse side)

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

\* "Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)