

REFRAME
JAN 1961
NEGATIVE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

1280
297

1231

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Edwin B. Cox & Jake L. Hamon, Box 627, Dallas, Texas
Company or Operator
State 1 in NWNWSW of Sec 19, T. 20-S
Lease
R 35-E, N. M. P. M., wildcat Field, Lea County.
Well is 2970 feet south of the North line and 4950 feet west of the East line of section
If State land the oil and gas lease is No. E-2655 Assignment No.
If patented land the owner is, Address
If Government land the permittee is, Address
The Lessee is Ernest A. Hanson, Address Roswell, New Mexico
Drilling commenced Oct. 19 49 Drilling was completed Dec. 11, 1949 19
Name of drilling contractor W-W Drilling Co, Address Carlsbad, NM
Elevation above sea level at top of casing 3676 feet.
The information given is to be kept confidential until not confidential 19

OIL SANDS OR ZONES

No. 1, from.....to..... No. 4, from.....to.....
No. 2, from.....to..... No. 5, from.....to.....
No. 3, from.....to..... No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.

No. 2, from.....to.....feet.

No. 3, from.....to.....feet.

No. 4, from.....to.....feet.

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
11	10 ^{3/4}	192	225	HOWCO		

PLUGS AND ADAPTERS

Heaving plug—Material.....Length.....Depth Set.....

Adapters — Material.....Size.....

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet

Cable tools were used from.....feet to.....feet, and from.....feet to.....feet

PRODUCTION

Put to producing....., 19.....

The production of the first 24 hours was.....barrels of fluid of which.....% was oil;% emulsion;% water; and.....% sediment. Gravity, Be.....

If gas well, cu. ft. per 24 hours.....Gallons gasoline per 1,000 cu. ft. of gas.....

Rock pressure, lbs. per sq. in.....

EMPLOYEES

....., Driller Driller
....., Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 22
day of Dec, 1949
Ernest W. Hany
Notary Public

Artesia, New Mex 12-22-49
Place Date
Name Stuart and
Position representative
Representing Cox & Hannon

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	15	15	Sand
15	192	177	Red Shale and Sand (Note: 10 3/4 Cemented 192'. 250 sacks cement of Halliburton, on 10/1/49).
192	946	754	Red Shale
946	1770	824	Red Sand, shale streaks
1770	1800	30	Anhydrite
1800	1830	30	Salt, Red beds
1830	1907	77	Anhydrite and Lime
1907	1970	63	Salt
1970	2030	60	Anhydrite
2030	3470	1440	Salt, Anhydrite and Potash streaks
3470	3519	49	Anhydrite and Lime. Base salt 3485' <i>Samples and drilling time</i> TD 3519'.