



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPPLICATE. If State Land submit 6 Copies.

Sinclair Oil & Gas Company
(Company or Operator)

State Lea 688
(Lease)

Well No. 1, in NE 1/4 of NE 25, T. 20S, R. 35E, NMPM.

Basement Pool Lea

Well is 660 feet from North line and 660 feet from East line

of Section 25. If State Land the Oil and Gas Lease No. is E-8072

Drilling Commenced 12/12/1956 Drilling was Completed 12/24/1956

Name of Drilling Contractor Cackle Drilling Company

Address 439 Ft. Worth National Bank Building - Fort Worth, Texas

Elevation above sea level at Top of Tubing Head 3658

The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from 3912 to 4063 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	OFF AND PULLED FROM	PERFORATIONS	PURPOSE
10-3/4"	28.52	New	307'				Surface
7"OD	17 & 20	"	4064'			3994 - 4026	Production
2-3/8"	4.7	"	4027'				Tubing

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	WELL CEMENT	AMOUNT OF MUD USED
13-3/4"	10-3/4"	307'	250	Halliburton		
8-3/4"	7"	4064'	200	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, Interval treated or shot.)

12/30/56: Acidized from 3994' to 4026' with 250 gallons mud acid followed with 6000 gallons oil and 6000# sand. Max. pressure 5800#, Min. pressure 3800#.

Result of Production Stimulation Well kicked off and flowed 120 bbls. new oil in 2 1/2 hours.

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0' feet to 4065' feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 1/3/57, 1957

OIL WELL: The production during the first 24 hours was 120 barrels of liquid of which 100 was oil; 0 % was emulsion, 0 % water; and 0 % was sediment. A.P.I. Gravity 35.6

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1980		T. Devonian		T. Ojo Alamo
T. Salt	2060		T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	3717		T. Simpson		T. Pictured Cliffs
T. 7 Rivers	3712		T. McKee		T. Menefee
T. Queen			T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash		T. Mancos
T. San Andres			T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn			T.		T.
T. Miss			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	55	55	Galiche				
55	1600	1545	Red Beds				
1600	1922	32	Red Rock and shale				
1922	2136	214	Anhydrite and gypsum				
2136	3501	1365	Salt & Anhydrite				
3501	3707	206	Anhydrite & Gypsum				
3707	3751	44	Red Rock & Gypsum				
3751	3961	210	Anhydrite and gypsum				
3961	4065	104	Lime				
Orig & Rec: OGC cc: State Land Office cc: FHR, HFD, File							

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Sinclair Oil & Gas Company
Name G. G. Salter

Address 520 East Broadway, Hobbs, New Mexico
Position or Title District Superintendent
1/7/57 (Date)

Orig. & 4cc:OCC

Form C-110
Revised 7/1/55

cc: State Land Office,
NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

(File the original and 4 copies with the appropriate district office)

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION
TO TRANSPORT OIL AND NATURAL GAS

Company or Operator Sinclair Oil & Gas Company Lease State Lea 688

Well No. 1 Unit Letter A S 25 T 208 R 35E Pool Emont

County Lea Kind of Lease (State, Fed. or Patented) State

If well produces oil or condensate, give location of tanks: Unit A S 25 T 208 R 35E

Authorized Transporter of Oil or Condensate McWood Corp.,

Address 330 Petroleum Bldg, Abilene, Texas
(Give address to which approved copy of this form is to be sent)

Authorized Transporter of Gas _____

Address _____
(Give address to which approved copy of this form is to be sent)

If Gas is not being sold, give reasons and also explain its present disposition:

Reasons for Filing: (Please check proper box) New Well (X)

Change in Transporter of (Check One): Oil () Dry Gas () C'head () Condensate ()

Change in Ownership () Other ()

Remarks: _____
(Give explanation below)

The undersigned certifies that the Rules and Regulations of the Oil Conservation Commission have been complied with.

Executed this the 3 day of January 19 58

By (Signature)

Approved (Signature) 19 58

Title District Supt.

OIL CONSERVATION COMMISSION

Company Sinclair Oil & Gas Company

By E. J. Fischer

Address 620 East Broadway,

Title Engineer District 7

Hobbs, New Mexico